



Bilaga 1

1 (28)

Identifiering av kvinnor med möjliga
depressions- och ångestsyndrom under
gravitet, rapport 331
samt Identifiering av traumatiska
förlossningsupplevelser, rapport 332 (2021)

Bilaga 1. Fullständig litteratursökning

CINAHL via EBSCO 11 December 2020

Title: Antenatal and Postnatal screening for depression, anxiety and traumatic experiences

Search terms	Items found
Population: Anxiety and depression	
1. (MH "Anxiety")	44,754
2. (MH "Anticipatory Anxiety")	574
3. (MH "Anxiety Disorders")	10,632
4. (MH "Generalized Anxiety Disorder")	548
5. (MH "Depression")	109,469
6. (MH "Depression, Reactive")	23
7. (MH "Dysthymic Disorder")	439
8. (MH "Mental Disorders")	58,832
9. (MH "Mental Health")	38,932
10. TI (anxiet* or anxiodepressive or anxious* or depress* or dysthymi* or melanchol*) OR AB (anxiet* or anxiodepressive or anxious* or depress* or dysthymi* or melanchol*)	193,080
11. TI ((mental* or psychiatric or psychologic*) N2 (deficien* or disease* or disorder* or disturbance* or dysfunction* or health or illness* or problem*)) OR AB ((mental* or psychiatric or psychologic*) N2 (deficien* or disease* or disorder* or disturbance* or dysfunction* or health or illness* or problem*))	157,896
12. S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11	382,780
Population: Traumatic experiences	
13. (MH "Psychological Distress")	838
14. (MH "Psychological Trauma")	1,474
15. (MH "Stress Disorders, Post-Traumatic")	22,999
16. TI ((negative or trauma*) N5 (birth* or childbirth* or child-birth* or delivery or event* or experien* or labor or labour or obstetric*)) OR AB ((negative or trauma*) N5 (birth* or childbirth* or child-birth* or delivery or event* or experien* or labor or labour or obstetric*))	21,848

17.	TI ((posttrauma* or post-trauma* or trauma*) N3 (disorder* or distress or event* or experien* or neuros* or psych* or stress* or symptom* or syndrom*)) OR AB ((posttrauma* or post-trauma* or trauma*) N3 (disorder* or distress or event* or experien* or neuros* or psych* or stress* or symptom* or syndrom*))	29,866
18.	TI ("psychological distress" or ptsd) OR AB ("psychological distress" or ptsd)	22,343
19.	S13 OR S14 OR S15 OR S16 OR S17 OR S18	62,117
Population: Pregnancy/antenatal		
20.	(MH "Pregnancy") OR (MH "Pregnancy, High Risk") OR (MH "Pregnancy, Multiple+") OR (MH "Pregnancy Trimesters+") OR (MH "Pregnancy, Unplanned") OR (MH "Pregnancy, Unwanted") OR (MH "Pregnancy Complications") OR (MH "Chorea Gravidarum") OR (MH "Fetal Diseases+") OR (MH "Hyperemesis Gravidarum") OR (MH "Oligohydramnios") OR (MH "Pelvic Floor Disorders") OR (MH "Pemphigoid Gestationis") OR (MH "Phenylketonuria, Maternal") OR (MH "Placenta Diseases+") OR (MH "Polyhydramnios") OR (MH "Pregnancy Complications, Cardiovascular+") OR (MH "Pregnancy Complications, Hematologic") OR (MH "Pregnancy Complications, Infectious+") OR (MH "Pregnancy Complications, Neoplastic+") OR (MH "Pregnancy Complications, Psychiatric+") OR (MH "Pregnancy Discomforts") OR (MH "Pregnancy, Ectopic") OR (MH "Pregnancy, Heterotopic") OR (MH "Pregnancy in Diabetes+") OR (MH "Pregnancy, Prolonged") OR (MH "Pregnancy in Adolescence")	211,372
21.	(MH "Maternal-Child Care") OR (MH "Maternal-Child Nursing") OR (MH "Maternal-Child Welfare") OR (MH "Maternal-Child Health") OR (MH "Maternal Health Services") OR (MH "Expectant Mothers")	23,686
22.	(MH "Midwifery Service+") OR (MH "Midwives") OR (MH "Nurse Midwives")	16,727
23.	MW obstetric*	33,844
24.	(MH "Perinatal Care") OR (MH "Perinatal Death") OR (MH "Perinatal Nursing") OR (MH "Prenatal Care") OR (MH "Prenatal Diagnosis+")	47,731
25.	TI (antenatal* or ante-natal* or antepart* or ante-part* or birth* or childbirth* or child-birth* or expectant mother* or ((first or second or third) N2 trimester*) or matern* or midwif* or midwiv* or mother-to-be or mothers-to-be or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or pregnan* or prenat* or pre-nat*) OR AB (antenatal* or ante-natal* or antepart* or ante-part* or birth* or childbirth* or child-birth* or expectant mother* or ((first or second or third) N2 trimester*) or matern* or midwif* or midwiv* or mother-to-be or mothers-to-be or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or pregnan* or prenat* or pre-nat*)	345,928
26.	S20 OR S21 OR S22 OR S23 OR S24 OR S25	422,812
Population: Pregnancy/postnatal		
27.	(MH "Delivery, Obstetric+") OR (MH "Obstetric Emergencies")	15,342
28.	(MH "Maternal-Child Care") OR (MH "Maternal-Child Nursing") OR (MH "Maternal-Child Welfare") OR (MH "Maternal-Child Health") OR (MH "Maternal Health Services") OR (MH "Expectant Mothers")	23,686

29.	(MH "Midwifery Service+") OR (MH "Midwives") OR (MH "Nurse Midwives")	16,727
30.	MW obstetric*	33,844
31.	(MH "Perinatal Death") OR (MH "Perinatal Nursing") OR (MH "Perinatal Care") OR (MH "Postnatal Period") OR (MH "Puerperium") OR (MH "Postnatal Care") OR (MH "Intrapartum Care+")	34,858
32.	(MH "Childbirth+") OR (MH "Labor+")	41,220
33.	(MH "Pregnancy+") OR (MH "Pregnancy, Multiple+") OR (MH "Pregnancy Trimesters+") OR (MH "Pregnancy, Unplanned") OR (MH "Pregnancy, Unwanted") OR (MH "Pregnancy in Adolescence") OR (MH "Pregnancy Outcomes") OR (MH "Pregnancy Discomforts") OR (MH "Pregnancy Complications+")	229,529
34.	TI (birth* or childbirth* or child-birth* or labor or laboring or labour or labouring or matern* or midwif* or midwiv* or "new mother" or "new mothers" or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or postbirth* or postpartum* or post-partum* or postnatal* or post-natal* or pregnan* or puerperal* or puerperium*) OR AB (birth* or childbirth* or child-birth* or labor or laboring or labour or labouring or matern* or midwif* or midwiv* or "new mother" or "new mothers" or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or postbirth* or postpartum* or post-partum* or postnatal* or post-natal* or pregnan* or puerperal* or puerperium*)	330,054
35.	S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34	414,006
Intervention: Screening/Case identification¹		
36.	(MH "Health Screening")	47,690
37.	TI (screen* or detect*) OR AB (screen* or detect*)	379,791
38.	TI identif* or recogni*	62,100
39.	TI ((early or earlier or earliest) N5 (identif* or recogni*)) OR AB ((early or earlier or earliest) N5 (identif* or recogni*))	22,444
40.	TI ("case finding#" or casefinding#) OR AB ("case finding#" or casefinding#)	1,567
41.	TI (mental* or psych*) N5 assess*	3,867
42.	S36 OR S37 OR S38 OR S39 OR S40 OR S41	467,904
Study types: Randomized controlled trials²		
43.	MH "Randomized Controlled Trials+" OR MH "Double-Blind Studies" OR MH "Single-Blind Studies" OR MH "Random Assignment" OR MH "Pretest-Posttest Design+" OR MH "Cluster Sample" OR MH "Sample Size" OR MH "Crossover Design" OR MH "Comparative Studies" OR MH "Placebos" OR PT (Randomized Controlled Trial) OR TI (randomised OR randomized) OR AB (random*) OR TI (trial) OR AB (assigned OR allocated OR control) OR AB (control W5 group) OR AB (cluster W3 rct)	1,086,796

¹ Translated/adapted from: Hamel C, Lang E, Morissette K, Beck A, Stevens A, Skidmore B, et al. Screening for depression in women during pregnancy or the first year postpartum and in the general adult population: a protocol for two systematic reviews to update a guideline of the Canadian Task Force on Preventive Health Care. *Syst Rev.* 2019;8(1):27. Available from: <https://doi.org/10.1186/s13643-018-0930-3>. - Search rows 57-64 in additional file 5

² Glanville J, Dooley G, Wisniewski S, Foxlee R, Noel-Storr A. Development of a search filter to identify reports of controlled clinical trials within CINAHL Plus. *Health Info Libr J.* 2019;36(1):73-90. Available from: <https://doi.org/10.1111/hir.12251>.

Study types: Systematic reviews

44.	MH "Systematic Review" OR ZT "systematic review" OR MH "Meta Analysis" OR ZT "meta analysis"	136,382
45.	TI (systematic* AND review) OR "systematic overview*" OR "cochrane review*" OR "systemic review*" OR "scoping review" OR "scoping literature review" OR "mapping review" OR "umbrella review*" OR "review of reviews" OR "overview of reviews" OR "meta review" OR "integrative review" OR "integrated review" OR "integrative overview" OR "meta synthesis" OR metasynthesis OR "quantitative review" OR "quantitative synthesis" OR "meta ethnography" OR "research synthesis" OR "systematic literature search" OR "systematic literature research" OR "evidence-based review" OR "evidence synthesis" OR "meta analyses" OR metaanalyses OR metaanalysis OR "meta analysis" OR "meta-analytic review" OR "meta-analytical review"	143,092
46.	TI ((search* OR medline OR pubmed OR embase OR cochrane OR scopus OR "web of science" OR "sources of information" OR "data sources" OR "following databases") AND ("study selection" OR "selection criteria" OR "eligibility criteria" OR "inclusion criteria" OR "exclusion criteria")) OR AB ((search* OR medline OR pubmed OR embase OR cochrane OR scopus OR "web of science" OR "sources of information" OR "data sources" OR "following databases") AND ("study selection" OR "selection criteria" OR "eligibility criteria" OR "inclusion criteria" OR "exclusion criteria"))	30,248
47.	S44 OR S45 OR S46	188,043
Combined sets		
48.	S12 AND S26 AND S42 AND S43	1,070
49.	S12 AND S26 AND S42 AND S47	292
50.	S19 AND S35 AND S42 AND S43	189
51.	S19 AND S35 AND S42 AND S47	57
52.	S48 OR S49 OR S50 OR S51	1,368
Specific screening instruments		
53.	(MH "Edinburgh Postnatal Depression Scale")	2,348
54.	TI ((edinburgh N3 depression) or epds or epds3a) OR AB ((edinburgh N3 depression) or epds or epds3a)	1,991
55.	TI (gad-2 or gad2 or gad-7 or gad7 or (("generalised anxiety disorder" or "generalized anxiety disorder") N2 ("2" or "7" or assess* or instrument* or item* or questionnaire* or scale* or screen* or tool*))) OR AB (gad-2 or gad2 or gad-7 or gad7 or (("generalised anxiety disorder" or "generalized anxiety disorder") N2 ("2" or "7" or assess* or instrument* or item* or questionnaire* or scale* or screen* or tool*)))	729
56.	TI ("matthey generic mood" or mgmq) OR AB ("matthey generic mood" or mgmq)	4
57.	TI ("Patient Health Questionnaire 2" or PHQ-2 or PHQ2 or "Patient Health Questionnaire 9" or PHQ-9 or PHQ9) OR AB ("Patient Health Questionnaire 2" or PHQ-2 or PHQ2 or "Patient Health Questionnaire 9" or PHQ-9 or PHQ9)	1,989
58.	TI "whooley question*" OR AB "whooley question*"	21
59.	S53 OR S54 OR S55 OR S56 OR S57 OR S58	5,350

Combined sets

60.	S12 AND S26 AND S59	1,414
Limiters - Published Date: 20140101-20211231		
61.	S52 OR S60	2,654
62.	ZT "Case Study" OR ZT "Commentary" OR ZT "Editorial" OR ZT "Letter"	1,180,821
63.	S61 NOT S62	2,597
64.	S61 NOT S62	2,539

Limiters - Language: Danish, English, Norwegian, Swedish

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Exact subject heading

MM = Major Concept

Nx = Near Operator, finds the words if they are a maximum of x words apart from one another, regardless of the order in which they appear

SU = Subject Terms

TI = Title

TX = All Text. Performs a keyword search of all the ^[1]_{SEP} database's searchable fields

ZC = Methodology Index

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

Cochrane Library via Wiley 11 December 2020 (CDSR & CENTRAL)

Title: Antenatal and Postnatal screening for depression, anxiety and traumatic experiences

Search terms		Items found
Population: Anxiety and depression		
1.	MeSH descriptor: [Anxiety] this term only	7472
2.	MeSH descriptor: [Anxiety Disorders] this term only	3769
3.	MeSH descriptor: [Depression] this term only	12317
4.	MeSH descriptor: [Depressive Disorder] this term only	7884
5.	MeSH descriptor: [Depressive Disorder, Major] this term only	4962
6.	MeSH descriptor: [Depressive Disorder, Treatment-Resistant] this term only	416
7.	MeSH descriptor: [Dysthymic Disorder] this term only	178
8.	MeSH descriptor: [Mental Disorders] this term only	3724
9.	MeSH descriptor: [Mental Health] this term only	1515
10.	(anxiet* or anxiodepressive or anxious* or depress* or dysthymi* or melanchol*):ab,ti	101067
11.	((mental* or psychiatric or psychologic*) NEAR/2 (deficien* or disease* or disorder* or disturbance* or dysfunction* or health or illness* or problem*)):ab,ti	31201
12.	{OR #1-#11}	123557

Population: Traumatic experiences

13.	MeSH descriptor: [Psychological Distress] this term only	62
14.	MeSH descriptor: [Psychological Trauma] this term only	82
15.	MeSH descriptor: [Stress Disorders, Post-Traumatic] this term only	2627
16.	MeSH descriptor: [Stress Disorders, Traumatic] this term only	745
17.	MeSH descriptor: [Stress Disorders, Traumatic, Acute] this term only	50
18.	MeSH descriptor: [Trauma and Stressor Related Disorders] this term only	7
19.	((negative or trauma*) NEAR/5 (birth* or childbirth* or child-birth* or delivery or event* or experien* or labor or labour or obstetric*)):ab,ti	3483
20.	((posttrauma* or post-trauma* or trauma*) NEAR/3 (disorder* or distress or event* or experien* or neuros* or psych* or stress* or symptom* or syndrom*)): ab,ti	6345
21.	((psychological NEXT/1 distress) or ptsd):ab,ti	7481
22.	{OR #13-#21}	12634

Population: Pregnancy/antenatal

23.	MeSH descriptor: [Chorea Gravidarum] explode all trees	0
24.	MeSH descriptor: [Diabetes, Gestational] explode all trees	962
25.	MeSH descriptor: [Fetal Death] explode all trees	353
26.	MeSH descriptor: [Fetal Diseases] explode all trees	1054
27.	MeSH descriptor: [Hypertension, Pregnancy-Induced] explode all trees	1142
28.	MeSH descriptor: [Maternal-Child Health Services] this term only	42
29.	MeSH descriptor: [Maternal-Child Nursing] explode all trees	184
30.	MeSH descriptor: [Maternal Health] this term only	60
31.	MeSH descriptor: [Maternal Health Services] this term only	222
32.	MeSH descriptor: [Midwifery] this term only	325
33.	MeSH descriptor: [Morning Sickness] explode all trees	74
34.	MeSH descriptor: [Nuchal Cord] explode all trees	0
35.	MeSH descriptor: [Nurse Midwives] this term only	99
36.	MeSH descriptor: [Obesity, Maternal] explode all trees	10
37.	obstetric*:kw	7863
38.	MeSH descriptor: [Oligohydramnios] explode all trees	60
39.	MeSH descriptor: [Pelvic Floor Disorders] explode all trees	85
40.	MeSH descriptor: [Pemphigoid Gestationis] explode all trees	1
41.	MeSH descriptor: [Perinatal Care] this term only	170
42.	MeSH descriptor: [Perinatal Death] explode all trees	76
43.	MeSH descriptor: [Peripartum Period] this term only	13
44.	MeSH descriptor: [Phenylketonuria, Maternal] explode all trees	2
45.	MeSH descriptor: [Placenta Diseases] explode all trees	385
46.	MeSH descriptor: [Polyhydramnios] explode all trees	11
47.	MeSH descriptor: [Pregnant Women] this term only	273
48.	MeSH descriptor: [Pregnancy] explode all trees	21998
49.	MeSH descriptor: [Pregnancy Complications] this term only	1694
50.	MeSH descriptor: [Pregnancy Complications, Cardiovascular] explode all trees	336
51.	MeSH descriptor: [Pregnancy Complications, Hematologic] explode all trees	244
52.	MeSH descriptor: [Pregnancy Complications, Infectious] explode all trees	1165

53.	MeSH descriptor: [Pregnancy Complications, Neoplastic] explode all trees	72
54.	MeSH descriptor: [Pregnancy in Diabetics] explode all trees	325
55.	MeSH descriptor: [Pregnancy, Ectopic] explode all trees	179
56.	MeSH descriptor: [Pregnancy, Prolonged] explode all trees	135
57.	MeSH descriptor: [Pregnancy Trimesters] explode all trees	1731
58.	MeSH descriptor: [Prenatal Care] this term only	1498
59.	MeSH descriptor: [Prenatal Diagnosis] explode all trees	817
60.	(antenatal* or ante-natal* or antepart* or ante-part* or birth* or childbirth* or child-birth* or (expectant NEXT/1 mother*) or ((first or second or third) NEAR/2 trimester*) or matern* or midwif* or midwiv* or mother-to-be or mothers-to-be or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or pregnan* or prenat* or pre-nat*):ab,ti	84778
61.	{OR #23-#60}	90702
Population: Pregnancy/postnatal		
62.	MeSH descriptor: [Delivery, Obstetric] explode all trees	5216
63.	MeSH descriptor: [Maternal-Child Health Services] this term only	42
64.	MeSH descriptor: [Maternal-Child Nursing] explode all trees	184
65.	MeSH descriptor: [Maternal Health] this term only	60
66.	MeSH descriptor: [Maternal Health Services] this term only	222
67.	MeSH descriptor: [Midwifery] this term only	325
68.	MeSH descriptor: [Nurse Midwives] this term only	99
69.	obstetric*:kw	7863
70.	MeSH descriptor: [Parturition] this term only	200
71.	MeSH descriptor: [Perinatal Care] explode all trees	576
72.	MeSH descriptor: [Peripartum Period] this term only	13
73.	MeSH descriptor: [Postpartum Period] explode all trees	1651
74.	MeSH descriptor: [Pregnancy] explode all trees	21998
75.	MeSH descriptor: [Pregnancy Complications] explode all trees	11838
76.	MeSH descriptor: [Pregnancy Outcome] explode all trees	3651
77.	(birth* or childbirth* or child-birth* or labor or laboring or labour or labouring or matern* or midwif* or midwiv* or (new NEXT/1 mother) or (new NEXT/1 mothers) or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or postbirth* or postpartum* or post-partum* or postnatal* or post-natal* or pregnan* or puerperal* or puerperium*):ab,ti	91727
78.	{OR #62-#77}	96784
Intervention: Screening/Case identification³		
79.	MeSH descriptor: [Mass Screening] this term only	3130
80.	(screen* or detect*):ab,ti	143081
81.	(identif* or recogni*):ti	5321
82.	((early or earlier or earliest) NEAR/5 (identif* or recogni*)):ab,ti	2787
83.	((case NEXT/1 finding*) or casefinding*):ab,ti	400
84.	((mental* or psych*) NEAR/5 assess*):ti	370

³ Translated/adapted from: Hamel C, Lang E, Morissette K, Beck A, Stevens A, Skidmore B, et al. Screening for depression in women during pregnancy or the first year postpartum and in the general adult population: a protocol for two systematic reviews to update a guideline of the Canadian Task Force on Preventive Health Care. Syst Rev. 2019;8(1):27. Available from: <https://doi.org/10.1186/s13643-018-0930-3>. - Search rows 57-64 in additional file 5

85.	{OR #79-#84}	149928
Combined sets		
86.	#12 and #61 and #85	1423
87.	#22 and #78 and #85	237
88.	#86 or #87	1544
Specific screening instruments		
89.	((edinburgh NEAR/3 depression) or epds or epds3a):ab,ti	761
90.	(gad-2 or gad2 or gad-7 or gad7 or ("generalised anxiety disorder" or "generalized anxiety disorder") NEAR/2 ("2" or "7" or assess* or instrument* or item* or questionnaire* or scale* or screen* or tool*)):ab,ti	1128
91.	("matthey generic mood" or mgmq):ab,ti	55
92.	MeSH descriptor: [Patient Health Questionnaire] this term only	35
93.	("Patient Health Questionnaire 2" or PHQ-2 or PHQ2 or "Patient Health Questionnaire 9" or PHQ-9 or PHQ9):ab,ti	2258
94.	(whooley NEXT/1 question*):ab,ti	8
95.	{OR #89-#94}	3478
96.	#12 and #61 and #95 with Cochrane Library publication date Between Jan 2014 and Dec 2020	650
Combined sets		
97.	#88 or #96	2000
98.	(ictrp):an OR (ctgov):an	351445
99.	#97 not #98	933

The search result, usually found at the end of the documentation, forms the list of abstracts.

:au = Author

MeSH = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

this term only = Does not include terms found below this term in the MeSH hierarchy

:ti = title

:ab = abstract

:kw = keyword

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

NEAR/x = Finds the terms when they are within x words of each other. Terms can appear in either order

NEXT/x = Finds the terms when they appear next to each other. Terms must appear in the order specified

CDSR = Cochrane Database of Systematic Review

CENTRAL = Cochrane Central Register of Controlled Trials, “trials”

CRD (including DARE, NHS EED and the HTA database) 11 December 2020

Title: Antenatal and Postnatal screening for depression, anxiety and traumatic experiences

Search terms	Items found
Population: Anxiety and depression	
1. MeSH DESCRIPTOR Anxiety	308
2. MeSH DESCRIPTOR Anxiety Disorders	262
3. (MeSH DESCRIPTOR Depression)	639
4. (MeSH DESCRIPTOR Depressive Disorder)	612
5. (MeSH DESCRIPTOR Depressive Disorder, Major)	350
6. (MeSH DESCRIPTOR Depressive Disorder, Treatment-Resistant)	29
7. (MeSH DESCRIPTOR Dysthymic Disorder)	12
8. (MeSH DESCRIPTOR Mental Disorders)	526
9. (MeSH DESCRIPTOR Mental Health)	158
10. (anxiet* or anxiodepressive or anxious* or depress* or dysthymi* or melanchol*):TI	1558
11. ((mental* or psychiatric or psychologic*) AND (deficien* or disease* or disorder* or disturbance* or dysfunction* or health or illness* or problem*)):TI	594
12. #1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8 OR #9 OR #10 OR #11	2873
Population: Traumatic experiences	
13. (MeSH DESCRIPTOR Psychological Distress)	0
14. (MeSH DESCRIPTOR Psychological Trauma)	0
15. (MeSH DESCRIPTOR Stress Disorders, Post-Traumatic)	139
16. (MeSH DESCRIPTOR Stress Disorders, Traumatic)	6
17. (MeSH DESCRIPTOR Stress Disorders, Traumatic, Acute)	5
18. (MeSH DESCRIPTOR "Trauma and Stressor Related Disorders")	0
19. ((negative or trauma*) AND (birth* or childbirth* or child-birth* or delivery or event* or experien* or labor or labour or obstetric*)):TI	23
20. ((posttrauma* or post-trauma* or trauma*) AND (disorder* or distress or event* or experien* or neuros* or psych* or stress* or symptom* or syndrom*)):TI	132
21. ("psychological distress" OR ptsd):TI	45
22. #13 OR #14 OR #15 OR #16 OR #17 OR #18 OR #19 OR #20 OR #21	211
Population: Pregnancy/antenatal	
23. MeSH DESCRIPTOR Pregnancy EXPLODE ALL TREES	2574
24. MeSH DESCRIPTOR Pregnancy Complications EXPLODE ALL TREES	1431
25. (MeSH DESCRIPTOR Maternal-Child Health Services)	0
26. (MeSH DESCRIPTOR Maternal-Child Nursing EXPLODE ALL TREES)	34
27. (MeSH DESCRIPTOR Maternal Health)	0
28. (MeSH DESCRIPTOR Maternal Health Services)	61
29. (MeSH DESCRIPTOR Midwifery)	49

30.	(MeSH DESCRIPTOR Nurse Midwives)	16
31.	(MeSH DESCRIPTOR Perinatal Care)	41
32.	(MeSH DESCRIPTOR Peripartum Period)	1
33.	(MeSH DESCRIPTOR Pregnant Women)	31
34.	(MeSH DESCRIPTOR Pregnancy Trimesters EXPLODE ALL TREES)	164
35.	(MeSH DESCRIPTOR Prenatal Care)	192
36.	(MeSH DESCRIPTOR Prenatal Diagnosis EXPLODE ALL TREES)	388
37.	(antenatal* or ante-natal* or antepart* or ante-part* or birth* or childbirth* or child-birth* or "expectant mother*" or ((first or second or third) AND trimester*) or matern* or midwif* or midwiv* or mother-to-be or mothers-to-be or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or pregnan* or prenat* or pre-nat*):TI	1963
38.	#23 OR #24 OR #25 OR #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32 OR #33 OR #34 OR #35 OR #36 OR #37	3482

Population: Pregnancy/postnatal

39.	(MeSH DESCRIPTOR Delivery, Obstetric EXPLODE ALL TREES)	408
40.	(MeSH DESCRIPTOR Parturition)	19
41.	(MeSH DESCRIPTOR Postpartum Period EXPLODE ALL TREES)	87
42.	(MeSH DESCRIPTOR Pregnancy Outcome EXPLODE ALL TREES)	502
43.	(birth* or childbirth* or child-birth* or labor or laboring or labour or labouring or matern* or midwif* or midwiv* or "new mother" or "new mothers" or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or postbirth* or postpartum* or post-partum* or postnatal* or post-natal* or pregnan* or puerperal* or puerperium*):TI	2181
44.	#23 OR #24 OR #25 OR #26 OR #27 OR #28 OR #29 OR #30 OR #31 OR #32 OR #39 OR #40 OR #41 OR #42 OR #43	3623

Intervention: Screening/Case identification

45.	(MeSH DESCRIPTOR Mass Screening)	2103
46.	(screen* or detect*):TI	3457
47.	(identif* or recogni*):TI	309
48.	("case finding" or casefinding):TI	30
49.	((mental* or psych*) AND assess*):TI	33
50.	#45 OR #46 OR #47 OR #48 OR #49	4161

Combined sets

51.	#12 AND #38 AND #50	19
52.	#22 AND #44 AND #50	1
53.	#51 OR #52	19

Specific screening instruments

54.	("edinburgh depression" or epds or epds3a):TI	0
55.	(gad-2 or gad2 or gad-7 or gad7 or (("generalised anxiety disorder" or "generalized anxiety disorder") AND ("2" or "7" or assess* or instrument* or item* or questionnaire* or scale* or screen* or tool*))) :TI	1
56.	("matthey generic mood" or mgmq):TI	0

57.	(MeSH DESCRIPTOR Patient Health Questionnaire)	0
58.	("Patient Health Questionnaire 2" or PHQ-2 or PHQ2 or "Patient Health Questionnaire 9" or PHQ-9 or PHQ9):TI	1
59.	("whooley question" OR "whooley questions"):TI	0
Combined sets		
60.	#54 OR #55 OR #56 OR #57 OR #58 OR #59	2
61.	#53 OR #60	21

The search result, usually found at the end of the documentation, forms the list of abstracts.

MeSH DESCRIPTOR = Term from the Medline controlled vocabulary, but does not include terms found below this term in the MeSH hierarchy

MeSH DESCRIPTOR ... EXPLODE ALL TREES = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

TI = Title

AB = Abstract

* = Truncation

“ “ = Citation Marks; searches for an exact phrase

Embase via Elsevier 11 December 2020

Title: Antenatal and Postnatal screening for depression, anxiety and traumatic experiences

Search terms		Items found
Population: Anxiety and depression		
1.	'anxiety'/de	219,695
2.	'anticipatory anxiety'/de	608
3.	'anxiety disorder'/de	75,236
4.	'depression'/de OR 'adolescent depression'/de OR 'antenatal depression'/de OR 'dysthymia'/de OR 'major depression'/de OR 'minor depression'/de OR 'mixed anxiety and depression'/de OR 'perinatal depression'/de OR 'reactive depression'/de OR 'subsyndromal depression'/de OR 'treatment resistant depression'/de	448,251
5.	'mental disease'/de	253,177
6.	'mental health'/de	148,255
7.	anxiet*:ti,ab,kw OR anxiodepressive:ti,ab,kw OR anxious*:ti,ab,kw OR depress*:ti,ab,kw OR dysthymi*:ti,ab,kw OR melanchol*:ti,ab,kw	799,433
8.	((mental* OR psychiatric OR psychologic*) NEAR/2 (deficien* OR disease* OR disorder* OR disturbance* OR dysfunction* OR health OR illness* OR problem*)):ti,ab,kw	382,297
9.	#1 OR #2 OR #3 OR #4 OR #5 OR #6 OR #7 OR #8	1,366,487
Population: Traumatic experiences		
10.	'acute stress disorder'/de	1,477
11.	'distress syndrome'/de	46,367
12.	'posttraumatic stress disorder'/de	64,254

13.	'psychotrauma'/de	9,166
14.	((negative OR trauma*) NEAR/5 (birth* OR childbirth* OR 'child birth*' OR delivery OR event* OR experien* OR labor OR labour OR obstetric*)):ti,ab,kw	59,111
15.	((posttrauma* OR 'post trauma*' OR trauma*) NEAR/3 (disorder* OR distress OR event* OR experien* OR neuros* OR psych* OR stress* OR symptom* OR syndrom*)):ti,ab,kw	80,066
16.	'psychological distress':ti,ab,kw OR ptsd:ti,ab,kw	59,652
17.	#10 OR #11 OR #12 OR #13 OR #14 OR #15 OR #16	192,028
Population: Pregnancy/antenatal		
18.	'pregnancy'/exp	781,506
19.	'pregnant woman'/de	83,112
20.	'pregnancy disorder'/de OR 'ectopic pregnancy'/exp OR 'embryopathy'/exp OR 'fetomaternal transfusion'/de OR 'fetus disease'/exp OR 'high risk pregnancy'/de OR 'morning sickness'/exp OR 'multiple pregnancy'/exp OR 'obstetric emergency'/exp OR 'placenta disorder'/exp OR 'pregnancy complication'/exp OR 'pregnancy disorders of endocrine origin'/exp OR 'pregnancy toxemia'/exp OR 'prolonged pregnancy'/de OR 'umbilical malformation'/de	399,067
21.	'maternal care'/de OR 'maternal child health care'/de OR 'maternal health service'/de OR 'maternal welfare'/de OR 'midwife'/exp OR 'nurse midwifery'/de	67,405
22.	'perinatal care'/de OR 'perinatal death'/de OR 'perinatal period'/de OR 'prenatal care'/de OR 'prenatal diagnosis'/exp	197,297
23.	antenatal*:ti,ab,kw OR 'ante natal*':ti,ab,kw OR antepart*:ti,ab,kw OR 'ante part*':ti,ab,kw OR birth*:ti,ab,kw OR childbirth*:ti,ab,kw OR 'child birth*':ti,ab,kw OR 'expectant mother*':ti,ab,kw OR (((first OR second OR third) NEAR/2 trimester*):ti,ab,kw) OR matern*:ti,ab,kw OR midwif*:ti,ab,kw OR midwiv*:ti,ab,kw OR 'mother to be':ti,ab,kw OR 'mothers to be':ti,ab,kw OR obstetric*:ti,ab,kw,de OR perinatal*:ti,ab,kw OR 'peri natal*':ti,ab,kw OR peripart*:ti,ab,kw OR 'peri part*':ti,ab,kw OR pregnan*:ti,ab,kw OR prenat*:ti,ab,kw OR 'pre nat*':ti,ab,kw	1,385,543
24.	#18 OR #19 OR #20 OR #21 OR #22 OR #23	1,710,253
Population: Pregnancy/postnatal		
25.	'maternal care'/de OR 'maternal child health care'/de OR 'maternal health service'/de OR 'maternal welfare'/de OR 'midwife'/exp OR 'nurse midwifery'/de	67,405
26.	'perinatal care'/de OR 'perinatal death'/de OR 'perinatal period'/de	53,145
27.	'obstetric delivery'/exp OR 'birth'/de OR 'puerperium'/de	239,101
28.	'pregnancy'/exp OR 'pregnancy outcome'/de	809,748
29.	'pregnancy disorder'/exp	621,127
30.	birth*:ti,ab,kw OR childbirth*:ti,ab,kw OR 'child birth*':ti,ab,kw OR labor:ti,ab,kw OR laboring:ti,ab,kw OR labour:ti,ab,kw OR labouring:ti,ab,kw OR matern*:ti,ab,kw OR midwif*:ti,ab,kw OR midwiv*:ti,ab,kw OR 'new mother':ti,ab,kw OR 'new mothers':ti,ab,kw OR obstetric*:ti,ab,kw,de OR perinatal*:ti,ab,kw OR 'peri natal*':ti,ab,kw OR peripart*:ti,ab,kw OR 'peri part*':ti,ab,kw OR postbirth*:ti,ab,kw OR postpartum*:ti,ab,kw OR 'post partum*':ti,ab,kw OR postnatal*:ti,ab,kw OR 'post-natal*':ti,ab,kw OR pregnan*:ti,ab,kw OR puerperal*:ti,ab,kw OR puerperium*:ti,ab,kw	1,495,585
31.	#25 OR #26 OR #27 OR #28 OR #29 OR #30	1,881,111

Intervention: Screening/Case identification⁴		
32.	'screening'/de OR 'mass screening'/de OR 'screening test'/de	303,661
33.	screen*:ti,ab,kw OR detect*:ti,ab,kw	3,906,408
34.	identif*:ti OR recogni*:ti	473,899
35.	((early OR earlier OR earliest) NEAR/5 (identif* OR recogni*)):ti,ab,kw	108,555
36.	'case finding\$':ti,ab,kw OR casefinding\$:ti,ab,kw	7,169
37.	((mental* OR psych*) NEAR/5 assess*):ti	8,419
38.	#32 OR #33 OR #34 OR #35 OR #36 OR #37	4,391,055
Study types: Randomized controlled trials⁵		
39.	'crossover procedure':de OR 'double-blind procedure':de OR 'randomized controlled trial':de OR 'single-blind procedure':de OR random*:de,ab,ti OR factorial*:de,ab,ti OR crossover*:de,ab,ti OR ((cross NEXT/1 over*):de,ab,ti) OR placebo*:de,ab,ti OR ((doubl* NEAR/1 blind*):de,ab,ti) OR ((singl* NEAR/1 blind*):de,ab,ti) OR assign*:de,ab,ti OR allocat*:de,ab,ti OR volunteer*:de,ab,ti	2,660,809
Study types: Systematic reviews		
40.	'systematic review'/de	272,804
41.	'meta analysis'/de	200,476
42.	[cochrane review]/lim	21,789
43.	'systematic overview*':ti OR 'cochrane review*':ti OR 'systemic review*':ti OR 'scoping review':ti OR 'scoping literature review':ti OR 'mapping review':ti OR 'umbrella review*':ti OR 'review of reviews':ti OR 'overview of reviews':ti OR 'meta review':ti OR 'integrative review':ti OR 'integrated review':ti OR 'integrative overview':ti OR 'meta synthesis':ti OR metasyntesis:ti OR 'quantitative review':ti OR 'quantitative synthesis':ti OR 'meta ethnography':ti OR 'research synthesis':ti OR 'systematic literature search':ti OR 'systematic literature research':ti OR 'evidence-based review':ti OR 'evidence synthesis':ti OR 'meta analyses':ti OR metaanalyses:ti OR metaanalysis:ti OR 'meta analysis':ti OR 'meta-analytic review':ti OR 'meta-analytical review':ti	165,230
44.	systematic*:ti AND review:ti	168,608
45.	(search*:ti,ab OR medline:ti,ab OR pubmed:ti,ab OR embase:ti,ab OR cochrane:ti,ab OR scopus:ti,ab OR 'web of science':ti,ab OR 'sources of information':ti,ab OR 'data sources':ti,ab OR 'following databases':ti,ab) AND ('study selection':ti,ab OR 'selection criteria':ti,ab OR 'eligibility criteria':ti,ab OR 'inclusion criteria':ti,ab OR 'exclusion criteria':ti,ab)	100,141
46.	#40 OR #41 OR #42 OR #43 OR #44 OR #45	455,660
Combined sets		
47.	#9 AND #24 AND #38 AND #39	1,535
48.	#9 AND #24 AND #38 AND #46	654
49.	#17 AND #31 AND #38 AND #39	286

⁴ Translated/adapted from: Hamel C, Lang E, Morissette K, Beck A, Stevens A, Skidmore B, et al. Screening for depression in women during pregnancy or the first year postpartum and in the general adult population: a protocol for two systematic reviews to update a guideline of the Canadian Task Force on Preventive Health Care. *Syst Rev.* 2019;8(1):27. Available from: <https://doi.org/10.1186/s13643-018-0930-3>. - Search rows 57-64 in additional file 5

⁵ Lefebvre C, Manheimer E, Glanville J. Embase search strategy for finding RCTs in Embase, amended to embase.com format. *The Cochrane Collaboration*; 2011. [accessed Jan 18 2021]. Available from: <https://work.cochrane.org/embase>.

50.	#17 AND #31 AND #38 AND #46	157
51.	#47 OR #48 OR #49 OR #50	2,144
Specific screening instruments		
52.	'edinburgh postnatal depression scale'/de OR ((edinburgh NEAR/3 depression):ti,ab,kw) OR epds:ti,ab,kw OR epds3a:ti,ab,kw	5,186
53.	'general anxiety disorder scale'/de OR 'general anxiety disorder scale 7'/de OR 'gad 2':ti,ab,kw OR gad2:ti,ab,kw OR 'gad 7':ti,ab,kw OR gad7:ti,ab,kw OR (('generalised anxiety disorder' OR 'generalized anxiety disorder') NEAR/2 ('2' OR '7' OR assess* OR instrument* OR item* OR questionnaire* OR scale* OR screen* OR tool*)):ti,ab,kw)	3,701
54.	'matthey generic mood':ti,ab,kw OR mgmq:ti,ab,kw	4
55.	'patient health questionnaire 9'/de OR 'patient health questionnaire 2'/de OR 'patient health questionnaire 2':ti,ab,kw OR 'phq 2':ti,ab,kw OR phq2:ti,ab,kw OR 'patient health questionnaire 9':ti,ab,kw OR 'phq 9':ti,ab,kw OR phq9:ti,ab,kw	11,253
56.	'whooley question*':ti,ab,kw	41
57.	#52 OR #53 OR #54 OR #55 OR #56	17,978
58.	#9 AND #24 AND #57	4,753
59.	#9 AND #24 AND #57 AND [2014-2021]/py	2,945
Combined sets		
60.	#51 OR #59	4,872
61.	#60 NOT ('conference abstract'/it OR 'editorial'/it OR 'letter'/it)	3,658
62.	#61 NOT ('conference abstract'/it OR 'editorial'/it OR 'letter'/it) AND ([danish]/lim OR [english]/lim OR [norwegian]/lim OR [swedish]/lim)	3,562

The search result, usually found at the end of the documentation, forms the list of abstracts.

/de= Term from the EMTREE controlled vocabulary

/exp= Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic

:ab = Abstract

:au = Author

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation

' ' = Citation Marks; searches for an exact phrase

NEAR/x = Requests terms that are within 'x' words of each other in either direction

Epistemonikos 11 December 2020

Title: Antenatal and Postnatal screening for depression, anxiety and traumatic experiences

Search terms	Items found
Population: Anxiety and depression	
1. title:(anxiet* OR anxiodepressive OR anxious* OR depress* OR dysthymi* OR melanchol*) OR title:((mental* OR psychiatric OR psychologic*) AND (deficien* OR disease* OR disorder* OR disturbance* OR dysfunction* OR health OR illness* OR problem*))	27,719
Population: Traumatic experiences	
2. title:((negative OR trauma*) AND (birth* OR childbirth* OR child-birth* OR delivery OR event* OR experien* OR labor OR labour OR obstetric*)) OR title:((posttrauma* OR post-trauma* OR trauma*) AND (disorder* OR distress OR event* OR experien* OR neuros* OR psych* OR stress* OR symptom* OR syndrom*)) OR title:("psychological distress" OR ptsd)	3,575
Population: Pregnancy/antenatal	
3. title:(antenatal* OR ante-natal* OR antepart* OR ante-part* OR birth* OR childbirth* OR child-birth* OR "expectant mother*" OR ((first OR second OR third) AND trimester*) OR matern* OR midwif* OR midwiv* OR mother-to-be OR mothers-to-be OR obstetric* OR perinatal* OR peri-natal* OR peripart* OR peri-part* OR pregnan* OR prenatal* OR pre-nat*)	25,581
Population: Pregnancy/postnatal	
4. title:(birth* OR childbirth* OR child-birth* OR labor OR laboring OR labour OR labouring OR matern* OR midwif* OR midwiv* OR "new mother" OR "new mothers" OR obstetric* OR perinatal* OR peri-natal* OR peripart* OR peri-part* OR postbirth* OR postpartum* OR post-partum* OR postnatal* OR post-natal* OR pregnan* OR puerperal* OR puerperium*)	27,831
Intervention: Screening/Case identification	
5. title:(screen* OR detect*) OR title:(identif* OR recogni*) OR title:("case finding" OR casefinding) OR title:((mental* OR psych*) AND assess*)	27,554
Combined sets	
6. #1 AND #3 AND #5	64 (21 Systematic Reviews)
7. #2 AND #4 AND #5	2 (1 Systematic Review)
Specific screening instruments	
8. (title:(title:("edinburgh depression" OR epds OR epds3a) OR title:(gad-2 OR gad2 OR gad-7 OR gad7 OR ("generalised anxiety disorder" OR "generalized anxiety disorder") AND ("2" OR "7" OR assess* OR instrument* OR item* OR questionnaire* OR scale* OR screen* OR tool*))) OR title:("matthey generic mood" OR mgmq) OR title:("Patient Health Questionnaire 2" OR PHQ-2 OR PHQ2 OR "Patient Health Questionnaire 9" OR PHQ-9 OR PHQ9) OR title:("whooley question" OR "whooley questions")) OR abstract:(title:("edinburgh depression" OR epds OR epds3a) OR title:(gad-2 OR gad2 OR gad-7 OR gad7 OR ("generalised anxiety disorder" OR "generalized anxiety disorder") AND ("2" OR "7" OR assess* OR instrument* OR item* OR questionnaire* OR scale* OR screen*	59

OR tool*))) OR title:("matthey generic mood" OR mgmq) OR title:("Patient Health Questionnaire 2" OR PHQ-2 OR PHQ2 OR "Patient Health Questionnaire 9" OR PHQ-9 OR PHQ9) OR title:("whooley question" OR "whooley questions"))

Combined sets

9. #1 AND #3 AND #8	3 (varav 2 Systematic Reviews)
#6 OR #7 OR #9	21

limited to systematic reviews

The search result, usually found at the end of the documentation, forms the list of abstracts.

title = Title

abstract = Abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

International HTA Database 11 December 2020

Title: Antenatal and Postnatal screening for depression, anxiety and traumatic experiences

Search terms	Items found
1. (Anxiety)[mh] OR (Anxiety Disorders)[mh] OR (Depression)[mh] OR (Depressive Disorder)[mh] OR (Depressive Disorder, Major)[mh] OR (Depressive Disorder, Treatment-Resistant)[mh] OR (Dysthymic Disorder)[mh] OR (Mental Disorders)[mh] OR (Mental Health)[mh] OR (anxi* or anxiodepressive or anxious* or depress* or dysthymi* or melanchol*)[Title] OR ((mental* or psychiatric or psychologic*) AND (deficien* or disease* or disorder* or disturbance* or dysfunction* or health or illness* or problem*)) [Title]	389
Population: Traumatic experiences	
2. (Psychological Distress)[mh] OR (Psychological Trauma)[mh] OR (Stress Disorders, Post-Traumatic)[mh] OR (Stress Disorders, Traumatic)[mh] OR (Stress Disorders, Traumatic, Acute)[mh] OR ("Trauma and Stressor Related Disorders") [mh] OR ((negative or trauma*) AND (birth* or childbirth* or child-birth* or delivery or event* or experien* or labor or labour or obstetric*)) [Title] OR ((posttrauma* or post-trauma* or trauma*) AND (disorder* or distress or event* or experien* or neuros* or psych* or stress* or symptom* or syndrom*)) [Title] OR ("psychological distress" OR ptsd) [Title]	52

Population: Pregnancy/antenatal		
3.	(Pregnancy)[mh] OR (Pregnancy Complications) [mh] OR (Maternal-Child Health Services)[mh] OR (Maternal-Child Nursing) [mh] OR (Maternal Health)[mh] OR (Maternal Health Services)[mh] OR (Midwifery)[mh] OR (Nurse Midwives)[mh] OR (Perinatal Care)[mh] OR (Peripartum Period)[mh] OR (Pregnant Women)[mh] OR (Pregnancy Trimesters) [mh] OR (Prenatal Care)[mh] OR (Prenatal Diagnosis) [mh] OR (antenatal* or ante-natal* or antepart* or ante-part* or birth* or childbirth* or child-birth* or "expectant mother*" or ((first or second or third) AND trimester*) or matern* or midwif* or midwiv* or mother-to-be or mothers-to-be or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or pregnan* or prenat* or pre-nat*) [Title]	794
Population: Pregnancy/postnatal		
4.	(Pregnancy)[mh] OR (Pregnancy Complications) [mh] OR (Maternal-Child Health Services)[mh] OR (Maternal-Child Nursing) [mh] OR (Maternal Health)[mh] OR (Maternal Health Services)[mh] OR (Midwifery)[mh] OR (Nurse Midwives)[mh] OR (Perinatal Care)[mh] OR (Peripartum Period)[mh] OR (Delivery, Obstetric) [mh] OR (Parturition)[mh] OR (Postpartum Period) [mh] OR (Pregnancy Outcome) [mh] OR (birth* or childbirth* or child-birth* or labor or laboring or labour or labouring or matern* or midwif* or midwiv* or "new mother" or "new mothers" or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or postbirth* or postpartum* or post-partum* or postnatal* or post-natal* or pregnan* or puerperal* or puerperium*) [Title]	702
Intervention: Screening/Case identification		
5.	(Mass Screening)[mh] OR (screen* or detect*) [Title] OR (identif* or recogni*) [Title] OR ("case finding" or casefinding) [Title] OR ((mental* or psych*) AND assess*) [Title]	1154
Combined sets		
6.	#1 AND #3 AND 5	6
7.	#2 AND #4 AND 5	2
Specific screening instruments		
8.	("edinburgh depression" or epds or epds3a) [Title] OR (gad-2 or gad2 or gad-7 or gad7 or (("generalised anxiety disorder" or "generalized anxiety disorder") AND ("2" or "7" or assess* or instrument* or item* or questionnaire* or scale* or screen* or tool*))) [Title] OR ("matthey generic mood" or mgmq) [Title] OR (Patient Health Questionnaire) [mh] OR ("Patient Health Questionnaire 2" or PHQ-2 or PHQ2 or "Patient Health Questionnaire 9" or PHQ-9 or PHQ9) [Title] OR ("whooley question" OR "whooley questions") [Title]	3
Combined sets		
9.	#8 OR #9	11

The search result, usually found at the end of the documentation, forms the list of abstracts.

[mh] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[Title] = Title

[Abs] = Abstract

* = Truncation

“ ” = Citation Marks, searches for an exact phrase

KSR Evidence 11 December 2020

Title: Antenatal and Postnatal screening for depression, anxiety and traumatic experiences

Search terms		Items found
Population: Anxiety and depression		
1.	anxiet* or anxiodepressive or anxious* or depress* or dysthymi* or melanchol* in Title	4693
2.	(mental* or psychiatric or psychologic*) AND (deficien* or disease* or disorder* or disturbance* or dysfunction* or health or illness* or problem*) in Title	2412
3.	#1 or #2 in All text	7010
Population: Traumatic experiences		
4.	(negative or trauma*) AND (birth* or childbirth* or child-birth* or delivery or event* or experien* or labor or labour or obstetric*) in Title	79
5.	(posttrauma* or post-trauma* or trauma*) AND (disorder* or distress or event* or experien* or neuros* or psych* or stress* or symptom* or syndrom*) in Title	728
6.	"psychological distress" OR ptsd in Title	255
7.	#4 or #5 or #6 in All text	953
Population: Pregnancy/antenatal		
8.	antenatal* or ante-natal* or antepart* or ante-part* or birth* or childbirth* or child-birth* or "expectant mother*" or ((first or second or third) AND trimester*) or matern* or midwif* or midwiv* or mother-to-be or mothers-to-be or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or pregnan* or prenat* or pre-nat* in Title	18562
Population: Pregnancy/postnatal		
9.	birth* or childbirth* or child-birth* or labor or laboring or labour or labouring or matern* or midwif* or midwiv* or "new mother" or "new mothers" or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or postbirth* or postpartum* or post-partum* or postnatal* or post-natal* or pregnan* or puerperal* or puerperium* in Title	4809
Intervention: Screening/Case identification		
10.	screen* or detect* or identif* or recogni* or "case finding" or casefinding or ((mental* or psych*) AND assess*) in Title	3639
Combined sets		
11.	#3 and #8 and #10 in All text	48
12.	#7 and #9 and #10 in All text	1
13.	#11 or #12 in All text	49

Specific screening instruments

14.	"edinburgh depression" or epds or epds3a or gad-2 or gad2 or gad-7 or gad7 or (("generalised anxiety disorder" or "generalized anxiety disorder") AND ("2" or "7" or assess* or instrument* or item* or questionnaire* or scale* or screen* or tool*)) or "matthey generic mood" or mgmq or "Patient Health Questionnaire 2" or PHQ-2 or PHQ2 or "Patient Health Questionnaire 9" or PHQ-9 or PHQ9 or "whooley question" OR "whooley questions" in Title	20
Combined sets		
15.	#14 and #3 and #8 in All text	5
16.	#13 or #15 in All text	49

The search result, usually found at the end of the documentation, forms the list of abstracts.

in Title = Title

in Title or Abstract = Title/Abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

Medline via OvidSP 11 December 2020

Title: Antenatal and Postnatal screening for depression, anxiety and traumatic experiences

Search terms	Items found
Population: Anxiety and depression	
1. Anxiety/	83253
2. Anxiety Disorders/	34254
3. Depression/	122161
4. Depressive Disorder/	73341
5. Depressive Disorder, Major/	30650
6. Depressive Disorder, Treatment-Resistant/	1384
7. Dysthymic Disorder/	1142
8. Mental Disorders/	164271
9. Mental Health/	40321
10. (anxiet* or anxiodepressive or anxious* or depress* or dysthymi* or melanchol*).ti,ab,kf.	586417
11. ((mental* or psychiatric or psychologic*) adj2 (deficien* or disease* or disorder* or disturbance* or dysfunction* or health or illness* or problem*)).ti,ab,kf.	300293
12. or/1-11	944501
Population: Traumatic experiences	
13. Psychological Distress/	1073
14. Psychological Trauma/	1378
15. Stress Disorders, Post-Traumatic/	33435

16.	Stress Disorders, Traumatic/	708
17.	Stress Disorders, Traumatic, Acute/	477
18.	"Trauma and Stressor Related Disorders"/	86
19.	((negative or trauma*) adj5 (birth* or childbirth* or child-birth* or delivery or event* or experien* or labor or labour or obstetric*)).ti,ab,kf.	44340
20.	((posttrauma* or post-trauma* or trauma*) adj3 (disorder* or distress or event* or experien* or neuros* or psych* or stress* or symptom* or syndrom*)).ti,ab,kf.	62059
21.	(psychological distress or ptsd).ti,ab,kf.	45749
22.	or/13-21	116143
Population: Pregnancy/antenatal		
23.	exp Chorea Gravidarum/	40
24.	exp Diabetes, Gestational/	12984
25.	exp Fetal Death/	29485
26.	exp Fetal Diseases/	68879
27.	exp Hypertension, Pregnancy-Induced/	37099
28.	Maternal-Child Health Services/	811
29.	exp Maternal Child Nursing/	5879
30.	Maternal Health/	1564
31.	Maternal Health Services/	14081
32.	Midwifery/	19292
33.	exp Morning Sickness/	1802
34.	exp Nuchal Cord/	112
35.	Nurse Midwives/	7180
36.	exp Obesity, Maternal/	185
37.	obstetric*.hw.	119551
38.	exp Oligohydramnios/	1264
39.	exp Pelvic Floor Disorders/	881
40.	exp Pemphigoid Gestationis/	512
41.	Perinatal Care/	4749
42.	exp Perinatal Death/	1478
43.	Peripartum Period/	1247
44.	exp Phenylketonuria, Maternal/	142
45.	exp Placenta Diseases/	16321
46.	exp Polyhydramnios/	2111
47.	Pregnant Women/	8670
48.	exp Pregnancy/	903096
49.	Pregnancy Complications/	91710
50.	exp Pregnancy Complications, Cardiovascular/	17418
51.	exp Pregnancy Complications, Hematologic/	9875
52.	exp Pregnancy Complications, Infectious/	45756

53.	exp Pregnancy Complications, Neoplastic/	20392
54.	exp Pregnancy in Diabetics/	12924
55.	exp Pregnancy, Ectopic/	14668
56.	exp Pregnancy, Prolonged/	2657
57.	exp Pregnancy Trimesters/	41257
58.	Prenatal Care/	28291
59.	exp Prenatal Diagnosis/	74549
60.	(antenatal* or ante-natal* or antepart* or ante-part* or birth* or childbirth* or child-birth* or expectant mother* or ((first or second or third) adj2 trimester*) or matern* or midwif* or midwiv* or mother-to-be or mothers-to-be or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or pregnan* or prenat* or pre-nat*).ti,ab,kf.	1064308
61.	or/23-60	1418578
Population: Pregnancy/postnatal		
62.	exp Delivery, Obstetric/	81181
63.	Maternal-Child Health Services/	811
64.	exp Maternal Child Nursing/	5879
65.	Maternal Health/	1564
66.	Maternal Health Services/	14081
67.	Midwifery/	19292
68.	Nurse Midwives/	7180
69.	obstetric*.hw.	119551
70.	Parturition/	9889
71.	exp Perinatal Care/	10401
72.	Peripartum Period/	1247
73.	exp Postpartum Period/	65889
74.	exp Pregnancy/	903096
75.	exp Pregnancy Complications/	430632
76.	exp Pregnancy Outcome/	74926
77.	(birth* or childbirth* or child-birth* or labor or laboring or labour or labouring or matern* or midwif* or midwiv* or new mother or new mothers or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or postbirth* or postpartum* or post-partum* or postnatal* or post-natal* or pregnan* or puerperal* or puerperium*).ti,ab,kf.	1163886
78.	or/62-77	1526455
Intervention: Screening/Case identification⁶		
79.	Mass Screening/	105122
80.	(screen* or detect*).ti,ab,kf.	2999985
81.	(identif* or recogni*).ti.	392390

⁶ Translated/adapted from: Hamel C, Lang E, Morissette K, Beck A, Stevens A, Skidmore B, et al. Screening for depression in women during pregnancy or the first year postpartum and in the general adult population: a protocol for two systematic reviews to update a guideline of the Canadian Task Force on Preventive Health Care. Syst Rev. 2019;8(1):27. Available from: <https://doi.org/10.1186/s13643-018-0930-3>. - Search rows 57-64 in additional file 5

82.	((early or earlier or earliest) adj5 (identif* or recogni*)).ti,ab,kf.	72569
83.	(case finding? or casefinding?).ti,ab,kf.	5512
84.	((mental* or psych*) adj5 assess*).ti.	6391
85.	or/79-84	3378506
Study types: Randomized controlled trials⁷		
86.	randomized controlled trial.pt.	518293
87.	controlled clinical trial.pt.	93951
88.	(randomized or randomised).ab.	601121
89.	placebo.ab.	213479
90.	drug therapy.fs.	2256742
91.	randomly.ab.	346999
92.	trial.ab.	531828
93.	groups.ab.	2129084
94.	or/86-93	4878215
95.	exp animals/ not humans/	4762182
96.	94 not 95	4240296
Study types: Systematic reviews		
97.	((systematic* and review) or Systematic overview* or Cochrane review* or systemic review* or scoping review or scoping literature review or mapping review or Umbrella review* or (review of reviews or overview of reviews) or meta-review or (integrative review or integrated review or integrative overview or meta-synthesis or metasynthesis or quantitative review or quantitative synthesis or meta-ethnography or research synthesis) or Systematic literature search or Systematic literature research or evidence-based review or evidence synthesis or meta-analyses or metaanalyses or metaanalysis or meta-analysis or meta-analytic review or meta-analytical review).ti,bt.	222063
98.	meta-analysis.pt.	123147
99.	((search* or medline or pubmed or embase or Cochrane or scopus or web of science or sources of information or data sources or following databases) and (study selection or selection criteria or eligibility criteria or inclusion criteria or exclusion criteria)).ti,bt,ab.	82408
100.	systematic review.pt.	140327
101.	or/97-100	295247
Combined sets		
102.	12 and 61 and 85 and 96	1661
103.	12 and 61 and 85 and 101	405
104.	22 and 78 and 85 and 96	340
105.	22 and 78 and 85 and 101	92
106.	or/102-105	2141

⁷ Cochrane Highly Sensitive Search Strategy for identifying randomized trials in MEDLINE: sensitivity- and precision-maximizing version (2008 revision); Ovid format. The Cochrane Collaboration; 2008. [accessed Jan 18 2021]. Available from: <https://training.cochrane.org/handbook/current/chapter-04-technical-supplement-searching-and-selecting-studies#section-3-6-1>. with modifications: the term "randomised" is added

Specific screening instruments

107.	((edinburgh adj3 depression) or epds or epds3a).ti,ab,kf.	3227
108.	(gad-2 or gad2 or gad-7 or gad7 or ((generalised anxiety disorder or generalized anxiety disorder) adj2 ("2" or "7" or assess* or instrument* or item* or questionnaire* or scale* or screen* or tool*))).ti,ab,kf.	2091
109.	(matthey generic mood or mgmq).ti,ab,kf.	4
110.	Patient Health Questionnaire/	452
111.	(Patient Health Questionnaire 2 or PHQ-2 or PHQ2 or Patient Health Questionnaire 9 or PHQ-9 or PHQ9).ti,ab,kf.	5296
112.	whooley question*.ti,ab,kf.	27
113.	or/107-112	9667
Combined sets		
114.	12 and 61 and 113	2986
115.	limit 114 to yr="2014 -Current"	1876
116.	106 or 115	3824
117.	((letter or editorial or comment or case reports or historical article) not ((letter or editorial or comment or case reports or historical article) and randomized controlled trial)).pt.	4165207
118.	116 not 117	3771
119.	limit 118 to (danish or english or norwegian or swedish)	3672

The final search result, usually found at the end of the documentation, forms the list of abstracts.

.ab. =Abstract

.ab,ti. = Abstract or title

.af.= All fields

.bt.= Book title

Exp= Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

.fs.= Floating Sub-Heading

.hw.= Subject Heading Word

.kf.= Keyword heading word

.pt.= Publication Type

.sh.= Term from the Medline controlled vocabulary

.ti. = Title

/ = Term from the Medline controlled vocabulary, but does not include terms found below this term in the MeSH hierarchy

* = Focus (if found in front of a MeSH-term)

* or \$= Truncation (if found at the end of a free text term)

.mp=text, heading word, subject area node, title

“ “ = Citation Marks; searches for an exact phrase

ADJn= positional operator that lets you retrieve records that contain your terms (in any order) within a specified number (n) of words of each other.

PsychInfo via EBSCO 11 December 2020

Title: Antenatal and Postnatal screening for depression, anxiety and traumatic experiences

Search terms	Items found
Population: Anxiety and depression	
1. (DE "Anxiety") OR (DE "Anxiety Disorders") OR (DE "Generalized Anxiety Disorder")	107,369
2. (DE "Depression (Emotion)" OR (DE "Major Depression") OR (DE "Dysthymic Disorder") OR (DE "Treatment Resistant Depression"))	153,347
3. TI (anxiet* or anxiodepressive or anxious* or depress* or dysthymi* or melanchol*) OR AB (anxiet* or anxiodepressive or anxious* or depress* or dysthymi* or melanchol*) OR KW (anxiet* or anxiodepressive or anxious* or depress* or dysthymi* or melanchol*)	441,926
4. TI ((mental* or psychiatric or psychologic*) N2 (deficien* or disease* or disorder* or disturbance* or dysfunction* or health or illness* or problem*)) OR AB ((mental* or psychiatric or psychologic*) N2 (deficien* or disease* or disorder* or disturbance* or dysfunction* or health or illness* or problem*)) OR KW ((mental* or psychiatric or psychologic*) N2 (deficien* or disease* or disorder* or disturbance* or dysfunction* or health or illness* or problem*))	355,414
5. S1 OR S2 OR S3 OR S4	722,796
Population: Traumatic experiences	
6. (DE "Distress") OR (DE "Emotional Trauma") OR (DE "Posttraumatic Stress Disorder") OR (DE "Acute Stress Disorder") OR (DE "Stress and Trauma Related Disorders")	67,189
7. TI ((negative or trauma*) N5 (birth* or childbirth* or child-birth* or delivery or event* or experien* or labor or labour or obstetric*)) OR AB ((negative or trauma*) N5 (birth* or childbirth* or child-birth* or delivery or event* or experien* or labor or labour or obstetric*)) OR KW ((negative or trauma*) N5 (birth* or childbirth* or child-birth* or delivery or event* or experien* or labor or labour or obstetric*))	51,265
8. TI ((posttrauma* or post-trauma* or trauma*) N3 (disorder* or distress or event* or experien* or neuros* or psych* or stress* or symptom* or syndrom*)) OR AB ((posttrauma* or post-trauma* or trauma*) N3 (disorder* or distress or event* or experien* or neuros* or psych* or stress* or symptom* or syndrom*)) OR KW ((posttrauma* or post-trauma* or trauma*) N3 (disorder* or distress or event* or experien* or neuros* or psych* or stress* or symptom* or syndrom*))	73,276
9. TI ("psychological distress" or ptsd) OR AB ("psychological distress" or ptsd) OR KW ("psychological distress" or ptsd)	52,952
10. S6 OR S7 OR S8 OR S9	134,855
Population: Pregnancy/antenatal	
11. (DE "Pregnancy") OR (DE "Adolescent Pregnancy") OR (DE "Primipara") OR (DE "Perinatal Period") OR (DE "Antepartum Period") OR (DE "Prenatal Care") OR (DE "Prenatal Diagnosis") OR (DE "Obstetrical Complications") OR DE ("Gestational Diabetes") OR (DE "Preeclampsia") OR (DE "Midwifery")	52,380

12.	SU obstetric*	5,011
13.	TI (antenatal* or ante-natal* or antepart* or ante-part* or birth* or childbirth* or child-birth* or expectant mother* or ((first or second or third) N2 trimester*) or matern* or midwif* or midwiv* or mother-to-be or mothers-to-be or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or pregnan* or prenat* or pre-nat*) OR AB (antenatal* or ante-natal* or antepart* or ante-part* or birth* or childbirth* or child-birth* or expectant mother* or ((first or second or third) N2 trimester*) or matern* or midwif* or midwiv* or mother-to-be or mothers-to-be or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or pregnan* or prenat* or pre-nat*) OR KW (antenatal* or ante-natal* or antepart* or ante-part* or birth* or childbirth* or child-birth* or expectant mother* or ((first or second or third) N2 trimester*) or matern* or midwif* or midwiv* or mother-to-be or mothers-to-be or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or pregnan* or prenat* or pre-nat*)	235,008
14.	S11 OR S12 OR S13	241,737
Population: Pregnancy/postnatal		
15.	(DE "Pregnancy Outcomes") OR (DE "Birth") OR (DE "Obstetrical Complications") OR (DE "Caesarean Birth") OR (DE "Labor (Childbirth)") OR (DE "Natural Childbirth") OR (DE "Premature Birth") OR (DE "Pregnancy") OR (DE "Adolescent Pregnancy") OR (DE "Primipara") OR (DE "Perinatal Period") OR (DE "Antepartum Period") OR (DE "Prenatal Care") OR (DE "Prenatal Diagnosis") OR (DE "Obstetrical Complications") OR DE ("Gestational Diabetes") OR (DE "Preeclampsia") OR (DE "Midwifery") OR (DE "Intrapartum Period" OR (DE "Postnatal Period"))	64,620
16.	SU obstetric*	5,011
17.	TI (birth* or childbirth* or child-birth* or labor or laboring or labour or labouring or matern* or midwif* or midwiv* or "new mother" or "new mothers" or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or postbirth* or postpartum* or post-partum* or postnatal* or post-natal* or pregnan* or puerperal* or puerperium*) OR AB (birth* or childbirth* or child-birth* or labor or laboring or labour or labouring or matern* or midwif* or midwiv* or "new mother" or "new mothers" or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or postbirth* or postpartum* or post-partum* or postnatal* or post-natal* or pregnan* or puerperal* or puerperium*) OR KW (birth* or childbirth* or child-birth* or labor or laboring or labour or labouring or matern* or midwif* or midwiv* or "new mother" or "new mothers" or obstetric* or perinatal* or peri-natal* or peripart* or peri-part* or postbirth* or postpartum* or post-partum* or postnatal* or post-natal* or pregnan* or puerperal* or puerperium*)	198,475
18.	S15 OR S16 OR S17	208,837
Intervention: Screening/Case identification⁸		
19.	(DE "Screening" OR DE "Health Screening" OR DE "Screening Tests" OR DE "Disease Screening") OR DE "Psychological Screening Inventory")	19,843

⁸ Translated/adapted from: Hamel C, Lang E, Morissette K, Beck A, Stevens A, Skidmore B, et al. Screening for depression in women during pregnancy or the first year postpartum and in the general adult population: a protocol for two systematic

20.	TI (screen* or detect*) OR AB (screen* or detect*) OR KW (screen* or detect*)	232,662
21.	TI identif* or recogni*	59,714
22.	TI ((early or earlier or earliest) N5 (identif* or recogni*)) OR AB ((early or earlier or earliest) N5 (identif* or recogni*)) OR KW ((early or earlier or earliest) N5 (identif* or recogni*))	16,769
23.	TI ("case finding#" or casefinding#) OR AB ("case finding#" or casefinding#) OR KW ("case finding#" or casefinding#)	892
24.	TI (mental* or psych*) N5 assess*	9,724
25.	S19 OR S20 OR S21 OR S22 OR S23 OR S24	307,873
Study types: Randomized controlled trials		
26.	ZC "treatment outcome/clinical trial" or DE "Clinical Trials" or DE "Placebo"	16,756
27.	TX((randomi?ed) N3 (study or trial or design or method* or test* or assessment)) or TX((random*) N3 (assign* or alloca*)) or TX((singl* or doubl* or tripl* or trebl*)) N3 (blind* or dumm* or mask*)) or TX(clinical W2 trial*) or TX((singl* or doubl* or treb* or tripl*) W2 (blind* or mask*)) or TX(placebo*) or TX(randomly allocated) or TX(allocated N2 random*) or AB(randomi?ed N6 n=) or TI(controlled W3 trial*) or AB(controlled W3 trial*)	185,806
28.	S26 OR S27	185,806
Study types: Systematic reviews		
29.	DE "Meta Analysis" OR ZC "systematic review" OR ZC "meta analysis" OR DE "Systematic Review"	48,174
30.	TI (systematic* AND review) OR "systematic overview*" OR "cochrane review*" OR "systemic review*" OR "scoping review" OR "scoping literature review" OR "mapping review" OR "umbrella review*" OR "review of reviews" OR "overview of reviews" OR "meta review" OR "integrative review" OR "integrated review" OR "integrative overview" OR "meta synthesis" OR metasynthesis OR "quantitative review" OR "quantitative synthesis" OR "meta ethnography" OR "research synthesis" OR "systematic literature search" OR "systematic literature research" OR "evidence-based review" OR "evidence synthesis" OR "meta analyses" OR metaanalyses OR metaanalysis OR "meta analysis" OR "meta-analytic review" OR "meta-analytical review"	61,532
31.	TI ((search* OR medline OR pubmed OR embase OR cochrane OR scopus OR "web of science" OR "sources of information" OR "data sources" OR "following databases") AND ("study selection" OR "selection criteria" OR "eligibility criteria" OR "inclusion criteria" OR "exclusion criteria")) OR AB ((search* OR medline OR pubmed OR embase OR cochrane OR scopus OR "web of science" OR "sources of information" OR "data sources" OR "following databases") AND ("study selection" OR "selection criteria" OR "eligibility criteria" OR "inclusion criteria" OR "exclusion criteria"))	10,507
32.	S29 OR S30 OR S31	71,043

reviews to update a guideline of the Canadian Task Force on Preventive Health Care. Syst Rev. 2019;8(1):27. Available from: <https://doi.org/10.1186/s13643-018-0930-3>. - Search rows 57-64 in additional file 5

Combined sets		
33.	S5 AND S14 AND S25 AND S28	238
34.	S5 AND S14 AND S25 AND S32	202
35.	S10 AND S18 AND S25 AND S28	31
36.	S10 AND S18 AND S25 AND S32	40
37.	S33 OR S34 OR S35 OR S36	438
Specific screening instruments		
38.	TI ((edinburgh N3 depression) or epds or epds3a) OR AB ((edinburgh N3 depression) or epds or epds3a) OR KW ((edinburgh N3 depression) or epds or epds3a)	2,091
39.	TI (gad-2 or gad2 or gad-7 or gad7 or ("generalised anxiety disorder" or "generalized anxiety disorder") N2 ("2" or "7" or assess* or instrument* or item* or questionnaire* or scale* or screen* or tool*))) OR AB (gad-2 or gad2 or gad-7 or gad7 or ("generalised anxiety disorder" or "generalized anxiety disorder") N2 ("2" or "7" or assess* or instrument* or item* or questionnaire* or scale* or screen* or tool*))) OR KW (gad-2 or gad2 or gad-7 or gad7 or ("generalised anxiety disorder" or "generalized anxiety disorder") N2 ("2" or "7" or assess* or instrument* or item* or questionnaire* or scale* or screen* or tool*)))	992
40.	TI ("matthey generic mood" or mgmq) OR AB ("matthey generic mood" or mgmq) OR KW ("matthey generic mood" or mgmq)	6
41.	TI ("Patient Health Questionnaire 2" or PHQ-2 or PHQ2 or "Patient Health Questionnaire 9" or PHQ-9 or PHQ9) OR AB ("Patient Health Questionnaire 2" or PHQ-2 or PHQ2 or "Patient Health Questionnaire 9" or PHQ-9 or PHQ9) OR KW ("Patient Health Questionnaire 2" or PHQ-2 or PHQ2 or "Patient Health Questionnaire 9" or PHQ-9 or PHQ9)	2,235
42.	TI "whooley question*" OR AB "whooley question*" OR KW "whooley question*"	16
43.	S38 OR S39 OR S40 OR S41 OR S42	4,851
Combined sets		
44.	S5 AND S14 AND S43	2,006
45.	S5 AND S14 AND S43	1,075
Limiters - Publication Year: 2014-2020		
46.	S37 OR S45	1,465
47.	PZ "Comment/Reply" OR PZ "Editorial" OR PZ "Letter"	196,269
48.	S46 NOT S47	1,442
49.	S46 NOT S47	1,442
Narrow by Language: - english⁹		

⁹ The literature search in PsycInfo is not limited to English only. Studies in Danish, Norwegian and Swedish are also included. However, since there were no articles present in these languages at the time of the search it was not possible to limit the search to any of these languages

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

SU = Subject Terms

ZC = Methodology Index

* = Truncation

“ ” = Citation Marks; searches for an exact phrase