



Bilaga till rapport

1 (12)

Rehabilitering av äldre efter höftfrakturer –
interdisciplinära team, rapport 235 (2015)

Bilaga 1 Sökstrategier

Cinahl via EBSCO 12 February 2014

Rehabilitation of elderly after hip fracture

The search strategy is based on the search in Handoll HH, Cameron ID, Mak JC, Finnegan TP. Multidisciplinary rehabilitation for older people with hip fractures. Cochrane Database Syst Rev 2009:Cd007125

Search terms	Items found
Population: elderly	
1. (MH "Aged") OR (MH "Aged, 80 and Over") OR (MH "Aged, Hospitalized") OR (MH "Frail Elderly") OR (MH "Geriatrics") OR (MH "Aging") OR MH "Nursing Home Patients In Old Age" OR TI ("older patient" OR "older patients" OR "older adult" OR "older adults" OR "older person" OR "older persons" OR "older women" OR "older men" OR geriatric OR geriatrics OR elderly OR elders OR elder OR senior OR seniors OR 'community dwelling' OR "nursing home" OR "nursing homes" OR "care home" OR "care homes" OR "oldest old" OR frail OR postmenopaus OR postmenopausal OR 'post menopaus' OR 'post menopausal' OR 'late life' OR 'latest life' OR "old age" OR orthogeriatric*) OR TX "In old age"	347,823
Population: patients with hip fractures	
2. (MM "Femoral Fractures") OR (MM "Hip Fractures") OR TI ((hip* OR femur* OR femoral*) AND fracture*)	4,647
Intervention: rehabilitation	
3. (MH "Rehabilitation+") OR (MH "Rehabilitation, Geriatric") OR (MH "Rehabilitation, Community-Based") OR MH "Home Health Care" OR MH "Multidisciplinary Care Team" OR MM "Patient Centered Care" OR (MH "Protocols") OR (MH "Nursing Protocols") OR (MH "Nursing Care Plans") OR (MH "Patient Care Plans") OR (MH "Critical Path") OR (MH "Rehabilitation Nursing") OR (MH "Hospitalization") OR TI ((early AND (mobil* OR discharg* OR ambulat*)) OR occupational W1 therap* OR physiotherap* OR physical W1 therap* OR multidisciplin* OR Geriatric W1 orthopaedic* OR orthopaedic-geriatric OR orthogeriatr* OR "hospital at home" OR rehab* OR "care planning" OR "comprehensive geriatric" OR interdicip* OR multidisc* OR inter-dicip* OR multi-disc* OR interprof* OR multiprof* OR inter-prof* OR multi-prof* OR geriatric W1 ward* OR geriatric W1 unit* OR geriatric W1 team*) OR AB ((early AND (mobil* OR discharg* OR ambulat*)) OR occupational W1 therap* OR physiotherap* OR physical W1 therap* OR multidisciplin* OR Geriatric W1 orthopaedic* OR orthopaedic-geriatric OR orthogeriatr* OR "hospital at home" OR rehab* OR "care planning" OR "comprehensive geriatric" OR interdicip* OR multidisc* OR inter-dicip* OR multi-disc* OR interprof* OR multiprof* OR inter-prof* OR multi-prof* OR geriatric W1 ward* OR geriatric W1 unit* OR geriatric W1 team*)	252,993
Combined sets	
4. 2 AND 3 OR (MM "Hip Surgery Rehabilitation" OR MH "Hip Surgery Rehabilitation In Old Age" OR MM "Hip Fractures Rehabilitation")	1,082
Study types: RCT	
5. MH "Randomized Controlled Trials" OR (MH "Clinical Trials+") OR (PT "Clinical trial") OR (ZT "randomized controlled trial")	120,865
Combined sets	
6. 1 AND 4 AND 5	130
7. 1 AND 4 AND 5 AND Limiters - Published Date: 20080401-	52

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

" " = Citation Marks; searches for an exact phrase

Cochrane Library via Wiley 15 August 2014 (only EED)

Rehabilitation of elderly after hip fracture: health economics aspects

Search terms	Items found
Population: elderly	
1. "Aged"[Mesh:NoExp] OR "Aged, 80 and over"[Mesh] OR "Frail Elderly"[Mesh] OR Geriatrics[MeSH] OR Homes for the Aged[MeSH] OR "Postmenopause"[Mesh] OR "Housing for the Elderly"[Mesh]	5394
2. (geriatric* OR "older patient" OR "older adult" OR "older adults" OR "older women" OR "older men" OR geriatric OR geriatrics OR elderly OR elders OR elder OR senior OR seniors OR "community-dwelling" OR "nursing home" OR "nursing homes" OR "care home" OR "care homes" OR "oldest old" OR frail OR postmenopaus* OR post-menopaus* OR "nursing home resident" OR "nursing home residents" OR "Older persons" OR "older person" OR "older rural women" OR "age of 65" OR "older population" OR "65 years" OR "late-life" OR latest-life* OR "old age" OR "old-old" OR orthogeriatric*):ti	22697
3. 1 OR 2	24421
Population: patients with hip fractures	
4. "Femoral Fractures"[Mesh]	1312
5. ((hip* OR femur* OR femoral*) AND fracture*):ti	1896
6. 4 OR 5	
Intervention: rehabilitation	
7. "Physical Therapy Modalities"[Mesh] OR "Rehabilitation"[Mesh] OR "Critical Pathways"[Mesh] OR "Physical Therapy Specialty"[Mesh] OR "Rehabilitation Nursing"[Mesh] OR "Hospitalization"[Mesh] OR "Patient Care Team"[MeSH]	35728
8. (early AND (mobil* OR discharg* OR ambulat*)) OR "occupational therap*" OR physiotherap* OR "physical therap*" OR "multidisciplin*" OR "Geriatric orthopaedic*" OR "orthopaedic-geriatric" OR orthogeriatr* OR "hospital at home" OR rehab* OR "care planning" OR "comprehensive geriatric" OR interdiscip* OR multidisc* OR "inter-dicip*" OR multi-disc* OR interprof* OR multiprof* OR inter-prof* OR "multi-prof*" OR "geriatric ward*" OR "geriatric unit*" OR "geriatric team*"	9326
9. 7 OR 8	41946
Combined sets	
10. 3 AND 6 AND 9	EED/7

The search result, usually found at the end of the documentation, forms the list of abstracts.

[AU] = Author

[MAJR] = MeSH Major Topic

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

Systematic[SB] = Filter for retrieving systematic reviews

[TI] = Title

[TIAB] = Title or abstract

[TW] = Text Word

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

CDSR = Cochrane Database of Systematic Review

CENTRAL = Cochrane Central Register of Controlled Trials, “trials”

CRM = Method Studies

DARE = Database Abstracts of Reviews of Effects, “other reviews”

EED = Economic Evaluations

HTA = Health Technology Assessments

Embase via Elsevier 15 August 2014

Rehabilitation of elderly after hip fracture: health economic aspects

Search terms		Items found
Population: elderly		
1.	'aged'/de OR 'aged hospital patient'/de OR 'frail elderly'/de OR 'very elderly'/de OR 'geriatric patient'/de OR "older patient":ti OR "older patients":ti OR "older adult":ti OR "older adults":ti OR "older person":ti OR "older persons":ti OR "older women":ti OR "older men":ti OR geriatric:ti OR geriatrics:ti OR elderly:ti OR elders:ti OR elder:ti OR senior:ti OR seniors:ti OR 'community dwelling':ti OR "nursing home":ti OR "nursing homes":ti OR "care home":ti OR "care homes":ti OR "oldest old":ti OR frail:ti OR postmenopaus:ti OR postmenopausal:ti OR 'post menopaus':ti OR 'post menopausal':ti OR 'late life':ti OR 'latest life':ti OR "old age":ti OR orthogeriatric:ti OR (older NEAR/2 people):ti OR (older NEAR/2 people):ti	1,551,323
Population: patients with hip fractures		
2.	'hip fracture'/exp OR 'femur fracture'/exp OR ((hip* OR femur* OR femoral*) AND fracture*):ti	46,735
Intervention: rehabilitation		
3.	'geriatric rehabilitation'/exp OR 'rehabilitation'/de OR 'functional training'/de OR 'home rehabilitation'/de OR 'postoperative care'/de OR 'geriatric nursing'/mj OR 'hospital discharge'/de OR 'geriatric care'/de OR (early NEAR/2 (mobil* OR discharg* OR ambulat*) OR occupational NEAR/1 therap* OR (physiotherap* OR physical) NEAR/1 therap* OR (multidisciplin* OR Geriatric*) NEAR/1 orthopaedic* OR geriatric NEAR/1 ward* OR geriatric NEAR/1 unit* OR geriatric NEAR/1 team*):ti:ab OR orthopaedic-geriatric:ti:ab OR orthogeriatr*:ti:ab OR "hospital at home":ti:ab OR rehab*:ti OR "care planning":ti:ab OR "comprehensive geriatric":ti:ab OR interdiscip*:ti:ab OR multidisc*:ti:ab OR interdisciplinary:ti:ab OR multi-disciplinary:ti:ab OR interprof*:ti:ab OR multiprof*:ti:ab OR inter-professional:ti:ab OR multi-professional:ti:ab	360,885
Health economic aspects (filter: SBU search strategy 30 October 2012)		
4.	('health economics'/de/mj OR 'economic evaluation'/exp/mj OR 'health-care-cost'/exp/mj OR 'pharmacoeconomics'/exp/mj OR 'economic aspect'/exp/mj OR 'financial management'/exp/mj OR ((economic near/2 (evaluation* OR analys* OR stud*)) OR (value* near/2 (money or monetary)) OR pharmacoeconomic* OR (pharmaco next/1economic*) OR "icer" OR (cost NEAR/2 (util* OR benefit* OR effectiveness OR illness OR analys* OR consequence* OR saving* OR breakdown* OR low* OR high* OR estimate* OR variable* OR allocation* OR control* OR unit))):ti,ab OR (economic* OR cost*):ti OR 'quality adjusted life year'/de/mj OR utility:ti,ab OR utilities:ti,ab OR qaly*:ti,ab OR "quality adjusted life":ti,ab OR "disability adjusted life":ti,ab OR daly*:ti,ab OR qald*:ti,ab OR qale*:ti,ab OR qtime*:ti,ab OR "hye":ti,ab OR "hyes":ti,ab OR (('healthy year' OR 'healthy years' OR 'health year' OR 'health years') NEXT/2 equivalent*):ti,ab OR "quality of well being":ti,ab OR "qwb":ti,ab OR "euroqol":ti,ab OR "eq5d":ti,ab OR "eq 5d":ti,ab OR "health utilities index":ti,ab OR "hui":ti,ab OR "hui2":ti,ab OR "hui3":ti,ab OR "rosser":ti,ab OR "sf 6":ti,ab OR "sf6":ti,ab OR "sf6D":ti,ab OR "sf 6D":ti,ab OR "short form 6D":ti,ab OR "time trade off":ti,ab OR "time tradeoff":ti,ab OR "standard gamble":ti,ab OR ((willing or willingness) near/2 (pay or accept)):ti,ab)	672,784
Combined sets		
5.	1 AND 2 AND 3 AND 4	151

/de= Term from the Emtree controlled vocabulary

/exp= Includes terms found below this term in the Emtree hierarchy

/mj = Major Topic

:ab = Abstract

:au = Author

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase “ ” = Citation Marks; searches for an exact phrase

Embase via Elsevier 13 February 2014

Rehabilitation of elderly after hip fracture

The search strategy is based on the search in Handoll HH, Cameron ID, Mak JC, Finnegan TP. Multidisciplinary rehabilitation for older people with hip fractures. Cochrane Database Syst Rev 2009:Cd007125

Search terms	Items found
Population: elderly	
1. 'aged'/de OR 'aged hospital patient'/de OR 'frail elderly'/de OR 'very elderly'/de OR 'geriatric patient'/de OR "older patient":ti OR "older patients":ti OR "older adult":ti OR "older adults":ti OR "older person":ti OR "older persons":ti OR "older women":ti OR "older men":ti OR geriatric:ti OR geriatrics:ti OR elderly:ti OR elders:ti OR elder:ti OR senior:ti OR seniors:ti OR 'community dwelling':ti OR "nursing home":ti OR "nursing homes":ti OR "care home":ti OR "care homes":ti OR "oldest old":ti OR frail:ti OR postmenopaus:ti OR postmenopausal:ti OR 'post menopaus':ti OR 'post menopausal':ti OR 'late life':ti OR 'latest life':ti OR "old age":ti OR orthogeriatric:ti OR (older NEAR/2 people):ti OR (older NEAR/2 people):ti	1,494,193
Population: patients with hip fractures	
2. 'hip fracture'/exp OR 'femur fracture'/exp OR ((hip* OR femur* OR femoral*) AND fracture*):ti	33,350
Intervention: rehabilitation	
3. 'geriatric rehabilitation'/exp OR 'rehabilitation'/de OR 'functional training'/de OR 'home rehabilitation'/de OR 'postoperative care'/de OR 'geriatric nursing'/mj OR 'hospital discharge'/de OR 'geriatric care'/de OR (early NEAR/2 (mobil* OR discharg* OR ambulat*) OR occupational NEAR/1 therap* OR (physiotherap* OR physical) NEAR/1 therap* OR (multidisciplin* OR Geriatric*) NEAR/1 orthopaedic* OR geriatric NEAR/1 ward* OR geriatric NEAR/1 unit* OR geriatric NEAR/1 team*):ti:ab OR orthopaedic-geriatric:ti:ab OR orthogeriatr*:ti:ab OR "hospital at home":ti:ab OR rehab*:ti OR "care planning":ti:ab OR "comprehensive geriatric":ti:ab OR interdiscip*:ti:ab OR multidisc*:ti:ab OR interdisciplinary:ti:ab OR multi-disciplinary:ti:ab OR interprof*:ti:ab OR multiprof*:ti:ab OR inter-professional:ti:ab OR multi-professional:ti:ab	242,784
Study types: RCT	
4. 'randomized controlled trial'/de	257,945
Combined sets	
5. 1 AND 2 AND 3 AND 4	98
6. 5 AND [2008-2014]/py	35

/de= Term from the Emtree controlled vocabulary

/exp= Includes terms found below this term in the Emtree hierarchy

/mj = Major Topic

:ab = Abstract

:au = Author

:ti = Article Title

:ti:ab = Title or abstract

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

PsycInfo via EBSCO 13 February 2014

Rehabilitation of elderly after hip fracture

The search strategy is based on the search in Handoll HH, Cameron ID, Mak JC, Finnegan TP. Multidisciplinary rehabilitation for older people with hip fractures. Cochrane Database Syst Rev 2009:Cd007125

Search terms		Items found
Population: elderly		
1.	DE "Geriatric Patients" OR DE "Nursing Homes" OR (ZG "aged (65 yrs & older)") or (ZG "very old (85 yrs & older)") OR DE "Geriatrics" OR DE "Gerontology" OR TI ("older patient" OR "older patients" OR "older adult" OR "older adults" OR "older person" OR "older persons" OR "older women" OR "older men" OR geriatric OR geriatrics OR elderly OR elders OR elder OR senior OR seniors OR 'community dwelling' OR "nursing home" OR "nursing homes" OR "care home" OR "care homes" OR "oldest old" OR frail OR postmenopaus OR postmenopausal OR 'post menopaus' OR 'post menopausal' OR 'late life' OR 'latest life' OR "old age" OR orthogeriatric*) OR TX "In old age"	230,372
Population: patients with hip fractures		
2.	DE "Hips" AND (DE "Surgery" OR DE "Injuries") OR TI ((hip* OR femur* OR femoral*) AND fracture*)	518
Intervention: rehabilitation		
3.	DE "Rehabilitation" OR DE "Interdisciplinary Treatment Approach" OR DE "Intervention" OR DE "Discharge Planning" OR DE "Physical Therapy" OR TX ((early AND (mobil* OR discharg* OR ambulat*)) OR occupational W1 therap* OR physiotherap* OR physical W1 therap* OR multidisciplin* OR Geriatric W1 orthopaedic* OR orthopaedic-geriatric OR orthogeriatr* OR "hospital at home" OR rehab* OR "care planning" OR "comprehensive geriatric" OR interdicip* OR multidisc* OR inter-dicip* OR multi-disc* OR interprof* OR multiprof* OR inter-prof* OR multi-prof* OR geriatric* W1 ward* OR geriatric* W1 unit* OR geriatric* W1 team* OR planning W1 program*) OR TI comprehensive OR TI complex OR TI rehabilitation	208,553
Study types: RCT		
4.	(ZC "treatment outcome/clinical trial") OR TI (Randomi?ed N2 (trial OR study))	30,816
Combined sets		
5.	1 AND 2 AND 3 AND 4	23
6.	5 AND Limiters - Publication Year: 2008-2014	12

The search result, usually found at the end of the documentation, forms the list of abstracts.

AB = Abstract

AU = Author

DE = Term from the thesaurus

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

“ ” = Citation Marks; searches for an exact phrase

PubMed via NLM 14 August 2014Rehabilitation of elderly after hip fracture: **health economic aspects**

Search terms		Items found
Population: elderly		
1.	"Aged"[Mesh:NoExp] OR "Aged, 80 and over"[Mesh] OR "Frail Elderly"[Mesh] OR Geriatrics[MeSH] OR Homes for the Aged[MeSH] OR "Postmenopause"[Mesh] OR "Housing for the Elderly"[Mesh]	2344269
2.	(geriatric*[ti] OR older patient*[TI] OR older adult[TI] OR older adults[TI] OR older women[TI] OR older men[TI] OR geriatric[TI] OR geriatrics[TI] OR elderly[TI] OR elders[TI] OR elder[TI] OR senior[TI] OR seniors[TI] OR community-dwelling[TI] OR nursing home[TI] OR nursing homes[TI] OR care home[TI] OR care homes[TI] OR oldest old[TI] OR frail[TI] OR postmenopaus*[TI] OR post-menopaus*[ti] OR nursing home resident*[ti] OR older person*[ti] OR older rural women[ti] OR age of 65[ti] OR older population[ti] OR 65 years[ti] OR late-life[ti] OR latest-life*[ti] OR old age[ti] OR old-old[ti] OR orthogeriatric*[ti]) NOT medline[SB])	15930
3.	1 OR 2	2360023
Population: patients with hip fractures		
4.	"Femoral Fractures"[Mesh]	29184
5.	(hip*[ti] OR femur*[ti] OR femoral*[ti]) AND fracture*[ti]	18762
6.	4 OR 5	
Intervention: rehabilitation		
7.	"Physical Therapy Modalities"[Mesh] OR "Rehabilitation"[Mesh] OR "Critical Pathways"[Mesh] OR "Physical Therapy Specialty"[Mesh] OR "Rehabilitation Nursing"[Mesh] OR "Hospitalization"[Mesh] OR "Patient Care Team"[MeSH Terms]	440375
8.	(early[tiab] AND (mobil*[tiab] OR discharg*[tiab] OR ambulat*[tiab])) OR occupational therap*[tiab] OR physiotherap*[tiab] OR physical therap*[tiab] OR multidisciplin*[tiab] OR Geriatric orthopaedic*[tiab] OR orthopaedic-geriatric[tiab] OR orthogeriatr*[tiab] OR hospital at home[tiab] OR rehab*[ti] OR care planning[tiab] OR comprehensive geriatric[tiab] OR interdiscip*[tiab] OR multidisc*[tiab] OR inter-dicip*[tiab] OR multi-disc*[tiab] OR interprof*[tiab] OR multiprof*[tiab] OR inter-prof*[tiab] OR multi-prof*[tiab] OR geriatric ward*[tiab] OR geriatric unit*[tiab] OR geriatric team*[tiab]	175601
9.	7 OR 8	555982
Health economic aspects (filter: SBU search strategy 30 October 2012)		
10.	("Economics"[Mesh:NoExp] OR "Costs and Cost Analysis"[Mesh] OR "Economics, Hospital"[Mesh] OR "Economics, Medical"[Mesh] OR "Economics, Nursing"[Mesh] OR "Economics, Pharmaceutical"[Mesh] OR "Fees and Charges"[Mesh] OR "Budgets"[Mesh] OR "Resource Allocation"[Mesh] OR "economics" [Subheading] OR "cost utility"[tiab] OR "cost/utility"[tiab] OR cost/benefit*[tiab] OR cost benefit*[tiab] OR "cost effectiveness"[tiab] OR cost/effectiveness[tiab] OR "cost of illness"[tiab] OR cost analys*[tiab] OR cost consequence*[tiab] OR cost saving*[tiab] OR cost breakdown*[tiab] OR cost lowering*[tiab] OR cost estimate*[tiab] OR cost variable*[tiab] OR cost allocation*[tiab] OR cost control*[tiab] OR "cost per unit"[tiab] OR economic*[ti] OR cost[ti] OR costs[ti] OR costing[ti] OR costly[ti] OR "value for money"[tiab] OR pharmaco-economic*[tiab] OR "icer"[tiab] OR economic evaluation*[tiab] OR economic analys*[tiab] OR economic stud*[tiab] OR ((economic*[tiab] OR price*[tiab] OR pricing[tiab] OR cost[tiab] OR costs[tiab] OR costing[tiab] OR costly[tiab] OR financial[tiab] OR finance*[tiab] OR expenditure*[tiab] OR budget*[tiab] OR resource allocat*[tiab] OR "resource utilisation"[tiab] OR "resource utilization"[tiab] OR charge*[tiab] OR fee[tiab] OR fees[tiab]) NOT medline[sb]) OR "Quality-Adjusted Life Years"[Mesh] OR utility[tiab] OR utilities[tiab] OR qaly*[tiab] OR "quality adjusted life"[tiab] OR "disability adjusted life"[tiab]	702793

OR daly*[tiab] OR qald*[tiab] OR qale*[tiab] OR qtime*[tiab] OR "hye"[tiab] OR "hyes"[tiab]
 OR "healthy year equivalent"[tiab] OR "healthy year equivalents"[tiab] OR "healthy years
 equivalent"[tiab] OR "healthy years equivalents"[tiab] OR "quality of well being"[tiab] OR
 "qwb"[tiab] OR "euroqol"[tiab] OR "eq5d"[tiab] OR "eq 5d"[tiab] OR "health utilities
 index"[tiab] OR "hui"[tiab] OR "hui2"[tiab] OR "hui3"[tiab] OR "rosser"[tiab] OR "sf 6"[tiab]
 OR "sf6"[tiab] OR "sf6D"[tiab] OR "sf 6D"[tiab] OR "short form 6D"[tiab] OR "time trade
 off"[tiab] OR "time tradeoff"[tiab] OR "standard gamble"[tiab] OR "willingness to pay"[tiab]
 OR "willingness to accept"[tiab] OR "willing to pay"[tiab])

Combined sets

11.**3 AND 6 AND 9 AND 10****292**

The search result, usually found at the end of the documentation, forms the list of abstracts.

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

PubMed via NLM 11 February 2014

Rehabilitation of elderly after hip fracture

The search strategy is based on the search in Handoll HH, Cameron ID, Mak JC, Finnegan TP. Multidisciplinary rehabilitation for older people with hip fractures. Cochrane Database Syst Rev 2009:Cd007125

Search terms	Items found
Population: elderly	
1. "Aged"[Mesh:NoExp] OR "Aged, 80 and over"[Mesh] OR "Frail Elderly"[Mesh] OR Geriatrics[MeSH] OR Homes for the Aged[MeSH] OR "Postmenopause"[Mesh] OR "Housing for the Elderly"[Mesh]	2285865
2. (geriatric*[ti] OR older patient*[ti] OR older adult[ti] OR older adults[ti] OR older women[ti] OR older men[ti] OR geriatric[ti] OR geriatrics[ti] OR elderly[ti] OR elders[ti] OR elder[ti] OR senior[ti] OR seniors[ti] OR community-dwelling[tiab] OR nursing home[ti] OR nursing homes[ti] OR care home[ti] OR care homes[ti] OR oldest old[ti] OR frail[ti] OR postmenopaus*[ti] OR post-menopaus*[ti] OR nursing home resident*[ti] OR older person*[ti] OR older rural women[ti] OR age of 65[ti] OR older population[ti] OR 65 years[ti] OR late-life[ti] OR latest-life*[ti] OR old age[ti] OR old-old[ti] OR orthogeriatric*[ti]) NOT medline[SB])	14713
3. 1 OR 2	14713
Population: patients with hip fractures	
4. "Femoral Fractures"[Mesh]	17014
5. (hip*[ti] OR femur*[ti] OR femoral*[ti]) AND fracture*[ti]	18193
6. 4 OR 5	24864
Intervention: rehabilitation	
7. "Physical Therapy Modalities"[Mesh] OR "Rehabilitation"[Mesh] OR "Critical Pathways"[Mesh] OR "Physical Therapy Specialty"[Mesh] OR "Rehabilitation Nursing"[Mesh] OR "Hospitalization"[Mesh] OR "Patient Care Team"[MeSH Terms]	428321
8. (early[tiab] AND (mobil*[tiab] OR discharg*[tiab] OR ambulat*[tiab])) OR occupational therap*[tiab] OR physiotherap*[tiab] OR physical therap*[tiab] OR multidisciplin*[tiab] OR Geriatric orthopaedic*[tiab] OR orthopaedic-geriatric[tiab] OR orthogeriatr*[tiab] OR hospital at home[tiab] OR rehab*[ti] OR care planning[tiab] OR comprehensive geriatric[tiab] OR interdiscip*[tiab] OR multidisc*[tiab] OR inter-dicip*[tiab] OR multi-disc*[tiab] OR interprof*[tiab] OR multiprof*[tiab] OR inter-prof*[tiab] OR multi-prof*[tiab] OR geriatric ward*[tiab] OR geriatric unit*[tiab] OR geriatric team*[tiab])	167912
9. 7 OR 8	538024
Study types: randomised controlled trials and other trials (filter: PubMed clinical queries, therapy, broad)¹	
10. ((clinical[Title/Abstract] AND trial[Title/Abstract]) OR clinical trials[MeSH Terms] OR clinical trial[Publication Type] OR random*[Title/Abstract] OR random allocation[MeSH Terms] OR therapeutic use[MeSH Subheading])	4143238
Combined sets	
11. 3 AND 6 AND 9 AND 10	710
12. 11 AND Filters activated: Publication date from 2008/04/01	268

The search result, usually found at the end of the documentation, forms the list of abstracts.

¹ Haynes RB, McKibbin KA, Wilczynski NL, Walter SD, Werre SR, Hedges Team. Optimal search strategies for retrieving scientifically strong studies of treatment from Medline: analytical survey. BMJ 2005;330(7501):1179.

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TIAB] = Title or abstract

[TI] = Title

[AU] = Author

[TW] = Text Word

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation