

## Bilaga 30 Exkluderade studier samt studier med hög risk för bias för TÅ-par 23

Vetenskapligt underlag till Socialstyrelsens nationella riktlinjer för tandvården

Rapport nr 334

### Appendix 30 Excluded studies and studies with high risk of bias for TÅ-par 23

#### Table of contents

Excluded studies	page 2
Studies with high risk of bias	page 3

This list consists of articles not included in SBU's report. It has two parts:

#### Excluded studies

This part consists of articles considered relevant in terms of abstract, but the full-text articles were considered to be irrelevant to the research question and other inclusion criteria, after assessment.

#### Studies with high risk of bias

This part consists of articles that were relevant in terms of abstract and full-text, but after quality assessment considered to be studies with high risk of bias.

**Excluded studies**

<b>Reference</b>	<b>Main reason for exclusion</b>
Board JE. Endodontic retreatment: an online study guide. J Endod 2008;34:e125-30.	Not relevant
Bolla M, Muller-Bolla M, Borg C, Lupi-Pegurier L, Laplanche O, Leforestier E. Root canal posts for the restoration of root filled teeth. Cochrane Database of Systematic Reviews 2016.	No access
Boucher Y, Matossian L, Rilliard F, Machtou P. Radiographic evaluation of the prevalence and technical quality of root canal treatment in a French subpopulation. Int Endod J 2002;35:229-38.	Not relevant
Estrela C, Leles CR, Hollanda AC, Moura MS, Pecora JD. Prevalence and risk factors of apical periodontitis in endodontically treated teeth in a selected population of Brazilian adults. Braz Dent J 2008;19:34-9.	Not relevant
Farah RI, Aldakhili AS, Alnasser AS. A Radiographic Study of the Association between Apical Periodontitis and Technical Quality of Intraradicular Posts and Root Canal Fillings: A Cross-sectional Study in Qassim Region, Saudi Arabia. Contemp Clin Dent 2017;8:579-586.	Wrong study design
Fastovets OO, Kotelevskiy RA, Matvyeyenko RY. The effect of endodontics and crown restoration techniques on the prognosis of treatment non-vital teeth. Wiad Lek 2018;71:1738-1741.	Wrong study design
Kvist T, Rydin E, Reit C. The relative frequency of periapical lesions in teeth with root canal-retained posts. J Endod 1989;15:578-80.	Wrong study design
Sebring D, Dimenas H, Engstrand S, Kvist T. Characteristics of teeth referred to a public dental specialist clinic in endodontics. Int Endod J 2017;50:629-635.	Not relevant
Shelley A. Restoration of Endodontically-Treated Posterior Teeth. Prim Dent J 2017;6:54-61.	Not relevant
Tronstad L, Asbjornsen K, Doving L, Pedersen I, Eriksen HM. Influence of coronal restorations on the periapical health of endodontically treated teeth. Endod Dent Traumatol 2000;16:218-21.	Wrong study design

**Studies with high risk of bias**

**Reference**

---

No studies