Diagnostik autism:

Pubmed vi	a NLM 28 Mars 2012	
	nostic tools in Autism	
Donulation	Search terms	
Population 1.	Child Development Disorders, Pervasive/diagnosis"[MeSH Terms] OR	
	autis*[TIAB] OR asperger*[TIAB]	
Scales		
2.	"autism spectrum quotient"[TIAB] OR "aq"[TIAB] OR "childhood asperger	
	syndrome test"[TIAB] OR "cast"[TIAB] OR (bryant*[TIAB] AND	
	"index"[TIAB] AND "empathy"[TIAB]) OR (griffith*[TIAB] AND	
	"empathy"[TIAB] AND "measure"[TIAB]) OR "gem pr"[TIAB] OR	
	(ritvo*[TIAB] AND "autism"[TIAB] AND asperger*[TIAB]) OR "raads"[TIAB]	
	OR "autism spectrum screening questionnaire"[TIAB] OR "assq"[TIAB] OR	
	("autism spectrum disorder"[TIAB] AND "adult"[TIAB] AND	
	"questionnaire"[TIAB]) OR "asdasq"[TIAB] OR "childhood autism rating	
	scale"[TIAB] OR "cars"[TIAB] OR "asperger syndrome diagnostic	
	interview"[TIAB] OR ("asperger syndrome"[TIAB] AND "diagnostic	
	interview"[TIAB]) OR "asdi"[TIAB] OR ("diagnostic interview"[TIAB] AND	
	"communication disorders"[TIAB]) OR "disco"[TIAB] OR "autism diagnostic	
	interview"[TIAB] OR "adi"[TIAB] OR "adi-r"[TIAB] OR "autism diagnostic	
	observation schedule"[TIAB] OR "ados"[TIAB] OR "social communication	
	questionnaire"[TIAB] OR "scq"[TIAB] OR "autism screening	
	questionnaire"[TIAB] OR "acq"[TIAB] OR "dawba"[TIAB] OR	
	("development"[TIAB] AND "well being"[TIAB] AND "assessment"[TIAB])	
	OR "kiddie sads"[TIAB] OR "k sads"[TIAB] OR ("schedule"[TIAB] AND	
	"affective disorders"[TIAB] AND "schizophrenia"[TIAB] AND "school aged	
	children"[TIAB]) OR "social responsiveness scale"[TIAB] OR "srs"[TIAB] OR	
	"psychometrics"[MeSH Terms] OR "questionnaires"[MeSH Terms] OR	
	"interview, psychological"[MeSH Terms] OR "diagnosis"[MeSH	
	Subheading] OR "classification" [MeSH Subheading] OR "psychiatric status	
	rating scales"[MeSH Terms]	
Diagnosti	c terms	
3.	"sensitivity AND specificity"[MeSH Terms] OR "predictive value of	
	tests"[MeSH Terms] OR "specificity"[TIAB] OR "sensitivity"[TIAB] OR	
	Valid*[TIAB] OR rasch[TIAB]	
Combinea	l sets	
4.	1 AND 2 AND 3	

[MeSH Terms] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH Subheading] = Qualifiers added to MeSH subject headings to refine their meaning

[TIAB] = Title or abstract

* = Truncation

Title: Diagnostic tools in Autism Search terms Population: Autism 1. 'autism'/exp OR autis*:ti,ab OR asperger*:ti,ab Scales 2. "autism spectrum quotient":ti,ab OR "aq":ti,ab OR "childhood asperger syndrome test":ti,ab) OR (griffith*:ti,ab AND "empathy":ti,ab AND "measure":ti,ab) OR (griffith*:ti,ab AND "empathy":ti,ab AND "autism":ti,ab AND asperger*:ti,ab) OR "gem pr":ti,ab OR (ritvo*:ti,ab AND "autism":ti,ab AND asperger*:ti,ab) OR "raads":ti,ab OR ("autism spectrum disorder":ti,ab AND "autirt":ti,ab AND "questionnaire":ti,ab OR ("autism spectrum disorder":ti,ab AND "autirt":ti,ab AND "questionnaire":ti,ab OR "asdarg":ti,ab OR "asdarg":ti,ab OR "childhood autism rating scale":ti,ab OR "asdi":ti,ab OR "diagnostic interview":ti,ab AND "aduft":ti,ab AND "communication disorders":ti,ab OR "diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR "autism diagnostic interview":ti,ab OR "scale:ti,ab OR "adis":ti,ab OR "social communication questionnaire":ti,ab OR "adi-sti,ab OR "scale and Schizophrenia',exp OR 'kiddie sads':ti,ab OR "adis":ti,ab OR "social communication questionnaire":ti,ab OR "scale for Affective Disorders and Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'spychologic test'/exp OR 'questionnaire'/exp OR 'guestionnaire':exp OR 'guestionnaire':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'ssensitivity":ti,ab OR 'questionnaire'/exp OR 'guestionnaire':ti,ab OR 'ssensitivity":ti,ab OR 'questionnaire'/exp OR 'guestionnaire':ti,ab OR 'ssensitivity":ti,ab OR 'guestionnaire'/exp OR 'gue	Embase via	a Embase.com 28 Mars 2012	
Population: Autism 1. 'autism'/exp OR autis*:ti,ab OR asperger*:ti,ab Scales 2. "autism spectrum quotient":ti,ab OR "aq":ti,ab OR "childhood asperger syndrome test":ti,ab OR "cast":ti,ab OR (bryant*:ti,ab AND "index":ti,ab AND "empathy":ti,ab) OR (griffith*:ti,ab AND "empathy":ti,ab AND "measure":ti,ab) OR "gem pr":ti,ab OR (ritvo*:ti,ab AND "autism":ti,ab AND asperger*:ti,ab) OR "raads":ti,ab OR (ritvo*:ti,ab AND "autism":ti,ab AND asperger*:ti,ab) OR "raads":ti,ab OR ("autism spectrum disorder":ti,ab AND "autism riti,ab AND "questionnaire":ti,ab OR "asdasq":ti,ab OR "asdasq":ti,ab OR "childhood autism rating scale":ti,ab OR "cast":ti,ab OR "disco":ti,ab OR "childhood autism rating scale":ti,ab OR "asdi":ti,ab OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adisco":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adisco":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "adisco":ti,ab OR "social communication questionnaire":ti,ab OR "scale:ti,ab OR "adiss screening questionnaire":ti,ab OR "acq":ti,ab OR "scale:ti,ab OR "scale:ti,ab OR "autism screening questionnaire":ti,ab OR "acq":ti,ab OR "scale:ti,ab OR "scale:ti,ab OR "autism screening questionnaire":ti,ab OR "scale:ti,ab OR 'scale:ti,ab OR 's	Title: Diagn	nostic tools in Autism	
1. 'autism'/exp OR autis*:ti,ab OR asperger*:ti,ab Scales * 2. "autism spectrum quotient":ti,ab OR "aq":ti,ab OR "childhood asperger syndrome test":ti,ab OR "cast":ti,ab OR (bryant*:ti,ab AND "index":ti,ab AND "empathy":ti,ab) OR (griffith*:ti,ab AND "empathy":ti,ab AND "measure":ti,ab) OR "gem pr":ti,ab OR (ritvo*:ti,ab AND "autism":ti,ab AND asperger*:ti,ab) OR "raads":ti,ab OR "autism spectrum disorder":ti,ab AND "adut":ti,ab AND "questionnaire":ti,ab OR "assaq":ti,ab OR "asdasq":ti,ab OR "asdasq":ti,ab OR "childhood autism rating scale":ti,ab OR "casdasq":ti,ab OR "asdasq":ti,ab OR "childhood autism rating scale":ti,ab OR "asdasq":ti,ab OR "disco":ti,ab OR "childhood autism rating scale":ti,ab OR "ads":ti,ab OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "ads":ti,ab OR "disco":ti,ab OR "autism diagnostic cobservation schedule":ti,ab OR "ados":ti,ab OR "social communication questionnaire":ti,ab OR "scale:ti,ab OR "autism screening questionnaire":ti,ab OR "acq":ti,ab OR "acds":ti,ab OR "scial communication questionnaire":ti,ab OR 'schedule for Affective Disorders and Schizophrenia /cxp OR 'kiddie sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychologic test'/exp OR 'questionnaire'/exp OR 'guestionnaire'/exp OR 'guestionnaire'/exp OR 'spsychological rating scale'/exp			
Scales 2. "autism spectrum quotient":ti,ab OR "aq":ti,ab OR "childhood asperger syndrome test":ti,ab OR (cast":ti,ab AND "empathy":ti,ab AND "measure":ti,ab) OR (griffith*:ti,ab AND "empathy":ti,ab AND "measure":ti,ab) OR "gem pr":ti,ab OR (ritvo*:ti,ab AND "autism":ti,ab AND asperger*:ti,ab) OR "rads":ti,ab OR (ritvo*:ti,ab AND "autism":ti,ab AND asperger*:ti,ab) OR "aads":ti,ab OR ("autism spectrum disorder":ti,ab AND "adult":ti,ab AND "questionnaire":ti,ab) OR "asdasq":ti,ab OR "asdasq":ti,ab OR "asdasq":ti,ab OR "atom ediagnostic interview":ti,ab OR "asdasq":ti,ab OR "asdasq":ti,ab OR "childhood autism rating scale":ti,ab OR "acas":ti,ab OR "asdasq":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adis":ti,ab OR "acis":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "ados":ti,ab OR "social communication questionnaire":ti,ab OR "scc":ti,ab OR "social communication questionnaire":ti,ab OR 'schedule for Affective Disorders and Schizophrenia/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychonetry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp Diagnostic terms 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy/exp OR 'specificity":ti,ab OR "sensitivity":ti,ab OR 'Valid*:ti,ab OR rasch:ti,ab			
 2. "autism spectrum quotient":ti,ab OR "aq":ti,ab OR "childhood asperger syndrome test":ti,ab OR "cast":ti,ab OR (bryant*:ti,ab AND "index":ti,ab AND "empathy":ti,ab) OR (griffith*:ti,ab AND "empathy":ti,ab AND "measure":ti,ab) OR (griffith*:ti,ab AND "empathy":ti,ab AND "autism ":ti,ab AND asperger*:ti,ab) OR "gem pr":ti,ab OR "autism spectrum disorder":ti,ab AND "audit":ti,ab AND "questionnaire":ti,ab) OR "asdas":ti,ab OR "asdasq":ti,ab OR "asdasq":ti,ab OR "asdasq":ti,ab OR "adds":ti,ab AND "questionnaire":ti,ab) OR "asdasq":ti,ab OR "asperger syndrome diagnostic interview":ti,ab OR "asdi":ti,ab OR "adds":ti,ab OR "diagnostic interview":ti,ab AND "communication disorders":ti,ab) OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "add":ti,ab OR "addis":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "addis":ti,ab OR "social communication questionnaire":ti,ab OR "scadil communication questionnaire":ti,ab OR "schedule for Affective Disorders and Schizophrenia/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'bendule for 'spychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR 'daide':ti,ab OR rasch:ti,ab Combined sets 	1.	autism /exp OR autis 11,ab OR asperger 11,ab	
syndrome test":ti,ab OR "cast":ti,ab OR (bryant*:ti,ab AND "index":ti,abAND "empathy":ti,ab) OR (griffith*:ti,ab AND "empathy":ti,ab AND"measure":ti,ab) OR "gem pr":ti,ab OR (ritvo*:ti,ab AND "autism":ti,ab ANDasperger*:ti,ab) OR "gem pr":ti,ab OR (autism spectrum disorder":ti,abAND "adult":ti,ab AND "questionnaire":ti,ab) OR "asdasq":ti,ab ORautism rating scale":ti,ab OR "cars":ti,ab OR "aspergersyndrome diagnostic interview":ti,ab OR "addi":ti,ab OR "diagnosticinterview":ti,ab AND "communication disorders":ti,ab) OR "disco":ti,ab OR"autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR"autism diagnostic observation schedule":ti,ab OR "adi-r":ti,ab OR "socialcommunication questionnaire":ti,ab OR "scred:ti,ab OR "autism screeningquestionnaire":ti,ab OR "acq":ti,ab OR "scred:ti,ab OR "socialcommunication questionnaire":ti,ab OR "schedule for Affective Disordersand Schizophrenia/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'socialresponsiveness scale':ti,ab OR 'srs':ti,ab OR 'spychometry'/exp OR'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR'classification'/de OR 'psychologic test'/exp OR 'diagnosis'/de OR'classification'/de OR 'psychological rating scale'/exp3.Sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR	Scales		
AND "empathy":ti,ab) OR (griffith*:ti,ab AND "empathy":ti,ab AND "measure":ti,ab) OR "gem pr":ti,ab OR (ritvo*:ti,ab AND "autism":ti,ab AND asperger*:ti,ab) OR "raads":ti,ab OR "autism spectrum screening questionnaire":ti,ab OR "assq":ti,ab OR "autism spectrum disorder":ti,ab AND "adult":ti,ab AND "questionnaire":ti,ab) OR "asdasq":ti,ab OR "childhood autism rating scale":ti,ab OR "cars":ti,ab OR "asgreger syndrome diagnostic interview":ti,ab OR "asdi":ti,ab OR "diagnostic interview":ti,ab AND "communication disorders":ti,ab) OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "ados":ti,ab OR "social communication questionnaire":ti,ab OR "scq":ti,ab OR "autism screening questionnaire":ti,ab OR "scq":ti,ab OR "autism screening questionnaire":ti,ab OR "schedule for Affective Disorders and Schizophrenia/exp OR 'kiddie sads':ti,ab OR 'sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'psychologic test'/exp OR 'diagnosis'/de OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'questionnaire'/exp OR 'psychologic arating scale'/expDiagnostic terms3.'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR 'daid*:ti,ab OR rach:ti,ab	2.	"autism spectrum quotient":ti,ab OR "aq":ti,ab OR "childhood asperger	
"measure":ti,ab) OR "gem pr":ti,ab OR (ritvo*:ti,ab AND "autism":ti,ab AND asperger*:ti,ab) OR "raads":ti,ab OR "autism spectrum screening questionnaire":ti,ab OR "assq":ti,ab OR ("autism spectrum disorder":ti,ab AND "adult":ti,ab AND "questionnaire":ti,ab) OR "asdasq":ti,ab OR "childhood autism rating scale":ti,ab OR "cars":ti,ab OR ("diagnostic interview":ti,ab AND "communication disorders":ti,ab) OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "adisco":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "adises sciela communication questionnaire":ti,ab OR "schedule for Affective Disorders and Schizophrenia/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'psychologic test'/exp OR 'diagnosis'/de OR 'questionnaire'/exp OR 'psychologi		syndrome test":ti,ab OR "cast":ti,ab OR (bryant*:ti,ab AND "index":ti,ab	
asperger*:ti,ab) OR "raads":ti,ab OR "autism spectrum screening questionnaire":ti,ab OR "assq":ti,ab OR ("autism spectrum disorder":ti,ab AND "adult":ti,ab AND "questionnaire":ti,ab) OR "asdasq":ti,ab OR "childhood autism rating scale":ti,ab OR "cars":ti,ab OR "asperger syndrome diagnostic interview":ti,ab OR "asdi":ti,ab OR ("diagnostic interview":ti,ab AND "communication disorders":ti,ab) OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adis":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "adi-r":ti,ab OR "social communication questionnaire":ti,ab OR "scq":ti,ab OR "autism screening questionnaire":ti,ab OR "scq":ti,ab OR "schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/expDiagnostic terms3.Combined sets		AND "empathy":ti,ab) OR (griffith*:ti,ab AND "empathy":ti,ab AND	
questionnaire":ti,ab OR "assq":ti,ab OR ("autism spectrum disorder":ti,abAND "adult":ti,ab AND "questionnaire":ti,ab) OR "asdasq":ti,ab OR"childhood autism rating scale":ti,ab OR "cars":ti,ab OR "aspergersyndrome diagnostic interview":ti,ab OR "asdi":ti,ab OR ("diagnosticinterview":ti,ab AND "communication disorders":ti,ab) OR "disco":ti,ab OR"autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adis-r":ti,ab OR"autism diagnostic observation schedule":ti,ab OR "ados":ti,ab OR "socialcommunication questionnaire":ti,ab OR "scq":ti,ab OR "autism screeningquestionnaire":ti,ab OR "acq":ti,ab OR "scq":ti,ab OR "autism screeningquestionnaire":ti,ab OR "acq":ti,ab OR "schedule for Affective Disordersand Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedulefor affective disorders and schizophrenia for school-age children':ab,ti OR'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'socialresponsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR'questionnaire'/exp OR 'psychological rating scale'/exp3.'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab ORValid*:ti,ab OR rasch:ti,ab		"measure":ti,ab) OR "gem pr":ti,ab OR (ritvo*:ti,ab AND "autism":ti,ab AND	
AND "adult":ti,ab AND "questionnaire":ti,ab) OR "asdasq":ti,ab OR"childhood autism rating scale":ti,ab OR "cars":ti,ab OR "aspergersyndrome diagnostic interview":ti,ab OR "asdi":ti,ab OR ("diagnosticinterview":ti,ab AND "communication disorders":ti,ab) OR "disco":ti,ab OR"autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adisor":ti,ab OR"autism diagnostic observation schedule":ti,ab OR "ados":ti,ab OR "socialcommunication questionnaire":ti,ab OR "scq":ti,ab OR "autism screeningquestionnaire":ti,ab OR "acq":ti,ab OR "scce":ti,ab OR "autism screeningquestionnaire":ti,ab OR "acq":ti,ab OR "schedule for Affective Disordersand Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedulefor affective disorders and schizophrenia for school-age children':ab,ti OR'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'socialresponsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR'questionnaire'/exp OR 'psychological rating scale'/exp3.'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab ORValid*:ti,ab OR rasch:ti,ab		asperger*:ti,ab) OR "raads":ti,ab OR "autism spectrum screening	
"childhood autism rating scale":ti,ab OR "cars":ti,ab OR "asperger syndrome diagnostic interview":ti,ab OR "asdi":ti,ab OR ("diagnostic interview":ti,ab AND "communication disorders":ti,ab OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "ados":ti,ab OR "social communication questionnaire":ti,ab OR "scq":ti,ab OR "autism screening questionnaire":ti,ab OR "acq":ti,ab OR 'schedule for Affective Disorders and Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 's sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp3.Sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab		questionnaire":ti,ab OR "assq":ti,ab OR ("autism spectrum disorder":ti,ab	
syndrome diagnostic interview":ti,ab OR "asdi":ti,ab OR ("diagnostic interview":ti,ab AND "communication disorders":ti,ab) OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "ados":ti,ab OR "social communication questionnaire":ti,ab OR "scq":ti,ab OR "autism screening questionnaire":ti,ab OR "scq":ti,ab OR "adis":ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/expJiagnostic terms3.3.'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,abCombined sets		AND "adult":ti,ab AND "questionnaire":ti,ab) OR "asdasq":ti,ab OR	
interview":ti,ab AND "communication disorders":ti,ab) OR "disco":ti,ab OR "autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "adi-r":ti,ab OR "social communication questionnaire":ti,ab OR "scq":ti,ab OR "autism screening questionnaire":ti,ab OR "acq":ti,ab OR 'schedule for Affective Disorders and Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab		"childhood autism rating scale":ti,ab OR "cars":ti,ab OR "asperger	
"autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR "autism diagnostic observation schedule":ti,ab OR "ados":ti,ab OR "social communication questionnaire":ti,ab OR "scq":ti,ab OR "autism screening questionnaire":ti,ab OR "scq":ti,ab OR "autism screening questionnaire":ti,ab OR "scq":ti,ab OR "schedule for Affective Disorders and Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR 'valid*:ti,ab OR rasch:ti,ab Combined sets		syndrome diagnostic interview":ti,ab OR "asdi":ti,ab OR ("diagnostic	
"autism diagnostic observation schedule":ti,ab OR "ados":ti,ab OR "social communication questionnaire":ti,ab OR "scq":ti,ab OR "autism screening questionnaire":ti,ab OR "acq":ti,ab OR 'Schedule for Affective Disorders and Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR 'valid*:ti,ab OR rasch:ti,ab Combined sets		interview":ti,ab AND "communication disorders":ti,ab) OR "disco":ti,ab OR	
communication questionnaire":ti,ab OR "scq":ti,ab OR "autism screening questionnaire":ti,ab OR "acq":ti,ab OR 'Schedule for Affective Disorders and Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/expDiagnostic terms3.'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab		"autism diagnostic interview":ti,ab OR "adi":ti,ab OR "adi-r":ti,ab OR	
questionnaire":ti,ab OR "acq":ti,ab OR 'Schedule for Affective Disorders and Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab		"autism diagnostic observation schedule":ti,ab OR "ados":ti,ab OR "social	
and Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab		communication questionnaire":ti,ab OR "scq":ti,ab OR "autism screening	
and Schizophrenia'/exp OR 'kiddie sads':ti,ab OR 'k sads':ti,ab OR 'schedule for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab			
for affective disorders and schizophrenia for school-age children':ab,ti OR 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social 'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp Diagnostic terms 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab			
'dawba':ti,ab OR 'development and well-being assessment':ab,ti OR 'social 'responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp Diagnostic terms 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab			
responsiveness scale':ti,ab OR 'srs':ti,ab OR 'psychometry'/exp OR 'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp Diagnostic terms 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab			
'questionnaire'/exp OR 'psychologic test'/exp OR 'diagnosis'/de OR 'classification'/de OR 'psychological rating scale'/exp Diagnostic terms 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab			
'classification'/de OR 'psychological rating scale'/exp Diagnostic terms 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab Combined sets			
Diagnostic terms 3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab			
3. 'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR 'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab			
'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR Valid*:ti,ab OR rasch:ti,ab Combined sets	-		
Valid*:ti,ab OR rasch:ti,ab Combined sets	3.	'sensitivity and specificity'/exp OR 'prediction and forecasting'/exp OR	
Combined sets		'diagnostic accuracy'/exp OR "specificity":ti,ab OR "sensitivity":ti,ab OR	
		Valid*:ti,ab OR rasch:ti,ab	
	Combined		
4. 1 AND 2 AND 3	4.		

/exp= Includes terms found below this term in the EMTREE hierarchy

:ti:ab = Title or abstract

* = Truncation

PsycInfo via EBSCO 28 Mars 2012 Title: Diagnostic tools in Autism

Litle: Diagno	ostic tools in Autism	
	Search terms	
Population		
1.	DE "Pervasive Developmental Disorders" OR TX autis* OR TX asperg*	
Scales		
2.	TX ("autism spectrum quotient" OR "aq" OR "childhood asperger sydrome test" OR "cast " OR "Bryant index for empathy in children and adolescents" OR (bryant*AND "index" AND "empathy") OR "Griffith Empathy Measure" OR (griffith* AND "empathy" AND "measure") OR "gem pr" OR (ritvo* AND "autism" AND asperger*) OR "raads" OR "autism spectrum screening questionnaire" OR "assq" OR ("autism spectrum disorder" AND "adult" AND "questionnaire") OR "asdasq" OR "childhood autism rating scale" OR "cars" OR "asperger syndrome diagnostic interview" OR "asdi" OR "Diagnostic Interview for Social and Communication Disorders" OR ("diagnostic interview" AND "communication disorders") OR "disco" OR "autism diagnostic interview" OR "adi" OR "adi-r" OR "autism diagnostic observation schedule" OR "ados" OR "social communication questionnaire" OR "scq" OR "autism screening questionnaire" OR "acq" OR "dawba" OR "development and well being assessment" OR "kiddie sads" OR "k sads" OR "schedule for affective disorders and schizophrenia for school aged children" OR "social responsiveness scale" OR "srs") OR DE	
	"Psychometrics" OR DE "Questionnaires" OR DE "Psychodiagnostic Interview" OR DE "Psychodiagnostic Typologies"	
Diagnostic		
3.	DE "Test Validity" OR TX "specificity" OR TX "sensitivity" OR TX Valid* OR TX "rasch"	
Combined	sets	
4.	1 AND 2 AND 3	

DE = Term from the thesaurus

TX = All Text. Performs a keyword search of all the database'ssearchable fields

* = Truncation

Cinahl via EBSCO 28 Mars 2012 Title: Diagnostic tools in Autism

nite. Diag	Search terms	
Populatic	on: Autism	
1.	MH "Child Development Disorders, Pervasive+" OR TI (autis* OR	
	asperger*) OR AB (autis* OR asperger*)	
Scales		
2.	TX ("autism spectrum quotient" OR "aq" OR "childhood asperger sydrome	
	test" OR "cast " OR "Bryant index for empathy in children and adolescents"	
	OR (bryant*AND "index" AND "empathy") OR "Griffith Empathy Measure"	
	OR (griffith* AND "empathy" AND "measure") OR "gem pr" OR (ritvo* AND	
	"autism" AND asperger*) OR "raads" OR "autism spectrum screening	
	questionnaire" OR "assq" OR ("autism spectrum disorder" AND "adult"	
	AND "questionnaire") OR "asdasq" OR "childhood autism rating scale" OR	
	"cars" OR "asperger syndrome diagnostic interview" OR "asdi" OR	
	"Diagnostic Interview for Social and Communication Disorders" OR	
	("diagnostic interview" AND "communication disorders") OR "disco" OR	
	"autism diagnostic interview" OR "adi" OR "adi-r" OR "autism diagnostic	
	observation schedule" OR "ados" OR "social communication	
	questionnaire" OR "scq" OR "autism screening questionnaire" OR "acq" OR	
	"dawba" OR "development and well being assessment" OR "kiddie sads"	
	OR "k sads" OR "schedule for affective disorders and schizophrenia for	
	school aged children" OR "social responsiveness scale" OR "srs") OR (MH	
	"Psychometrics") OR (MH "Questionnaires+") OR (MH "Diagnosis,	
	Psychosocial+") OR (MM "Diagnosis") OR (MM "Classification")	
Diagnost		
3.	MH "Sensitivity and Specificity" OR MH "Predictive Value of Tests" OR TX	
	("specificity" OR "sensitivity" OR Valid* OR rasch)	
Combine	d sets	
4.	1 AND 2 AND 3	

MH = Term from the "Cinahl Headings" thesaurus

MM = Major Concept

TI = Title

AB = Abstract

TX = All Text. Performs a keyword search of all the database's searchable fields

* = Truncation

Farmakologi autism:

Pubmed via	NLM 28 Mars 2012	
Title: Pharm	acological interventions in Autism	
	Search terms	
Population		-
5.	"Child Development Disorders, Pervasive/diagnosis"[MeSH Terms] OR	
	autis*[TIAB] OR asperger*[TIAB]	
Interventio	n: Pharmacological	
6.	"risperidone"[TIAB] OR "Risperidone"[MeSH Terms]	
Study type:	S S	
7.	"Clinical Trial" [PT] OR "Clinical Trials as Topic"[MeSH Terms] OR "case	
	control studies"[MeSH Terms] OR "cohort studies"[MeSH Terms] OR	
	"observational"[TIAB] OR "observation"[TIAB] OR "random"[TIAB] OR	
	"randomly"[TIAB] OR "randomized"[TIAB] OR "randomised"[TIAB] OR	
	"control"[TIAB] OR "controlled"[TIAB] OR "clinical trial"[TIAB] OR "case	
	control"[TIAB] OR "longitudinal"[TIAB] OR "prospective"[TIAB] OR "long	
	term"[TIAB] OR "longterm"[TIAB] OR "follow up"[TIAB] OR	
	"followup"[TIAB] OR "adverse effects"[MeSH Subheading] OR "adverse	
	effects"[TIAB] OR "side effects"[TIAB] OR "undesirable effects"[TIAB]	
Combined	l sets	1
8.	1 AND 2 AND 3	
	1	

[MeSH Terms] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH Subheading] = Qualifiers added to MeSH subject headings to refine their meaning

[TIAB] = Title or abstract

[PT] = Publication Type

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

Title: Phar	macological interventions in Autism	
	Search terms	
Populatio	n: Autism	
9.	'autism'/exp OR autis*:ti,ab OR asperger*:ti,ab	
Interventi	on: Pharmacological	
10.	"risperidone":ti,ab OR 'risperidone'/exp	
Study typ	es	
11.	'controlled clinical trial'/exp OR [controlled clinical trial]/lim OR	
	[randomized controlled trial]/lim OR 'case control study'/exp OR 'cohort	
	analysis'/exp OR "observational":ti,ab OR "observation":ti,ab OR	
	"random":ti,ab OR "randomly":ti,ab OR "randomized":ti,ab OR	
	"randomised":ti,ab OR "control":ti,ab OR "controlled":ti,ab OR "clinical	
	trial":ti,ab OR "case control":ti,ab OR "longitudinal":ti,ab OR	
	"prospective":ti,ab OR "long term":ti,ab OR "longterm":ti,ab OR "follow	
	up":ti,ab OR "followup":ti,ab OR "adverse effects":ti,ab OR "side	
	effects":ti,ab OR "undesirable effects":ti,ab OR 'adverse drug reaction'/exp	
Combined	l sets	
12.	1 AND 2 AND 3	

/exp= Includes terms found below this term in the EMTREE hierarchy

:ti:ab = Title or abstract

/lim = Limit

* = Truncation

	PsycInfo via EBSCO 28 Mars 2012		
Title: Pharma	acological interventions in Autism		
	Search terms		
Population:	Autism		
13.	DE "Pervasive Developmental Disorders" OR TI autis* OR TI asperg* OR AB		
	autis* OR AB asperg*		
Interventior	n: Pharmacological		
14.	DE "Risperidone" OR TI "risperidone" OR AB "risperidone"		
Study types	5		
15.	DE "Clinical Trials" OR DE "Cohort Analysis" OR DE "prospective studies" OR		
	DE "followup studies" OR DE "Longitudinal Studies" OR ZC "clinical case		
	study" OR ZC "retrospective study" OR DE "Side Effects (Drug)" OR TX		
	observation* OR TX "cohort" OR TX random* OR TX control* OR TX "case		
	control" OR TX "clinical trial" OR TX "longitudinal" OR TX "prospective" OR		
	TX "long term" OR TX "longterm" OR TX "adverse effects" OR TX "follow		
	up" OR TX "followup" OR TX "side effects" OR TX "undesirable effects"		
Combined	Combined sets		
16.			
10.	1 AND 2 AND 3		

DE = Term from the thesaurus

- TI = Title
- AB = Abstract

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

- * = Truncation
- " " = Citation Marks; searches for an exact phrase

Icke farmakologi:

	a NLM 28 Mars 2012 harmacological interventions in Autism	
	Search terms	
Population		
17.	"Child Development Disorders, Pervasive/diagnosis"[MeSH Terms] OR autis*[TIAB] OR asperger*[TIAB]	
Interventio	n: Non-pharmacological	
18.	"family support"[TIAB] OR ("family treatment"[TIAB] AND program*[TIAB])	
	OR "parental support"[TIAB] OR "parent support"[TIAB] OR "support	
	programmes"[TIAB] OR "support programme"[TIAB] OR "support	
	program"[TIAB] OR "support programs"[TIAB] OR "counseling"[TIAB] OR	
	social support[TIAB] OR "child support"[TIAB] OR "Social Support"[MeSH	
	Terms] OR "network support"[TIAB] OR "network intervention"[TIAB] OR	
	"network interventions"[TIAB] OR "network program"[TIAB] OR "network	
	programme"[TIAB] OR "network programs"[TIAB] OR "network	
	programmes"[TIAB] OR "network training"[TIAB] OR "teacch"[TIAB] OR	
	"communication handicapped children"[TIAB] OR "structured	
	teaching"[TIAB] OR "special education"[TIAB] OR pedagogic*[TIAB] OR	
	"psychosocial"[TIAB] OR "psychodynamic"[TIAB] OR "psychotherapy"[TIAB]	
	OR "cognitive behaviour therapy"[TIAB] OR "cognitive behavior	
	therapy"[TIAB] OR "cognitive behavioural therapy"[TIAB] OR "cognitive	
	behavioral therapy"[TIAB] OR "cbt"[TIAB] OR "cognitive	
	psychotherapy"[TIAB] OR "cognitive therapy"[TIAB] OR "cpt"[TIAB] OR	
	"behavioural therapy"[TIAB] OR "behavioral therapy"[TIAB] OR "floor	
	time"[TIAB] OR "son rise"[TIAB] OR "social narrative"[TIAB] OR "social	
	narratives"[TIAB] OR "social stories"[TIAB] OR "social story"[TIAB] OR	
	"social skills training"[TIAB] OR "theraplay"[TIAB] OR "mim"[TIAB] OR	
	"marschak"[TIAB] OR "early bird"[TIAB] OR "earlybird"[TIAB] OR	
	"preschool program"[TIAB] OR "preschool programme"[TIAB] OR	
	"preschool programs"[TIAB] OR "preschool programmes"[TIAB] OR "music	
	therapy"[TIAB] OR "crisis therapy"[TIAB] OR "trauma therapy"[TIAB] OR	
	"crisis intervention"[TIAB] OR "trauma intervention"[TIAB] OR "trauma	
	interventions"[TIAB] OR "crisis interventions"[TIAB] OR "comic strip"[TIAB]	
	OR "comic strips"[TIAB] OR "play therapy"[TIAB] OR "environmental	
	therapy"[TIAB] OR "milieu therapy"[TIAB] OR "milieu intervention"[TIAB]	
	OR "milieu interventions"[TIAB] OR "environmental adjustment"[TIAB] OR	
	"environmental adjustments"[TIAB] OR "pecs"[TIAB] OR "picture	
	exchange"[TIAB] OR "visual based"[TIAB] OR "holding"[TIAB] OR	
	catkit[TIAB] OR cat kit[TIAB] OR "cognitive affective"[TIAB] OR "early	
	intensive behavioral interventions"[TIAB] OR "early intensive behavioral	
	treatment"[TIAB] OR "early intensive behavioral intervention"[TIAB] OR	
	"eibi"[TIAB] OR ("applied"[TIAB] AND ("behavioral intervention"[TIAB] OR	
	"behavioral interventions"[TIAB] OR "behavioural intervention"[TIAB] OR	
	"behavioural interventions"[TIAB])) OR "abi"[TIAB] OR ("applied" AND	

Combined s	effects"[TIAB] OR "side effects"[TIAB] OR "undesirable effects"[TIAB] sets 1 AND 2 AND 3	
	effects"[TIAB] OR "side effects"[TIAB] OR "undesirable effects"[TIAB]	
19.	("Clinical Trial" [PT] OR "Clinical Trials as Topic"[MeSH Terms] OR "case control studies"[MeSH Terms] OR "cohort studies"[MeSH Terms] OR "observational"[TIAB] OR "observation"[TIAB] OR "random"[TIAB] OR "randomly"[TIAB] OR "randomized"[TIAB] OR "randomised"[TIAB] OR "control"[TIAB] OR "controlled"[TIAB] OR "clinical trial"[TIAB] OR "case control"[TIAB] OR "longitudinal"[TIAB] OR "prospective"[TIAB] OR "long term"[TIAB] OR "longterm"[TIAB] OR "follow up"[TIAB] OR "followup"[TIAB] OR "adverse effects"[MeSH Subheading] OR "adverse	
Study types		

[MeSH Terms] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH Subheading] = Does not include terms found below this term in the MeSH hierarchy

[TIAB] = Title or abstract

- [SH] = Subheading
- [PT] = Publication Type

Systematic[SB] = Filter for retrieving systematic reviews

- * = Truncation
- " " = Citation Marks; searches for an exact phrase

itle: Non-p	harmacological interventions in Autism	
opulation	Search terms	
21.	'autism'/exp OR autis*:ti OR asperger*:ti	
	n: Non-pharmacological	
22.	"family support":ti,ab OR ("family treatment":ti,ab AND program*:ti,ab)	
	OR "parental support":ti,ab OR "parent support":ti,ab OR "support	
	programmes":ti,ab OR "support programme":ti,ab OR "support	
	program":ti,ab OR "support programs":ti,ab OR "counseling":ti,ab OR	
	"social support":ti,ab OR "child support":ti,ab OR 'family counseling'/exp	
	OR 'parent counseling'/exp OR 'social support'/exp OR "network	
	support":ti,ab OR "network intervention":ti,ab OR "network	
	interventions":ti,ab OR "network programs":ti,ab OR "network	
	programme":ti,ab OR "network program":ti,ab OR "network	
	programmes":ti,ab OR "network training":ti,ab OR "teacch":ti,ab OR	
	"communication handicapped children":ti,ab OR "structured	
	teaching":ti,ab OR 'special education':ti,ab OR 'special education'/exp OR	
	pedagogic*:ti,ab OR "psychosocial":ti,ab OR "psychodynamic":ti,ab OR	
	"psychotherapy":ti,ab OR "cognitive behaviour therapy":ti,ab OR	
	"cognitive behavior therapy":ti,ab OR "cognitive behavioural therapy":ti,ab	
	OR "cognitive behavioral therapy":ti,ab OR "cbt":ti,ab OR "cognitive	
	psychotherapy":ti,ab OR "cognitive therapy":ti,ab OR "cpt":ti,ab OR	
	"behavioural therapy":ti,ab OR "behavioral therapy":ti,ab OR "floor	
	time":ti,ab OR "son rise":ti,ab OR "social narrative":ti,ab OR "social	
	narratives":ti,ab OR "social stories":ti,ab OR "social story":ti,ab OR "social	
	skills training":ti,ab OR "theraplay":ti,ab OR "mim":ti,ab OR	
	"marschak":ti,ab OR "early bird program":ti,ab OR "early bird	
	programme":ti,ab OR "early bird programs":ti,ab OR "early bird	
	programmes":ti,ab OR "early bird program":ti,ab OR "early bird	
	programme":ti,ab OR "earlybird programs":ti,ab OR "earlybird	
	programmes":ti,ab OR "preschool program":ti,ab OR "preschool	
	programme":ti,ab OR "preschool programs":ti,ab OR "preschool	
	programmes":ti,ab OR "music therapy":ti,ab OR "crisis therapy":ti,ab OR	
	"trauma therapy":ti,ab OR "crisis intervention":ti,ab OR "crisis	
	interventions":ti,ab OR "trauma intervention":ti,ab OR "trauma	
	interventions":ti,ab OR "comic strip":ti,ab OR "comic strips":ti,ab OR "play	
	therapy":ti,ab OR "environmental therapy":ti,ab OR "milieu therapy":ti,ab	
	OR "milieu intervention":ti,ab OR "milieu interventions":ti,ab OR	
	"environmental adjustment":ti,ab OR "environmental adjustments":ti,ab	
	OR "pecs":ti,ab OR "picture exchange communication":ti,ab OR "visual	
	based":ti,ab OR 'holding':ti,ab OR "catkit":ti,ab OR "cat kit":ti,ab OR	
	"cognitive affective training":ti,ab OR "early intensive behavioral	
	interventions":ti,ab OR "early intensive behavioral treatment":ti,ab OR	
	"early intensive behavioral intervention":ti,ab OR "eibi":ti,ab OR "applied	
	behavioral intervention":ti,ab OR "applied behavioral interventions":ti,ab	

	OR "applied behavioural intervention":ti,ab OR "applied behavioural	
	interventions":ti,ab OR "abi":ti,ab OR "applied behavioral analysis":ti,ab	
	OR "applied behavioural analysis":ti,ab OR "applied behavior analysis":ti,ab	
	OR "applied behaviour analysis":ti,ab OR "aba":ti,ab OR "behaviour	
	therapy":ti,ab OR "behavior therapy":ti,ab OR "behavioural	
	modification":ti,ab OR "behavioral modification":ti,ab OR "behaviour	
	modification":ti,ab OR "behavior modification":ti,ab OR "behavioral theory	
	intervention":ti,ab OR "behavioural theory intervention":ti,ab OR	
	"lovaas":ti,ab OR "lovas":ti,ab OR "communication focused	
	intervention":ti,ab OR "communication focused interventions":ti,ab OR	
	"facilitated communication":ti,ab OR 'facilitated communication'/exp OR	
	"sensory integration":ti,ab OR ("sensory":ti,ab AND "motor":ti,ab AND	
	("intervention":ti,ab OR "interventions":ti,ab)) OR 'sensorimotor	
	integration'/exp OR 'brain depth stimulation'/exp OR 'transcranial	
	magnetic stimulation'/exp OR 'deep brain stimulation':ti,ab OR	
	'transcranial magnetic stimulation':ti,ab OR 'dbs':ti,ab OR 'tms':ti,ab OR	
	"vagus nerve stimulation":ti,ab OR "vns":ti,ab OR 'vagus nerve	
	stimulation'/exp OR 'omega 3 fatty acid'/exp OR 'fish oil'/exp OR 'omega	
	3':ti,ab OR 'fish oil':ti,ab OR 'fish oils':ti,ab OR 'vitamin D'/exp OR 'vitamin	
	D':ti,ab OR 'vitamin B group'/exp OR 'vitamin B':ti,ab OR 'magnesium'/exp	
	OR 'magnesium':ti,ab OR "exclusion diet":ti,ab OR "exclusion diets":ti,ab	
	OR "probiotics":ti,ab OR 'probiotic agent//exp OR 'multimodal	
	therapy':ti,ab OR "multimodal treatment":ti,ab OR "mta study":ti,ab OR	
	"non pharmacological intervention":ti,ab OR "non pharmacological	
	interventions":ti,ab OR 'diet therapy'/exp OR 'diet therapy':ti,ab OR	
	"dietary intervention":ti,ab OR "dietary interventions":ti,ab OR 'behavior	
	modification'/exp OR 'behavior therapy'/exp OR 'cognitive therapy'/exp OR	
	'milieu therapy'/exp OR 'music therapy'/exp OR 'play therapy'/exp OR	
	'sociotherapy'/exp	
Study types	<u> </u>	
23.	'controlled clinical trial'/exp OR [controlled clinical trial]/lim OR	-
	[randomized controlled trial]/lim OR 'case control study'/exp OR 'cohort	
	analysis'/exp OR "observational":ti,ab OR "observation":ti,ab OR	
	"random":ti,ab OR "randomly":ti,ab OR "randomized":ti,ab OR	
	"randomised":ti,ab OR "control":ti,ab OR "controlled":ti,ab OR "clinical	
	trial":ti,ab OR "case control":ti,ab OR "longitudinal":ti,ab OR	
	"prospective":ti,ab OR "long term":ti,ab OR "longterm":ti,ab OR "follow	
	up":ti,ab OR "followup":ti,ab OR "adverse effects":ti,ab OR "side	
	effects":ti,ab OR "undesirable effects":ti,ab OR 'adverse drug reaction'/exp	
Combined s	Sets	
24.	1 AND 2 AND 3	

/exp= Includes terms found below this term in the EMTREE hierarchy

:ti = Article Title

:ti:ab = Title or abstract

/lim = Limit

* = Truncation

PsycInfo via	a EBSCO 28 Mars 2012	
	harmacological interventions in Autism	
Population	Search terms	
25.	DE "Pervasive Developmental Disorders" OR TI (autis* OR asperg*) OR AB	
	(autis* OR asperg*)	
Interventio	n: Non-pharmacological	
26.	TI ("family support" OR ("family treatment" AND program*) OR "parental	
	support" OR "parent support" OR "support program" OR "support	
	programme" OR "support programs" OR "support programmes" OR	
	"counseling" OR "child support" OR "social support" OR "network support"	
	OR "network intervention" OR "network interventions" OR "network	
	programs" OR "network programme" OR "network programmes" OR	
	"network program" OR "network training" OR "teacch" OR	
	"communication handicapped children" OR "structured teaching" OR	
	"Special Education" OR pedagogic* OR "psychosocial" OR "psychodynamic"	
	OR "psychotherapy" OR "cognitive behaviour therapy" OR "cognitive	
	behavior therapy" OR "cognitive behavioural therapy" OR "cognitive	
	behavioral therapy" OR "cbt" OR "cognitive psychotherapy" OR "cognitive	
	therapy" OR "cpt" OR "behavioural therapy" OR "behavioral therapy" OR	
	"floor time" OR "son rise" OR "social narrative" OR "social narratives" OR	
	"social stories" OR "social story" OR "social skills training" OR "theraplay"	
	OR "mim" OR "marschak" OR "early bird program" OR "early bird	
	programs" OR "early bird programme" OR "early bird programmes" OR	
	"earlybird program" OR "earlybird programs" OR "earlybird programme"	
	OR "earlybird programmes" OR "preschool program" OR "preschool	
	programme" OR "preschool programs" OR "preschool programme" OR	
	"preschool programmes" OR "music therapy" OR "crisis therapy" OR	
	"trauma therapy" OR "crisis intervention" OR "crisis interventions" OR	
	"trauma intervention" OR "trauma interventions" OR "comic strip" OR	
	"comic strips" OR "play therapy" OR "environmental therapy" OR "milieu	
	therapy" OR "milieu intervention" OR "milieu interventions" OR	
	"environmental adjustment" OR "environmental adjustments" OR "pecs"	
	OR "picture exchange" OR "visual based" OR "holding" OR "catkit" OR "cat	
	kit" OR "cognitive affective training" OR "early intensive behavioral	
	interventions" OR "early intensive behavioral treatment" OR "early	
	intensive behavioral intervention" OR "eibi" OR "applied behavioral	
	intervention" OR "applied behavioral interventions" OR "applied	
	behavioural intervention" OR "applied behavioural interventions" OR "abi"	
	OR "applied behavioral analysis" OR "applied behavioural analysis" OR	
	"applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR	
	"behaviour therapy" OR "behavior therapy" OR "behavioural modification"	
	OR "behavioral modification" OR "behaviour modification" OR "behavior	
	modification" OR "behavioral theory intervention" OR "behavioural theory	
	intervention" OR "lovaas" OR "lovas" OR "communication focused	
	intervention" OR "communication focused interventions" OR "facilitated	

communication" OR "Sensory Integration" OR ("sensory" AND "motor" AND ("intervention" OR "interventions")) OR "Deep Brain Stimulation" OR "Transcranial Magnetic Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns" OR "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B" OR "magnesium" OR "exclusion diet" OR "exclusion diets" OR "probiotics" OR "Multimodal therapy" OR "multimodal treatment" OR "mta study" OR "non pharmacological intervention" OR "non pharmacological interventions" OR "diet therapy" OR "dietary intervention" OR "dietary interventions") OR AB ("family support" OR ("family treatment" AND program*) OR "parental support" OR "parent support" OR "support program" OR "support programme" OR "support programs" OR "support programmes" OR "counseling" OR "child support" OR "social support" OR "network support" OR "network intervention" OR "network interventions" OR "network programs" OR "network programme" OR "network programmes" OR "network program" OR "network training" OR "teacch" OR "communication handicapped children" OR "structured teaching" OR "Special Education" OR pedagogic* OR "psychosocial" OR "psychodynamic" OR "psychotherapy" OR "cognitive behaviour therapy" OR "cognitive behavior therapy" OR "cognitive behavioural therapy" OR "cognitive behavioral therapy" OR "cbt" OR "cognitive psychotherapy" OR "cognitive therapy" OR "cpt" OR "behavioural therapy" OR "behavioral therapy" OR "floor time" OR "son rise" OR "social narrative" OR "social narratives" OR "social stories" OR "social story" OR "social skills training" OR "theraplay" OR "mim" OR "marschak" OR "early bird program" OR "early bird programs" OR "early bird programme" OR "early bird programmes" OR "earlybird program" OR "earlybird programs" OR "earlybird programme" OR "earlybird programmes" OR "preschool program" OR "preschool programme" OR "preschool programs" OR "preschool programme" OR "preschool programmes" OR "music therapy" OR "crisis therapy" OR "trauma therapy" OR "crisis intervention" OR "crisis interventions" OR "trauma intervention" OR "trauma interventions" OR "comic strip" OR "comic strips" OR "play therapy" OR "environmental therapy" OR "milieu therapy" OR "milieu intervention" OR "milieu interventions" OR "environmental adjustment" OR "environmental adjustments" OR "pecs" OR "picture exchange" OR "visual based" OR "holding" OR "catkit" OR "cat kit" OR "cognitive affective training" OR "early intensive behavioral interventions" OR "early intensive behavioral treatment" OR "early intensive behavioral intervention" OR "eibi" OR "applied behavioral intervention" OR "applied behavioral interventions" OR "applied behavioural intervention" OR "applied behavioural interventions" OR "abi" OR "applied behavioral analysis" OR "applied behavioural analysis" OR "applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR "behaviour therapy" OR "behavior therapy" OR "behavioural modification" OR "behavioral modification" OR "behaviour modification" OR "behavior modification" OR "behavioral

[1
	theory intervention" OR "behavioural theory intervention" OR "lovaas" OR	
	"lovas" OR "communication focused intervention" OR "communication	
	focused interventions" OR "facilitated communication" OR "Sensory	
	Integration" OR "sensory motor intervention" OR "sensory motor	
	intervention" OR "Deep Brain Stimulation" OR "Transcranial Magnetic	
	Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns"	
	OR "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B"	
	OR "magnesium" OR "exclusion diet" OR "exclusion diets" OR "probiotics"	
	OR "Multimodal therapy" OR "multimodal treatment" OR "mta study" OR	
	"non pharmacological intervention" OR "non pharmacological	
	interventions" OR "diet therapy" OR "dietary intervention" OR "dietary	
	interventions") OR DE "Milieu Therapy" OR DE "Fatty Acids" OR DE "Deep	
	Brain Stimulation" OR DE "Transcranial Magnetic Stimulation" OR DE	
	"Multimodal Treatment Approach" OR DE "Special Education" OR DE	
	"Music Therapy" OR DE "Sensory Integration" OR DE "Social Support" OR	
	DE "Cognitive Behavior Therapy" OR DE "Behavior Modification" OR DE	
	"Social Skills Training" OR DE "Dialectical Behavior Therapy"	
Study types 27.	B DE "Clinical Trials" OR DE "Cohort Analysis" OR DE "prospective studies" OR	
	DE "followup studies" OR DE "Longitudinal Studies" OR DE "Side Effects	
	(Drug)" OR ZC "clinical case study" OR ZC "retrospective study" OR TI	
	("observational" OR "observation" OR "random" OR "randomly" OR	
	"randomized" OR "randomised" OR "control" OR "controlled" OR "cohort"	
	OR "case control" OR "clinical trial" OR "longitudinal" OR "prospective" OR	
	"long term" OR "longterm" OR "follow up" OR "followup" OR "adverse	
	effects" OR "side effects" OR "undesirable effects") OR AB ("observational"	
	OR "observation" OR "random" OR "randomly" OR "randomized" OR	
	"randomised" OR "control" OR "controlled" OR "cohort" OR "case control"	
	OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR	
	"longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side	
	effects" OR "undesirable effects"	
Combined s	sets	
28.		
20.	1 AND 2 AND 3	

DE = Term from the thesaurus

TI = Title

- AB = Abstract
- ZC = Methodology Index
- * = Truncation
- " " = Citation Marks; searches for an exact phrase

Cinahl via E	BSCO 28 Mars 2012	
Title: Non-pl	harmacological interventions in Autism	
Population	Search terms	
29.	MH "Child Development Disorders, Pervasive+" OR TI (autis* OR	
	asperger*) OR AB (autis* OR asperger*)	
Intervention	n: Non-pharmacological	
30.	TI ("family support" OR ("family treatment" AND program*) OR "parental	
	support" OR "parent support" OR "support program" OR "support	
	programme" OR "support programmes" OR "support programs" OR	
	"counseling" OR "child support" OR "social support" OR "network support"	
	OR "network intervention" OR "network interventions" OR "network	
	programs" OR "network programme" OR "network programmes" OR	
	"network program" OR "network training" OR "teacch" OR	
	"communication handicapped children" OR "structured teaching" OR	
	"Special Education" OR pedagogic* OR "psychosocial" OR "psychodynamic"	
	OR "psychotherapy" OR "cognitive behaviour therapy" OR "cognitive behaviour therapy" OR "cognitive	
	behavior therapy" OR "cognitive behavioural therapy" OR "cognitive	
	behavioral therapy" OR "cbt" OR "cognitive psychotherapy" OR "cognitive	
	therapy" OR "cpt" OR "behavioural therapy" OR "behavioral therapy" OR	
	"floor time" OR "son rise" OR "social narrative" OR "social narratives" OR	
	"social stories" OR "social story" OR "social skills training" OR "theraplay"	
	OR "mim" OR "marschak" OR "early bird program" OR "early bird	
	programs" OR "early bird programme" OR "early bird programmes" OR	
	"earlybird program" OR "earlybird programs" OR "earlybird programme"	
	OR "earlybird programmes" OR "preschool program" OR "preschool	
	programme" OR "preschool programs" OR "preschool programme" OR	
	"preschool programmes" OR "music therapy" OR "crisis therapy" OR	
	"trauma therapy" OR "crisis intervention" OR "crisis interventions" OR	
	"trauma intervention" OR "trauma interventions" OR "comic strip" OR	
	"comic strips" OR "play therapy" OR "environmental therapy" OR "milieu	
	therapy" OR "milieu intervention" OR "milieu interventions" OR	
	"environmental adjustment" OR "environmental adjustments" OR "pecs"	
	OR "picture exchange" OR "visual based" OR "holding" OR "catkit" OR "cat	
	kit" OR "cognitive affective training" OR "early intensive behavioral	
	interventions" OR "early intensive behavioral treatment" OR "early	
	intensive behavioral intervention" OR "eibi" OR "applied behavioral	
	intervention" OR "applied behavioral interventions" OR "applied	
	behavioural intervention" OR "applied behavioural interventions" OR "abi"	
	OR "applied behavioral analysis" OR "applied behavioural analysis" OR	
	"applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR	
	"behaviour therapy" OR "behavior therapy" OR "behavioural modification"	
	OR "behavioral modification" OR "behaviour modification" OR "behavior	
	modification" OR "behavioral theory intervention" OR "behavioural theory	
	intervention" OR "lovaas" OR "lovas" OR "communication focused	
	intervention" OR "communication focused interventions" OR "facilitated	

communication" OR "Sensory Integration" OR ("sensory" AND "motor" AND ("intervention" OR "interventions")) OR "Deep Brain Stimulation" OR "Transcranial Magnetic Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns" OR "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B" OR "magnesium" OR "exclusion diet" OR "exclusion diets" OR "probiotics" OR "Multimodal therapy" OR "multimodal treatment" OR "mta study" OR "non pharmacological intervention" OR "non pharmacological interventions" OR "diet therapy" OR "dietary intervention" OR "dietary interventions") OR AB ("family support" OR ("family treatment" AND program*) OR "parental support" OR "parent support" OR "support program" OR "support programme" OR "support programmes" OR "support programs" OR "counseling" OR "child support" OR "social support" OR "network support" OR "network intervention" OR "network interventions" OR "network programs" OR "network programme" OR "network programmes" OR "network program" OR "network training" OR "teacch" OR "communication handicapped children" OR "structured teaching" OR "Special Education" OR pedagogic* OR "psychosocial" OR "psychodynamic" OR "psychotherapy" OR "cognitive behaviour therapy" OR "cognitive behavior therapy" OR "cognitive behavioural therapy" OR "cognitive behavioral therapy" OR "cbt" OR "cognitive psychotherapy" OR "cognitive therapy" OR "cpt" OR "behavioural therapy" OR "behavioral therapy" OR "floor time" OR "son rise" OR "social narrative" OR "social narratives" OR "social stories" OR "social story" OR "social skills training" OR "theraplay" OR "mim" OR "marschak" OR "early bird program" OR "early bird programs" OR "early bird programme" OR "early bird programmes" OR "earlybird program" OR "earlybird programs" OR "earlybird programme" OR "earlybird programmes" OR "preschool program" OR "preschool programme" OR "preschool programs" OR "preschool programme" OR "preschool programmes" OR "music therapy" OR "crisis therapy" OR "trauma therapy" OR "crisis intervention" OR "crisis interventions" OR "trauma intervention" OR "trauma interventions" OR "comic strip" OR "comic strips" OR "play therapy" OR "environmental therapy" OR "milieu therapy" OR "milieu intervention" OR "milieu interventions" OR "environmental adjustment" OR "environmental adjustments" OR "pecs" OR "picture exchange" OR "visual based" OR "holding" OR "catkit" OR "cat kit" OR "cognitive affective training" OR "early intensive behavioral interventions" OR "early intensive behavioral treatment" OR "early intensive behavioral intervention" OR "eibi" OR "applied behavioral intervention" OR "applied behavioral interventions" OR "applied behavioural intervention" OR "applied behavioural interventions" OR "abi" OR "applied behavioral analysis" OR "applied behavioural analysis" OR "applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR "behaviour therapy" OR "behavior therapy" OR "behavioural modification" OR "behavioral modification" OR "behaviour modification" OR "behavior modification" OR "behavioral

	theory intervention" OR "behavioural theory intervention" OR "lovaas" OR	
	"lovas" OR "communication focused intervention" OR "communication	
	focused interventions" OR "facilitated communication" OR "Sensory	
	Integration" OR ("sensory" AND "motor" AND ("intervention" OR	
	"interventions")) OR "Deep Brain Stimulation" OR "Transcranial Magnetic	
	Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns"	
	OR "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B"	
	OR "magnesium" OR "exclusion diet" OR "exclusion diets" OR "probiotics"	
	OR "Multimodal therapy" OR "multimodal treatment" OR "mta study" OR	
	"non pharmacological intervention" OR "non pharmacological	
	interventions" OR "diet therapy" OR "dietary intervention" OR "dietary	
	interventions") OR MH "Fatty Acids, Omega 3+" OR MH "Vitamin D+" OR	
	MH "Electric Stimulation" OR MH "Vitamin B Complex" OR MH	
	"Magnesium" OR MH "Psychotherapy+" OR MH "Probiotics" OR MH	
	"Sensory Motor Integration"	
Study type		
31.	MH "Clinical Trials+" OR MH "Case Control Studies+" OR MH "Prospective	
	Studies+" OR MH "Adverse Health Care Event+"OR TI ("observational" OR	
	"observation" OR "random" OR "randomly" OR "randomized" OR	
	"randomised" OR "control" OR "controlled" OR "cohort" OR "case control"	
	OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR	
	"longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side	
	effects" OR "undesirable effects") OR AB ("observational" OR	
	"observation" OR "random" OR "randomly" OR "randomized" OR	
	"randomised" OR "control" OR "controlled" OR "cohort" OR "case control"	
	OR "clinical trial" OR "longitudinal" OR "prospective" OR "long term" OR	
	"longterm" OR "follow up" OR "followup" OR "adverse effects" OR "side	
	effects" OR "undesirable effects")	
Combined	sets	
32.	1 AND 2 AND 3	

MH = Term from the "Cinahl Headings" thesaurus

TI = Title

AB = Abstract

* = Truncation

Eric via EBS	SCO 28 Mars 2012	
	harmacological interventions in Autism	
Dev. 1. if	Search terms	
Population: 33.		
	DE "Pervasive Developmental Disorders" OR TI (autis* OR asperger*) OR	
	AB (autis* OR asperger*)	
Intervention	n: Non-pharmacological	
34.	TI ("family support" OR ("family treatment" AND program*) OR "parental	
	support" OR "parent support" OR "support program" OR "support	
	programme" OR "support programmes" OR "support programs" OR	
	"counseling" OR "child support" OR "social support" OR "network support"	
	OR "network intervention" OR "network interventions" OR "network	
	programs" OR "network programme" OR "network programmes" OR	
	"network program" OR "network training" OR "teacch" OR	
	"communication handicapped children" OR "structured teaching" OR	
	"Special Education" OR pedagogic* OR "psychosocial" OR "psychodynamic"	
	OR "psychotherapy" OR "cognitive behaviour therapy" OR "cognitive	
	behavior therapy" OR "cognitive behavioural therapy" OR "cognitive	
	behavioral therapy" OR "cognitive behavioural therapy" OR "cognitive behavioral therapy" OR "cott" OR "cognitive psychotherapy" OR "cognitive	
	therapy" OR "cpt" OR "behavioural therapy" OR "behavioral therapy" OR	
	"floor time" OR "son rise" OR "social narrative" OR "social narratives" OR	
	"social stories" OR "social story" OR "social skills training" OR "theraplay"	
	OR "mim" OR "marschak" OR "early bird program" OR "early bird	
	programs" OR "early bird programme" OR "early bird programmes" OR	
	"earlybird program" OR "earlybird programs" OR "earlybird programme"	
	OR "earlybird programmes" OR "preschool program" OR "preschool	
	programme" OR "preschool programs" OR "preschool programme" OR	
	"preschool programmes" OR "music therapy" OR "crisis therapy" OR	
	"trauma therapy" OR "crisis intervention" OR "crisis interventions" OR	
	"trauma intervention" OR "trauma interventions" OR "comic strip" OR	
	"comic strips" OR "play therapy" OR "environmental therapy" OR "milieu	
	therapy" OR "milieu intervention" OR "milieu interventions" OR	
	"environmental adjustment" OR "environmental adjustments" OR "pecs"	
	OR "picture exchange" OR "visual based" OR "holding" OR "catkit" OR "cat	
	kit" OR "cognitive affective training" OR "early intensive behavioral	
	interventions" OR "early intensive behavioral treatment" OR "early	
	intensive behavioral intervention" OR "eibi" OR "applied behavioral	
	intervention" OR "applied behavioral interventions" OR "applied	
	behavioural intervention" OR "applied behavioural interventions" OR "abi"	
	OR "applied behavioral analysis" OR "applied behavioural analysis" OR	
	"applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR	
	"behaviour therapy" OR "behavior therapy" OR "behavioural modification"	
	OR "behavioral modification" OR "behaviour modification" OR "behavior	
	modification" OR "behavioral theory intervention" OR "behavioural theory	
	intervention" OR "lovaas" OR "lovas" OR "communication focused	
	intervention" OR "communication focused interventions" OR "facilitated	

communication" OR "Sensory Integration" OR ("sensory" AND "motor" AND ("intervention" OR "interventions")) OR "Deep Brain Stimulation" OR "Transcranial Magnetic Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns" OR "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B" OR "magnesium" OR "exclusion diet" OR "exclusion diets" OR "probiotics" OR "Multimodal therapy" OR "multimodal treatment" OR "mta study" OR "non pharmacological intervention" OR "non pharmacological interventions" OR "diet therapy" OR "dietary intervention" OR "dietary interventions") OR AB ("family support" OR ("family treatment" AND program*) OR "parental support" OR "parent support" OR "support program" OR "support programme" OR "support programmes" OR "support programs" OR "counseling" OR "child support" OR "social support" OR "network support" OR "network intervention" OR "network interventions" OR "network programs" OR "network programme" OR "network programmes" OR "network program" OR "network training" OR "teacch" OR "communication handicapped children" OR "structured teaching" OR "Special Education" OR pedagogic* OR "psychosocial" OR "psychodynamic" OR "psychotherapy" OR "cognitive behaviour therapy" OR "cognitive behavior therapy" OR "cognitive behavioural therapy" OR "cognitive behavioral therapy" OR "cbt" OR "cognitive psychotherapy" OR "cognitive therapy" OR "cpt" OR "behavioural therapy" OR "behavioral therapy" OR "floor time" OR "son rise" OR "social narrative" OR "social narratives" OR "social stories" OR "social story" OR "social skills training" OR "theraplay" OR "mim" OR "marschak" OR "early bird program" OR "early bird programs" OR "early bird programme" OR "early bird programmes" OR "earlybird program" OR "earlybird programs" OR "earlybird programme" OR "earlybird programmes" OR "preschool program" OR "preschool programme" OR "preschool programs" OR "preschool programme" OR "preschool programmes" OR "music therapy" OR "crisis therapy" OR "trauma therapy" OR "crisis intervention" OR "crisis interventions" OR "trauma intervention" OR "trauma interventions" OR "comic strip" OR "comic strips" OR "play therapy" OR "environmental therapy" OR "milieu therapy" OR "milieu intervention" OR "milieu interventions" OR "environmental adjustment" OR "environmental adjustments" OR "pecs" OR "picture exchange" OR "visual based" OR "holding" OR "catkit" OR "cat kit" OR "cognitive affective training" OR "early intensive behavioral interventions" OR "early intensive behavioral treatment" OR "early intensive behavioral intervention" OR "eibi" OR "applied behavioral intervention" OR "applied behavioral interventions" OR "applied behavioural intervention" OR "applied behavioural interventions" OR "abi" OR "applied behavioral analysis" OR "applied behavioural analysis" OR "applied behavior analysis" OR "applied behaviour analysis" OR "aba" OR "behaviour therapy" OR "behavior therapy" OR "behavioural modification" OR "behavioral modification" OR "behaviour modification" OR "behavior modification" OR "behavioral

	theory intervention" OR "behavioural theory intervention" OR "lovaas" OR "lovas" OR "communication focused intervention" OR "communication focused interventions" OR "facilitated communication" OR "Sensory Integration" OR ("sensory" AND "motor" AND ("intervention" OR "interventions")) OR "Deep Brain Stimulation" OR "Transcranial Magnetic Stimulation" OR "DBS" OR "TMS" OR "vagus nerve stimulation" OR "vns" OR "Omega-3" OR "Fish Oil" OR "Fish Oils" OR "vitamin D" OR "vitamin B" OR "magnesium" OR "exclusion diet" OR "exclusion diets" OR "probiotics" OR "Multimodal therapy" OR "multimodal treatment" OR "mta study" OR "non pharmacological intervention" OR "loterary interventions") OR DE "Psychotherapy" OR DE "Special Education" OR DE "Music Therapy" OR DE "Sensory Integration" OR DE "Milieu Therapy" OR DE "Social Support Groups" OR DE "Play Therapy"	
Study type		
Study types 35.	s DE "Longitudinal Studies" OR DE "Followup Studies" OR DE "Longitudinal	
	Studies" OR DE "Cohort Analysis" OR TI ("observational" OR "observation"	
	OR "random" OR "randomly" OR "randomized" OR "randomised" OR	
	"control" OR "controlled" OR "cohort" OR "case control" OR "clinical trial"	
	OR "longitudinal" OR "prospective" OR "long term" OR "longterm" OR	
	"follow up" OR "followup" OR "adverse effects" OR "side effects" OR	
	"undesirable effects") OR AB ("observational" OR "observation" OR	
	"random" OR "randomly" OR "randomized" OR "randomised" OR "control"	
	OR "controlled" OR "cohort" OR "case control" OR "clinical trial" OR	
	"longitudinal" OR "prospective" OR "long term" OR "longterm" OR "follow	
	up" OR "followup" OR "adverse effects" OR "side effects" OR "undesirable	
	effects")	
Combined s	sets	
36.	1 AND 2 AND 3	

DE = Term from the thesaurus

TI = Title

AB = Abstract

* = Truncation

Organisation autism:

Pubmodivia	NLM 01 March 2011	
	zational interventions in Autism	
e.gain	Search terms	
Population:		
37.	"Child Development Disorders, Pervasive"[MeSH Terms] OR autis*[TIAB] OR asperger*[TIAB]	
38.	a: Organizational "Ambulatory Care"[MeSH Terms] OR "Ambulatory Care	
00.		
	Facilities"[Mesh:NoExp] OR "ambulatory"[TIAB] OR "ambulant"[TIAB] OR	
	"Mobile Health Units"[MeSH Terms] OR "mobile team"[TIAB] OR "mobile	
	teams"[TIAB] OR "Day Care "[MeSH Terms] OR "Institutionalization"[MeSH	
	Terms] OR "institutional care"[TIAB] OR institutionali*[TIAB] OR "day	
	care"[TIAB] OR "day hospital"[TIAB] OR "day clinic"[TIAB] OR	
	"Inpatients"[MeSH Terms] OR inpatient*[TIAB] OR "hospitalized"[TIAB] OR	
	"hospitalised"[TIAB] OR "Outpatients"[MeSH Terms] OR "Outpatient	
	Clinics, Hospital"[MeSH Terms] OR outpatient*[TIAB] OR "out	
	patient"[TIAB] OR "out patients"[TIAB] OR "Case Management"[MeSH	
	Terms] OR "case manager"[TIAB] OR "case managers"[TIAB] OR "case	
	management"[TIAB] OR "Deinstitutionalization"[MeSH Terms] OR	
	deinstitutionali*[TIAB] OR "Family Practice"[MeSH Terms] OR "family	
	practice"[TIAB] OR "family practices"[TIAB] OR "Primary Health	
	Care"[MeSH Terms] OR "primary health care"[TIAB] OR "primary	
	healthcare"[TIAB] OR "primary care"[TIAB] OR "Physicians, Family"[MeSH	
	Terms] OR "family physician"[TIAB] OR "family physicians"[TIAB] OR	
	"general practice"[TIAB] OR "general practices"[TIAB] OR "general	
	practitioner"[TIAB] OR "general practitioners"[TIAB] OR "Mental Health	
	Services"[Mesh:NoExp] OR "Community Mental Health Centers"[MeSH	
	Terms] OR "Community Mental Health Services"[MeSH Terms] OR	
	"community mental health"[TIAB] OR "cmhc"[TIAB] OR "cmhs"[TIAB] OR	
	"assertive community"[TIAB] OR "integrated care"[TIAB] OR "shared	
	care"[TIAB] OR "Delivery of Health Care, Integrated "[MeSH Terms] OR	
	"integrated health care"[TIAB] OR "integrated delivery"[TIAB]	
39.	"collaborative care"[TIAB] OR "multisystemic"[TIAB] OR "mst"[TIAB] OR	
	"multi systemic"[TIAB] OR "Schools"[MeSH Terms] OR "School Health	
	Services"[MeSH Terms] OR "school nurse"[TIAB] OR "school nursing"[TIAB]	
	OR "school nurses"[TIAB] OR "school based"[TIAB] OR "school	
	setting"[TIAB] OR "school settings"[TIAB] OR "school health"[TIAB] OR	
	"functional family therapy"[TIAB] OR "fft"[TIAB] OR "Child Health	
	Services"[MeSH Terms] OR "Maternal-Child Health Centers"[MeSH Terms]	
	OR "maternal child health"[TIAB] OR "child health service"[TIAB] OR "child	
	health services"[TIAB] OR "Adolescent Health Services"[MeSH Terms] OR	
	"adolescent health service"[TIAB] OR "adolescent health services"[TIAB]	
	OR "child health care"[TIAB] OR "child healthcare"[TIAB] OR "adolescent	

	healthcare"[TIAB] OR "adolescent health care"[TIAB] OR "Combined Modality Therapy"[MeSH Terms] OR "multimodal"[TIAB]	
40.	"Therapy, Computer-Assisted" [MeSH Terms] OR "Computer-Assisted Instruction" [MeSH Terms] OR "Computers, Handheld" [MeSH Terms] OR computer* [TIAB] OR "Reminder Systems" [MeSH Terms] OR reminder* [TIAB] OR "mobile device" [TIAB] OR "mobile devices" [TIAB] OR "text messages" [TIAB] OR "text message" [TIAB] OR "text messaging" [TIAB] OR "cell phone" [TIAB] OR "cellular phone" [TIAB] OR "mobile phone" [TIAB] OR "smart homes" [TIAB] OR "smart home" [TIAB] OR videoconferenc* [TIAB] OR "Telephone" [MeSH Terms] OR "technology" [TIAB] OR "Videoconferencing" [MeSH Terms] OR "Internet" [MeSH Terms] OR "Online Systems" [MeSH Terms] OR "Internet" [MeSH Terms] OR "Artificial Intelligence" [MeSH Terms] OR "short message service" [TIAB] OR "sms" [TIAB]	
41.	"continuity"[TIAB] OR "Continuity of Patient Care"[MeSH Terms] OR "Rehabilitation"[MeSH Terms] OR "Rehabilitation Centers"[MeSH Terms] OR rehabilitat*[TIAB] OR habilitat*[TIAB] OR "sectorized"[TIAB] OR "sectoral"[TIAB]	
42.	2 OR 3 OR 4 OR 5	
Outcome:		
43.	"Hospitalization"[MeSH Terms] OR hospitalization*[TIAB] OR hospitalisation*[TIAB] OR "admittance"[TIAB] OR "admission"[TIAB] OR "admitted"[TIAB] OR recurren*[TIAB] OR relaps*[TIAB] OR "Recurrence"[MeSH Terms] OR "quality of life"[TIAB] OR "Quality of Life"[MeSH Terms] OR rehospitalisation*[TIAB] OR rehospitalization*[TIAB] OR "rehospitalised"[TIAB] OR "rehospitalized"[TIAB] OR unemploy*[TIAB] OR employ*[TIAB] OR "Employment"[MeSH Terms] OR readmission*[TIAB] OR readmitt*[TIAB] OR "functioning"[TIAB] OR "social interaction"[TIAB] OR "Social Adjustment"[MeSH Terms] OR "Social Behavior"[Mesh:NoExp] OR behavior*[TIAB] OR behaviour*[TIAB] OR "GAF"[TIAB] OR "global assessment of functioning"[TIAB] OR "global assessment functioning"[TIAB] OR "sheehan disability scale"[TIAB] OR "sheehan scales"[TIAB] OR "SDS"[TIAB] OR "sofas"[TIAB] OR ("international functioning assessment scale"[TIAB] AND "social"[TIAB] OR ("international functioning assessment scale"[TIAB] OR "clinical global impression"[TIAB] OR "cgi"[TIAB] OR "Patient Satisfaction"[MeSH Terms] OR satisf*[TIAB] OR "Severity of Illness Index"[MeSH Terms] OR "severity"[TIAB] OR "symptom*[TIAB] OR "next of kin"[TIAB] OR "significant others"[TIAB] OR "significant other"[TIAB] OR "loved ones"[TIAB] OR family[TIAB] OR "caregivers/psychology"[MeSH Terms] OR "failure to thrive"[TIAB] OR "Caregivers/psychology"[MeSH Terms] OR "failure to thrive"[TIAB] OR	

Combined s 45.	sets: 1 AND 6 AND 7 AND 8	
	Topic"[MeSH Terms] OR "Controlled Clinical Trials as Topic"[MeSH Terms] OR "randomized controlled trial"[PT] OR "controlled clinical trial"[PT] OR "multicenter study"[PT] OR "clinical trial"[PT] OR "meta analysis"[PT] OR "meta analysis"[TIAB] OR metaanalys*[TIAB] OR "meta analyses"[TIAB] OR random*[TIAB] OR RCT*[TIAB] OR controls[TIAB] OR controlled[TIAB] OR "Comparative Study"[Publication Type] OR "Evaluation Studies "[PT] OR "Evaluation Studies as Topic"[MeSH Terms] OR "Intervention Studies"[MeSH Terms] OR "Efficiency, Organizational"[MeSH Terms] OR "Program Evaluation"[MeSH Terms] OR systematic [SB]	
Study type: 44.	score"[TIAB] s: "Clinical Trials as Topic"[MeSH Terms] OR "Randomized Controlled Trials as	
	"Failure to Thrive"[MeSH Terms] OR "school results"[TIAB] OR "school outcome"[TIAB] OR "school outcomes"[TIAB] OR "academic outcome"[TIAB] OR "academic outcomes"[TIAB] OR "educational outcome"[TIAB] OR "educational outcomes"[TIAB] OR "Achievement"[MeSH Terms] OR achievement*[TIAB] OR "Educational Measurement"[MeSH Terms] OR "Educational Status"[MeSH Terms] OR performance*[TIAB] OR "academic scores"[TIAB] OR "academic	

[MeSH Terms] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[TIAB] = Title or abstract

[PT] = Publication type

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

	Embase.com 01 March 2011	
Title: Organi	zational interventions in Autism	
Population	Search terms	
46.	'autism'/exp/mj OR autis*:ti,ab OR 'Asperger syndrome'/exp/mj OR	
	asperger*:ti,ab	
Intorvontio	n: Organizational	
47.	'ambulatory care'/exp/mj OR "ambulant":ti,ab OR "ambulatory":ti,ab OR	
- <i>.</i> .	'outpatient'/exp/mj OR 'ambulant':ti,ab OR 'ambulatory :ti,ab OR 'outpatient'/exp/mj OR 'outpatient department'/exp/mj OR 'outpatient care'/exp/mj OR outpatient*:ti,ab OR (out NEXT/1 patient*):ti,ab OR 'deinstitutionalization'/exp/mj OR deinstitutionali*:ti,ab OR 'day hospital'/exp/mj OR (day NEXT/1 (clinic OR hospital)):ti,ab OR 'hospital patient'/exp/mj OR hospitali?ed:ti,ab OR inpatient*:ti,ab OR 'day care'/exp/mj OR "day care":ti,ab OR 'institutionalization'/exp/mj OR "institutional care":ti,ab OR institutionali*:ti,ab OR 'general practice'/exp/mj OR (family NEXT/1 practice*):ti,ab OR 'primary health care'/exp/mj OR "primary health care":ti,ab OR "primary healthcare":ti,ab OR "primary care":ti,ab OR (general NEXT/1 (practice* OR practitioner*)):ti,ab OR (family NEXT/1 physician*):ti,ab OR 'case management'/exp/mj OR (case NEXT/2 manage*):ti,ab OR "assertive community":ti,ab OR 'mental health service'/exp/mj OR 'community mental health center'/exp/mj OR "community mental health":ti,ab OR "cmhc":ti,ab OR "cmhs":ti,ab OR 'integrated health care system'/exp/mj	
	OR "integrated health care":ti,ab OR "integrated care":ti,ab OR "shared care":ti,ab OR "integrated delivery":ti,ab OR (mobile NEXT/2 team*):ti,ab	
48.	"collaborative care":ti,ab OR "multisystemic":ti,ab OR "mst":ti,ab OR "multi systemic":ti,ab OR 'school'/exp/mj OR 'school health service'/exp/mj OR "school health care":ti,ab OR "school healthcare":ti,ab OR (school NEXT/1 nurs*):ti,ab OR "school based":ti,ab OR (school NEXT/1 setting*):ti,ab OR "school health":ti,ab OR "functional family therapy":ti,ab OR "fft":ti,ab OR "school health care'/exp/mj OR "maternal child health":ti,ab OR ("child health care'/exp/mj OR "maternal child health":ti,ab OR ("child health" NEXT/1 service*):ti,ab OR "child health care":ti,ab OR "child healthcare":ti,ab OR ("adolescent health" NEXT/1 service*):ti,ab OR "adolescent health care":ti,ab OR "adolescent healthcare":ti,ab OR multimodal:ti,ab	
49.	'rehabilitation center'/exp/mj OR 'rehabilitation'/exp/mj OR rehabilitat*:ti,ab OR habilitat*:ti,ab OR "sectori?ed":ti,ab OR "sectoral":ti,ab OR "continuity":ti,ab	
50.	'computer'/exp/mj OR 'Internet'/exp/mj OR 'videoconferencing'/exp/mj OR 'computer assisted therapy'/de/mj OR 'telephone'/exp/mj OR 'mobile phone'/exp/mj OR 'online system'/exp/mj OR (text NEXT/1 messag*):ti,ab OR ((mobile OR cell*) NEXT/1 (device* OR phone OR telephone)):ti,ab OR (smart NEXT/1 home*):ti,ab OR 'videoconferencing'/exp/mj OR (video NEXT/1 conferenc*):ti,ab OR videoconferenc*:ti,ab OR computer*:ti,ab OR	

	'artificial intelligence'/exp/mj OR (intelligent NEXT/1 system*):ti,ab OR	
	technolog*:ti,ab OR 'technology'/de/mj OR reminder*:ti,ab OR 'reminder	
	system'/exp/mj OR 'teleconference'/exp/mj OR teleconferenc*:ti,ab OR	
	"electronic communication":ti,ab OR "Short message service":ti,ab OR	
	"SMS":ti,ab	
	51415 . (1,60	
51.	2 OR 3 OR 4 OR 5	
Outcome:		
52.	'hospital readmission'/exp OR 'hospital admission'/exp OR 'hospital	
	discharge'/exp OR 'hospitalization'/exp OR hospitali?ation*:ti,ab OR	
	"admission":ti,ab OR "admitted":ti,ab OR rehospitali?ation*:ti,ab OR	
	rehospitali?ed:ti,ab OR readmission*:ti,ab OR readmitted:ti,ab OR	
	recurren*:ti,ab OR relaps*:ti,ab OR "quality of life":ti,ab OR 'quality of	
	life'/exp OR unemploy*:ti,ab OR employ*:ti,ab OR 'employment'/exp OR	
	'unemployment'/exp OR "functioning":ti,ab OR behavior*:ti,ab OR	
	behavior*:ti,ab OR 'social behavior'/de OR 'social adaptation'/de OR 'social	
	interaction'/exp OR 'functional assessment'/exp OR "GAF":ti,ab OR "global	
	assessment of functioning":ti,ab OR "global assessment functioning":ti,ab	
	OR "sheehan disability scale":ti,ab OR "sheehan scales":ti,ab OR "SDS":ti,ab	
	OR "sofas":ti,ab OR "Social Occupational Functioning Assessment	
	Scale":ti,ab OR "International Classification of Functioning, Disability and	
	Health":ti,ab OR "icf":ti,ab OR "clinical global impression":ti,ab OR	
	"cgi":ti,ab OR 'patient satisfaction'/exp OR satisf*:ti,ab OR 'disease	
	severity'/de OR "severity":ti,ab OR symptom*:ti,ab OR "next of kin":ti,ab	
	OR (significant NEXT/1 other*):ti,ab OR "loved ones":ti,ab OR family:ti,ab	
	OR 'caregiver burden'/exp OR (caregiver NEXT/1 (burden OR strain)):ti,ab	
	OR 'family health'/exp OR 'failure to thrive'/exp OR 'achievement'/exp OR	
	'educational status'/exp OR "failure to thrive":ti,ab OR 'Child Behavior	
	Checklist'/exp OR achievement*:ti,ab OR performance*:ti,ab OR	
	((educational OR school OR academic) near/5 (outcome* OR result* OR	
	score)):ti,ab	
Study type:	S:	
53.	([cochrane review]/lim OR [meta analysis]/lim OR [systematic review]/lim	
	OR [controlled clinical trial]/lim OR [randomized controlled trial]/lim OR	
	'randomization'/exp OR 'clinical trial'/exp OR 'controlled study'/de OR	
	(clinical next/2 trial*):ti,ab OR random*:ti,ab OR RCT*:ti,ab OR	
	Controls:ti,ab OR Controlled:ti,ab OR 'comparative study'/exp OR	
	'evaluation'/exp OR 'intervention study'/exp OR (meta NEXT/1	
	analys*):ti,ab OR metaanalys*:ti,ab OR 'organizational efficiency'/exp OR	
	(systematic NEXT/2 review*))	
0		
Combined 54.	sets: 1 AND 6 AND 7 AND 8	

/exp= Includes terms found below this term in the EMTREE hierarchy

/mj = Major Topic

:ti:ab = Title or abstract

/lim = Limit

* = Truncation

" " = Citation Marks; searches for an exact phrase

* = Truncation

Title: Organi	EBSCO 01 March 2011 zational interventions in Autism	
	Search terms	
Population:		
55.	ZK "developmental disorders & autism" OR DE "Pervasive Developmental	
	Disorders" OR DE "Autism" OR DE "Aspergers Syndrome" OR TI (autis* OR	
	asperger*) OR AB (autis* OR asperger*) OR KW (autis* OR asperger*)	
Intervention	a: Organizational	
56.	ZK "outpatient services" OR ZK "inpatient & hospital services" OR ZK	
	"intelligent systems" OR ZK "communication systems" OR DE ("Outpatient	
	Commitment" OR "Outpatient Treatment" OR "Outpatients" OR	
	"Deinstitutionalization" OR "Institutionalization" OR "Hospitalized	
	Patients" OR "Mental Health Services" OR "Community Mental Health	
	Centers" OR "Community Mental Health Services" OR "Schools" OR	
	"School Nurses" OR "Multimodal Treatment Approach" OR "Case	
	Management" OR "Integrated Services" OR "Continuum of Care" OR	
	"Rehabilitation" OR "Habilitation" OR "Rehabilitation Centers" OR	
	"Vocational Rehabilitation" OR "Primary Health Care" OR "General	
	Practitioners" OR "Family Medicine" OR "Family Physicians" OR	
	"Technology" OR "Internet" OR "Teleconferencing" OR "Online Therapy"	
	OR "Cellular Phones" OR "Communication Systems" OR "Electronic	
	Communication" OR "Artificial Intelligence" OR "Computer Assisted	
	Instruction" OR "Computer Assisted Therapy")	
57.	TI ("ambulatory" OR "ambulant" OR outpatient* OR deinstitutionali* OR	
011	"day hospital" OR "institutional care" OR institutionali* OR "day care" OR	
	"day hospital#" OR "day clinic#" OR hospitali?ed* OR inpatient# OR	
	"Mental Health Services" OR "collaborative care" OR "multisystemic" OR	
	"mst" OR "multi systemic" OR "school nurs*" OR "school based" OR	
	"school setting#" OR "school health" OR "functional family therapy" OR	
	"fft" OR "maternal child health" OR "child health service#" OR "adolescent	
	health service#" OR "child health care" OR "adolescent health care" OR	
	"child healthcare" OR "adolescent healthcare" OR "multimodal	
	treatment#" OR "case manager#" OR "case management" OR "assertive	
	community" OR "integrated health care" OR "integrated care" OR "shared	
	care" OR "integrated delivery" OR "mobile W2 team#" OR "Community	
	Mental Health" OR "cmhc" OR "cmhs" OR "Continuity" OR rehabilitat* OR	
	habilitat* OR sectori?ed OR sectoral OR (family W1 practice) OR "primary	
	health care" OR "primary healthcare" OR "primary care" OR (general W1	
	practice*) OR "general practitioner*" OR (family W1 physician*) OR	
	"intelligent systems" OR teleconferenc* OR technolog* OR "mobile	
	device#" OR "mobile phone#" OR "text messag*" OR "cell phone#" OR	
	"cellular phone#" OR "smart home#" OR videoconferenc* OR "video	
	conferenc*" OR computer* OR "short message service" OR "SMS" OR	
	reminder* OR "electronic communication")	
	reminder OK electronic communication j	

58.	AB ("ambulatory" OR "ambulant" OR outpatient* OR deinstitutionali* OR "day hospital" OR "institutional care" OR institutionali* OR "day care" OR "day hospital#" OR "day clinic#" OR hospitali?ed* OR inpatient# OR "Mental Health Services" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR "school nurs*" OR "school based" OR "school setting#" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service#" OR "adolescent health service#" OR "child health Care" OR "adolescent health care" OR "child healthcare" OR "adolescent healthcare" OR "multimodal treatment#" OR "case manager#" OR "case management" OR "assertive community" OR "integrated health care" OR "integrated care" OR "shared care" OR "integrated delivery" OR "mobile W2 team#" OR "Community Mental Health" OR "cmhc" OR "cmhs" OR "Continuity" OR rehabilitat* OR habilitat* OR sectori?ed OR sectoral OR (family W1 practice) OR "primary health care" OR "primary healthcare" OR "primary care" OR (general W1 practice*) OR "general practitioner*" OR (family W1 physician*) OR "intelligent systems" OR teleconferenc* OR technolog* OR "mobile device#" OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "smart home#" OR videoconferenc* OR "video conferenc*" OR computer* OR "short message service" OR "SMS" OR reminder* OR "electronic communication")	
	KW ("ambulatory" OK "ambulant" OK outpatient." OK deinstitutionali." OK "day hospital" OR "institutional care" OR institutionali* OR "day care" OR "day hospital#" OR "day clinic#" OR hospitali?ed* OR inpatient# OR "Mental Health Services" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR "school nurs*" OR "school based" OR "school setting#" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service#" OR "adolescent health service#" OR "child health care" OR "adolescent health care" OR "child healthcare" OR "adolescent healthcare" OR "multimodal treatment#" OR "case manager#" OR "case management" OR "assertive community" OR "integrated health care" OR "integrated care" OR "shared care" OR "integrated delivery" OR "mobile W2 team#" OR "Community Mental Health" OR "cmhc" OR "cmhs" OR "Continuity" OR rehabilitat* OR habilitat* OR sectori?ed OR sectoral OR (family W1 practice) OR "primary health care" OR "general practitioner*" OR (family W1 physician*) OR "intelligent systems" OR teleconferenc* OR technolog* OR "mobile device#" OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "smart home#" OR videoconferenc* OR "video conferenc*" OR "electronic communication")	
60.	2 OR 3 OR 4 OR 5	

Outcome:		
61.	DE ("Caregiver Burden" OR "Partial Hospitalization" OR "Hospitalization" OR "Hospital Admission" OR "Hospital Discharge" OR "Psychiatric Hospital Admission" OR "Psychiatric Hospitalization" OR "Psychiatric Hospital Readmission" OR "Psychiatric Hospital Discharge" OR "Quality of Life" OR "Employment Status" OR "Unemployment" OR "Social Interaction" OR "Client Satisfaction" OR "Severity (Disorders)" OR "Social Behavior" OR "Social Adjustment" OR "Social Interaction" OR "Achievement" OR "Academic Achievement" OR "Educational Measurement")	
62.	TI (behavio#r OR hospitali?ation* OR "admission" OR admit* OR relaps* OR recurren* OR "quality of life" OR rehospitali?ation* OR rehospitali?ed OR unemploy* OR employ* OR readmission* OR readmit* OR "functioning" OR "social interaction" OR satisf* OR "severity" OR symptom* OR "next of kin" OR (significant W1 other#) OR "loved ones" OR family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 score#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#))	
63.	AB (behavio#r OR hospitali?ation* OR "admission" OR admit* OR relaps* OR recurren* OR "quality of life" OR rehospitali?ation* OR rehospitali?ed OR unemploy* OR employ* OR readmission* OR readmit* OR "functioning" OR "social interaction" OR satisf* OR "severity" OR symptom* OR "next of kin" OR (significant W1 other#) OR "loved ones" OR family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#))	

64. KW (behavio#r OR hospitali?ation* OR "admission" OR admit* OR relaps* OR recurren* OR "quality of life" OR rehospitali?ation* OR rehospitali?ed OR unemploy* OR employ* OR readmission* OR readmit* OR "functioning" OR "social interaction" OR satisf* OR "severity" OR symptom* OR "next of kin" OR (significant W1 other#) OR "loved ones" OR family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning, Disability and Health" OR "lote" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (school N3 score#) OR (school N3 score#) OR (school N3 score#) OR (academic N3 score#) OR (academic N3 score#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)) 65. 7 OR 8 OR 9 OR 10 Study types: OR TX "controls" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12 68. 13 AND ZT "journal"			
OR unemploy* OR employ* OR readmission* OR readmit* OR "functioning" OR "social interaction" OR satisf* OR "severity" OR symptom* OR "next of kin" OR (significant W1 other#) OR "loved ones" OR family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (school N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 outcome#) OR (school N3 result#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)) 65. 7 OR 8 OR 9 OR 10 Study types: 66. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX (comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (controlled" OR DE "Intervention" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12	64.	KW (behavio#r OR hospitali?ation* OR "admission" OR admit* OR relaps*	
"functioning" OR "social interaction" OR satisf* OR "severity" OR symptom* OR "next of kin" OR (significant W1 other#) OR "loved ones" OR family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 outcome#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)) 65. 7 OR 8 OR 9 OR 10 Study types: 66. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX (comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX "Controlled" OR DE "Organizational Effectiveness" Combined sets: 67. 67. 1 AND 6 AND 11 AND 12		OR recurren* OR "quality of life" OR rehospitali?ation* OR rehospitali?ed	
symptom* OR "next of kin" OR (significant W1 other#) OR "loved ones" OR family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 outcome#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)) 65. 7 OR 8 OR 9 OR 10 Study types: 66. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" Combined sets: 67. 67. 1 AND 6 AND 11 AND 12		OR unemploy* OR employ* OR readmission* OR readmit* OR	
family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR "global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (academic N3 outcome#) OR (academic N3 score#) OR (academic N3 achiev#))65.7 OR 8 OR 9 OR 10Study types:66.DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness"67.1 AND 6 AND 11 AND 12		"functioning" OR "social interaction" OR satisf* OR "severity" OR	
"global assessment of functioning" OR "global assessment functioning" OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)) 65. 7 OR 8 OR 9 OR 10 Study types: 66. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12		symptom* OR "next of kin" OR (significant W1 other#) OR "loved ones" OR	
"sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR "Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)) 65. 7 OR 8 OR 9 OR 10 Study types: 66. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Valuation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12		family OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF" OR	
"Social Occupational Functioning Assessment Scale" OR "International Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#))65.7 OR 8 OR 9 OR 10Study types:66.DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness"67.1 AND 6 AND 11 AND 12		"global assessment of functioning" OR "global assessment functioning" OR	
Classification of Functioning, Disability and Health" OR "icf" OR "clinical global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 result#) OR (academic N3 outcome#) OR (academic N3 score#) OR (academic N3 score#) OR (academic N3 achiev#)) 65. 7 OR 8 OR 9 OR 10 Study types: 66. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12		"sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR	
global impression" OR "cgi" OR "failure to thrive" OR achievement* OR performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 result#) OR (academic N3 result#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)) 65. 7 OR 8 OR 9 OR 10 56. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12		"Social Occupational Functioning Assessment Scale" OR "International	
performance* OR (educational N3 outcome#) OR (educational N3 result#) OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#))65.7 OR 8 OR 9 OR 10Study types:66.DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness"67.1 AND 6 AND 11 AND 12		Classification of Functioning, Disability and Health" OR "icf" OR "clinical	
OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3 outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#)) 65. 7 OR 8 OR 9 OR 10 Study types: 66. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12		global impression" OR "cgi" OR "failure to thrive" OR achievement* OR	
outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3 achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#))65.7 OR 8 OR 9 OR 105tudy types:		performance* OR (educational N3 outcome#) OR (educational N3 result#)	
achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR (academic N3 score#) OR (academic N3 achiev#))65.7 OR 8 OR 9 OR 10Study types:66.DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness"Combined sets:67.1 AND 6 AND 11 AND 12		OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3	
(academic N3 score#) OR (academic N3 achiev#))65.7 OR 8 OR 9 OR 10Study types:66.DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness"Combined sets:67.1 AND 6 AND 11 AND 12		outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3	
65. 7 OR 8 OR 9 OR 10 Study types: 66. 66. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX (clinical N3 trial#) OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12		achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR	
Study types: 66. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" Combined sets: 67. 1 AND 6 AND 11 AND 12		(academic N3 score#) OR (academic N3 achiev#))	
66. DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12	65.	7 OR 8 OR 9 OR 10	
DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX "meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12	Study type	295 <i>:</i>	
"meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*" OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12	66.	DE "Mental Health Program Evaluation" OR DE "Program Evaluation" OR	
OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" 67. 1 AND 6 AND 11 AND 12		DE "Evaluation" OR TX comparative OR TX (systematic W3 review*) OR TX	
W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness" Combined sets: 67. 1 AND 6 AND 11 AND 12		"meta analys*" OR TX (clinical N3 trial#) OR TX "random*" OR TX "RCT*"	
Combined sets: 67. 1 AND 6 AND 11 AND 12		OR TX "Controls" OR TX "Controlled" OR DE "Intervention" OR TX (meta	
67. 1 AND 6 AND 11 AND 12		W1 analys*) OR TX metaanalys* OR DE "Organizational Effectiveness"	
67. 1 AND 6 AND 11 AND 12	Combined	l sets:	
68. 13 AND ZT "journal"			
	68.	13 AND ZT "journal"	

DE = Term from the thesaurus

TX = All Text. Performs a keyword search of all the database's searchable fields

TI = Title

AB = Abstract

KW = Keyword

ZC = Methodology Index

ZT = Publication type

* = Truncation

= An alternate spelling may contain an extra character

" " = Citation Marks; searches for an exact phrase

Nn: Proximity operator. Terms must appear within n words of each other in any order, e.g. N3

	BSCO 01 March 2011	
Title: Organi	zational interventions in Autism Search terms	
Population:		
69.	MH "Child Development Disorders, Pervasive" OR autis* OR asperger*	
	n: Organizational	
70.	"ambulant" OR "Ambulatory" OR "Outpatient*" OR (out W1 patient*) OR deinstitutionali* OR institutionali* OR "institutional care" OR "Day Care" OR "Inpatient*" OR "hospitali?ed" OR "day hospital#" OR "day clinic#" OR (family WI practice#) OR "primary health care" OR "primary healthcare" OR "primary care" OR "general practice#" OR "general practitioner#" OR MH "Physicians, Family" OR (family W1 physician*) OR "Mental Health Service#" OR "Community Mental Health" OR "cmhc" OR "cmhs" OR "Health Care Delivery, Integrated" OR "integrated delivery" OR "integrated care" OR "Integrated Services" OR "integrated health care" OR "shared care" OR "assertive community" OR "Case Management" OR "Case Manager#" OR SC "case management" OR "Mobile Health Units" OR (mobile W2 team#) OR MH "Schools+" OR "school nurs*" OR "school based" OR "school setting#" OR "school health" OR MH "Combined Modality Therapy"	
71.	"multimodal" OR "collaborative care" OR "multisystemic" OR "mst" OR "multi systemic" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service#" OR "adolescent health service#" OR "child health care" OR "adolescent health care" OR "child healthcare" OR "adolescent healthcare" OR "Maternal-Child care"	
72.	"sectori?ed" OR "sectoral" OR "continuity" OR rehabilitat* OR habilitat*	
73.	"Technology" OR MH "Telecommunications+" OR MH "Online Systems" OR "Communication Systems" OR "Electronic Communication" OR "Artificial Intelligence" OR "intelligent systems" OR teleconferenc* OR "mobile device#" OR "mobile phone#" OR "text messag*" OR "cell phone#" OR "cellular phone#" OR "telephone" OR "smart home#" OR videoconferenc* OR "video conferenc*" OR computer* OR "short message service" OR "SMS" OR reminder*	
74.	2 OR 3 OR 4 OR 5	
Outcome:		
75.	"Functional Assessment" OR "hospitali?ation*" OR "admission" OR "admit*" OR "relaps*" OR "recurren*" OR "quality of life" OR "rehospitali?ation*" OR "discharge*" OR "rehospitali?ed" OR "unemploy*" OR "employ*" OR "readmission*" OR "readmit*" OR "functioning" OR "social interaction" OR "Social Adjustment" OR MH "Social Behavior" OR TI "behavio#r*" OR AB "behavio#r*" OR "satisf*" OR "severity" OR "symptom*" OR "next of kin" OR (significant W1 other#) OR "loved ones"	

	OR "family" OR (caregiver W1 burden) OR (caregiver W1 strain) OR "GAF"	
	OR "global assessment of functioning" OR "global assessment functioning"	
	OR "sheehan disability scale" OR "sheehan scales" OR "SDS" OR "sofas" OR	
	"Social Occupational Functioning Assessment Scale" OR "International	
	Classification of Functioning, Disability and Health" OR "icf" OR "clinical	
	global impression" OR "cgi" OR "Educational Measurement" OR	
	"Educational Status" OR "failure to thrive" OR achievement* OR	
	performance* OR (educational N3 outcome#) OR (educational N3 result#)	
	OR (educational N3 score#) OR (educational N3 achiev#) OR (school N3	
	outcome#) OR (school N3 result#) OR (school N3 score#) OR (school N3	
	achiev#) OR (academic N3 outcome#) OR (academic N3 result#) OR	
	(academic N3 score#) OR (academic N3 achiev#)	
Ctuchy type		
Study type: 76.	"Program Evaluation" OR "Evaluation" OR comparative OR (systematic W3	
	review*) OR "meta analys*" OR (clinical N3 trial#) OR "Pretest-Posttest"	
	OR "random*" OR "RCT*" OR "Controls" OR "Controlled" OR MH "Clinical	
	Trials+" OR (meta W1 analys*) OR metaanalys* OR "Organizational	
	Effectiveness" OR ZW "evidence-based practice"	
Combined	sets:	
77.		
11.	1 AND 6 AND 7 AND 8	
78.	9 AND ZT "journal article"	

MH = Term from the "Cinahl Headings" thesaurus

TI = Title

- AB = Abstract
- ZT = Publication Type
- * = Truncation
- # = An alternate spelling may contain an extra character
- ? = EBSCOhost finds all citations of that word with the ? replaced by a letter
- " " = Citation Marks; searches for an exact phrase

Nn: Proximity operator. Terms must appear within n words of each other in any order, e.g. N3

Wn: Proximity operator. Terms must appear within n words of each other in a given order, e.g. W3

	ces Abstracts via Proquest 31 March 2011	
Title: Organi	zational interventions in Autism Search terms	
Population		
79.	TI(autis* OR asperger*) OR AB(autis* OR asperger*)	
Intervention	n: Organizational	
80.	TI("ambulatory" OR "ambulant" OR "mobile team" OR "mobile teams" OR "institutional care" OR institutionali* OR "day care" OR "day hospital" OR "day clinic" OR inpatient* OR "hospitalized" OR "hospitalised" OR outpatient* OR "out patient" OR "out patients" OR "case manager" OR "case managers" OR "case management" OR deinstitutionali* OR "family practice" OR "family practices" OR "primary health care" OR "primary healthcare" OR "primary care" OR "family physician" OR "family physicians" OR "general practice" OR "general practices" OR "general practitioner" OR "general practice" OR "general practices" OR "general practitioner" OR "general practitioners" OR "community mental health" OR "cmhc" OR "cmhs" OR "assertive community" OR "integrated care" OR "shared care" OR "integrated health care" OR "integrated delivery" OR "collaborative care" OR "multisystemic" OR "multi systemic" OR "school nurse" OR "school nursing" OR "school nurses" OR "school based" OR "school setting" OR "school settings" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service" OR "child health services" OR "adolescent health service" OR "adolescent health services" OR "adolescent health care" OR "multimodal" OR "schoil health care" OR "adolescent health care" OR "multimodal" OR "adolescent healthcare" OR "adolescent health care" OR "multimodal"	
81.	AB("ambulatory" OR "ambulant" OR "mobile team" OR "mobile teams" OR "institutional care" OR institutionali* OR "day care" OR "day hospital" OR "day clinic" OR inpatient* OR "hospitalized" OR "hospitalised" OR outpatient* OR "out patient" OR "out patients" OR "case manager" OR "case managers" OR "case management" OR deinstitutionali* OR "family practice" OR "family practices" OR "primary health care" OR "primary healthcare" OR "primary care" OR "family physician" OR "family physicians" OR "general practice" OR "general practices" OR "general practitioner" OR "general practice" OR "general practices" OR "general practitioner" OR "general practice "OR "multisystemic" OR "shared care" OR "integrated health care" OR "integrated care" OR "school nurse" OR "school nursing" OR "school nurses" OR "school based" OR "school setting" OR "school settings" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service" OR "child health services" OR "adolescent health service" OR "adolescent health services" OR "adolescent health care" OR "multimodal" OR "adolescent healthcare" OR "adolescent health care" OR "multimodal" OR "school setting" OR "school health care" OR "child healthcare"	

"sectoral")	
2 OR 3	
Limited by: Record Type: Journal ArticleLanguage: 4 languages searched	
ViewHideDanish, English, Norwegian, SwedishDatabases:International	
Bibliography of the Social Sciences (IBSS)	
sets:	I
1 AND 4 AND 5	
	2 OR 3 Limited by: Record Type:Journal ArticleLanguage:4 languages searched ViewHideDanish, English, Norwegian, SwedishDatabases:International Bibliography of the Social Sciences (IBSS)

TI = Title

AB = Abstract

* = Truncation

	oquest 24 March 2011 zational interventions in ADHD&Autism	
	Search terms	
Population:		
85.	TI(autis* OR asperger*) OR AB(autis* OR asperger*)	
	n: Organizational	
86.	TI("ambulatory" OR "ambulant" OR "mobile team" OR "mobile teams" OR "institutional care" OR institutionali* OR "day care" OR "day hospital" OR "day clinic" OR inpatient* OR "hospitalized" OR "hospitalised" OR outpatient* OR "out patient" OR "out patients" OR "case manager" OR "case managers" OR "case management" OR deinstitutionali* OR "family practice" OR "family practices" OR "primary health care" OR "primary healthcare" OR "primary care" OR "family physician" OR "family physicians" OR "general practice" OR "general practices" OR "general practitioner" OR "general practice" OR "community mental health" OR "cmhc" OR "cmhs" OR "assertive community" OR "integrated care" OR "shared care" OR "integrated health care" OR "integrated delivery" OR "collaborative care" OR "multisystemic" OR "multi systemic" OR "school nurse" OR "school nursing" OR "school nurses" OR "school based" OR "school setting" OR "school settings" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "functional family therapy" OR "fft" OR "maternal child health care" OR "child health service" OR "child health services" OR "adolescent health service" OR "adolescent healthcare" OR "adolescent health care" OR "multimodal" OR "adolescent healthcare" OR "adolescent health care" OR "multimodal" OR "continuity" OR rehabilitat* OR habilitat* OR "sectorized" OR	
87.	AB("ambulatory" OR "ambulant" OR "mobile team" OR "mobile teams" OR "institutional care" OR institutionali* OR "day care" OR "day hospital" OR "day clinic" OR inpatient* OR "hospitalized" OR "hospitalised" OR outpatient* OR "out patient" OR "out patients" OR "case manager" OR "case managers" OR "case management" OR deinstitutionali* OR "family practice" OR "family practices" OR "primary health care" OR "primary healthcare" OR "primary care" OR "family physician" OR "family physicians" OR "general practice" OR "general practices" OR "general practitioner" OR "general practice" OR "general practices" OR "general practitioner" OR "general practice or OR "community mental health" OR "cmhc" OR "cmhs" OR "assertive community" OR "integrated care" OR "shared care" OR "integrated health care" OR "integrated delivery" OR "collaborative care" OR "multisystemic" OR "multi systemic" OR "school nurse" OR "school nursing" OR "school nurses" OR "school based" OR "school setting" OR "school settings" OR "school health" OR "functional family therapy" OR "fft" OR "maternal child health" OR "child health service" OR "child health services" OR "adolescent health service" OR "adolescent health services" OR "adolescent health care" OR "multimodal" OR "adolescent healthcare" OR "adolescent health care" OR "multimodal"	

"sectoral")	
2 OR 3	
Limited by: Record Type: Journal ArticleLanguage: 4 languages searched	
ViewHideDanish, English, Norwegian, SwedishDatabases:International	
Bibliography of the Social Sciences (IBSS)	
sets:	
1 AND 4 AND 5	
	2 OR 3 Limited by: Record Type:Journal ArticleLanguage:4 languages searched ViewHideDanish, English, Norwegian, SwedishDatabases:International Bibliography of the Social Sciences (IBSS)

TI = Title

AB = Abstract

* = Truncation

Patientens delaktighet:

Pubmed via	a NLM 23 May 2011	
	nt Participation - Autism	
	Search terms	
Population 91.		
91.	"severe mental illness"[TIAB] OR smi[TIAB] OR "pervasive	
	developmental"[TIAB] OR "Child Development Disorders, Pervasive"[Mesh	
	major topic] OR "Child Development Disorders, Pervasive"[MeSH Terms]	
	OR autis*[TIAB] OR asperger*[TIAB]	
Outcome:	Patient Participation	
92.	"Patient Participation"[MeSH Terms] OR "Patient Satisfaction"[MeSH	
	Terms] OR "Patient Acceptance of Health Care"[MeSH Terms] OR "Attitude	
	to Health"[MeSH Terms] OR "Nurse-Patient Relations"[MeSH Terms] OR	
	"Physician-Patient Relations"[MeSH Terms] OR	
	"Patients/psychology"[MAJR] OR "shared decision making"[TIAB] OR	
	"subjective"[TI] OR "personal autonomy"[MeSH Terms] OR	
	("perspective"[TI] OR "perspectives"[TI] OR "involvement"[TI] OR	
	"centered"[TI]) AND ("consumer"[TI] OR "consumers"[TI] OR "patient"[TI]	
	OR "patients"[TI] OR "parent"[TI] OR "parents"[TI] OR "family"[TI] OR	
	"relatives"[TI] OR "sibling"[TI] OR "siblings"[TI] OR "spouse"[TI] OR	
	"spouses"[TI])	
Study type	es: Qualitative	
93.	"qualitative research"[MeSH Terms] OR "qualitative"[TIAB] OR "grounded	
	theory"[TIAB] OR phenomenogra*[TIAB] OR phenomenologi*[TIAB] OR	
	hermeneutic[TIAB] OR meaning[TIAB] OR "lived experience"[TIAB] OR	
	phenomenology[TIAB] OR "content analysis"[TIAB] OR ethogra*[TIAB] OR	
	etnogra*[TIAB] OR "social systems theory"[TIAB] OR "interview,	
	psychological"[MeSH Terms] OR "interview"[TIAB] OR "interviews"[TIAB]	
	OR "interviewing"[TIAB] OR "interviewed"[TIAB] OR "interviews as	
	topic"[MeSH Terms] OR "questionnaires"[MeSH Terms] OR "comparative	
	study"[publication type] OR "review"[publication type] OR	
	"systematic"[SB] OR "Patient Compliance"[MeSH Terms] OR "Guideline	
	Adherence"[MeSH Terms] OR "Randomized Controlled Trial"[PT] OR	
	"Cohort Studies"[MeSH Terms]	
Limits: Lar	nguage	
94.	Limits: english, german, danish, norwegian, swedish	
Combined	l sets	
95.	1 AND 2 AND 3 AND 4	

[MeSH Terms] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[MeSH:NoExp] = Does not include terms found below this term in the MeSH hierarchy

[MAJR] = MeSH Major Topic

[TI] = Title

[TIAB] = Title or abstract

[PT] = Publication type

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

	EBSCO 24 March 2011 Participation - Autism	
	Search terms	
Population:		
96.	DE "Pervasive Developmental Disorders" OR DE "Aspergers Syndrome" OR	
	DE "Autism" OR TX "autism" OR TX "autistic" OR TX "asperger" OR TX	
	"aspergers" OR TX "severe mental illness" OR TX "smi" OR TX "pervasive	
	developmental"	
Outcome: Pa	atient Participation	
97.	DE "client participation" OR DE "client satisfaction" OR DE "group decision	
	making" OR KW "shared decision making" OR DE "decision making" OR DE	
	"preferences" OR DE "empowerment" OR ((TI "perspective" OR TI	
	"perspectives" OR TI "involvement" OR TI "centered") AND (TI "consumer"	
	OR TI "consumers" OR TI "patient" OR TI "patients" OR TI "parent" OR TI	
	"parents" OR TI "family" OR TI "relatives" OR TI "sibling" OR TI "siblings" OR	
	TI "spouse" OR TI "spouses"))	
Study types:	: Qualitative	
98.	DE "Qualitative Research" or DE "Experimental Design" OR DE "Between	
	Groups Design" OR DE "Cohort Analysis" OR DE "Followup Studies" OR DE	
	"Longitudinal Studies" OR DE "Repeated Measures" or DE "Grounded	
	Theory" or DE "Interviews" OR DE "Intake Interview" OR DE "Interview	
	Schedules" OR DE "Psychodiagnostic Interview" or DE "Observation	
	Methods" OR DE "Phenomenology" or DE "Hermeneutics" OR TX	
	"hermeneutic" OR TX "phenomenology" OR TX "qualitative" OR TX	
	"grounded theory" OR TX "interview" OR TX "interveiwed" OR TX	
	"interviews" OR TX "questionnaire" OR TX "questionnaires" OR DE	
	"Literature Review" OR DE "evidence based practice"	
Combined se	ets	
99.	1 AND 2 AND 3	
100.	4 AND ZT "journal"	

DE = Term from the thesaurus

TI = Title

AB = Abstract

TX = All Text. Performs a keyword search of all the database's searchable fields

ZT = Publication Type

* = Truncation

- # = An alternate spelling may contain an extra character
- " " = Citation Marks; searches for an exact phrase

Cinahl via E	BSCO 24 March 2011	
Title: Patient	t Participation - Autism	
Denulation	Search terms	
Population: 101.	MM "Child development disorders, pervasive+"	
Outcome: F	Patient Participation	
102.	MM "consumer participation" OR MM "patient satisfaction" OR MM	
	"Decision Making, Family" OR MM "Decision Making, Patient+" OR MM	
	"Decision Making, Ethical" OR MM "Professional-Patient Relations+" OR	
	MM "Professional-Client Relations" OR MM "Professional-Family	
	Relations" OR MM "empowerment" OR MM "adaptation, psychological"	
	OR MH "attitude to illness" OR MM "Schizophrenia/PF" OR MM "Child	
	development disorders, pervasive+/PF" OR MM "Parents of disabled	
	children" OR MM "Parental attitudes" OR MH "Power"	
Study type:	s: Qualitative	
103.	MH "Qualitative studies+" or MH "Experimental studies+" OR MH	
	"Empirical research" OR MH "Prospective studies+" OR MH "Grounded	
	Theory" or MH "Interviews+" OR MH "Observational methods+" OR MH	
	"Phenomenological research" OR MH "Literature Review+" OR MH	
	"Professional practice, evidence-based+" OR MH "survey research" OR MH	
	"Questionnaires"	
Limits: Date	e, Language, Publication Type	<u> </u>
104.	Limiters - Published Date from: 19950101-; Language: Danish, English,	
	German, Norwegian, Swedish; Publication Type: Journal Article	
Combined	sets	<u> </u>
105.	1 AND 2 AND 3 AND 4	

MH = Term from the "Cinahl Headings" thesaurus

MM = Exact Major Subject Heading

Hälsoekonomi autism:

Pubmed via	NLM 1 Mars 2011	
Title: Health	economic evaluations of Autism	
	Search terms	
Population	: Autism	
106.	"Child Development Disorders, Pervasive/diagnosis"[MeSH Terms] OR	
	autis*[TIAB] OR asperger*[TIAB]	
Health eco	nomics	
107.	"economics"[MeSH Terms] OR "cost"[TIAB] OR "costs"[TIAB] OR	
	"economic"[TIAB] OR "economics"[TIAB] OR "willingness to pay"[TIAB] OR	
	"qaly"[TIAB] OR "quality adjusted life years"[TIAB] OR "Quality-Adjusted	
	Life Years"[MeSH Terms]	
Combined	Combined sets	
108.	1 AND 2	

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[TIAB] = Title or abstract

* = Truncation

" " = Citation Marks; searches for an exact phrase

nic. ricali	economic evaluations of Autism
	Search terms
Population	: Autism
109.	DE "Pervasive Developmental Disorders" OR TI autis* OR TI asperg* OR AB
	autis* OR AB asperg*
Health eco	nimics
110.	DE "Costs and Cost Analysis" OR DE "Budgets" OR DE "Health Care Costs"
110.	
	OR DE "Pharmacoeconomics" OR TI ("cost" OR "costs" OR "economic" OR
	"economics" OR "willingness to pay" OR "qaly" OR "quality adjusted life
	years") OR AB ("cost" OR "costs" OR "economic" OR "economics" OR
	"willingness to pay" OR "qaly" OR "quality adjusted life years")
Combined	sets
111.	1 AND 2

DE = Term from the thesaurus

TI = Title

AB = Abstract

* = Truncation

" " = Citation Marks; searches for an exact phrase

Web of Science 1 Mars 2011			
Title: Health economic evaluations of Autism			
	Search terms		
Population:	Autism		
112.	TI=(autis* OR asperger*)		
Health ecor	Health economics		
113.	TS=(cost* OR economic* OR "willingness to pay" OR "qaly" OR "quality		
	adjusted life years")		
Combined sets			
114.	1 AND 2		

TI = Title

TS = Topic

* = Truncation

" " = Citation Marks; searches for an exact phrase

NHSEED 1 Mars 2011 (CRD & Cochrane Library via Wiley)				
Title: Health	Title: Health economic evaluations in Autism			
	Search terms			
Population:	Population: Autism			
115.	"Child Development Disorders, Pervasive"[MeSH] OR autis* OR asperger*			

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

CRD = Centre for Reviews and Dissemination

HEED 1 Mai	HEED 1 Mars 2011		
Title: Health	Title: Health economic evaluations in Autism		
	Search terms		
Population:	Population: Autism		
116.	"Child Development Disorders" OR autis* OR asperger*		

Systematiska översikter autism:

Pubmed 1 Mars 2011			
Title: Systematic reviews of Autism			
	Search terms		
Population:	Population: Autism		
117.	"Child Development Disorders, Pervasive/diagnosis"[MeSH Terms] OR		
	autis*[TIAB] OR asperger*[TIAB]		
Study types			
118.	Systematic[SB] OR "systematic review"[TIAB]		
Combined s	Combined sets		
119.	1 AND 2		

[MeSH Terms] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

[TIAB] = Title or abstract

Systematic[SB] = Filter for retrieving systematic reviews

* = Truncation

" " = Citation Marks; searches for an exact phrase

PsycInfo 1 M	Nars 2011	
Title: Systematic reviews of Autism		
	Search terms	
Population: Autism		
120.	DE "Pervasive Developmental Disorders" OR TI autis* OR TI asperg* OR AB	
	autis* OR AB asperg*	
Study types		
121.	ZC "systematic review" OR ZC "meta analysis" OR TX "systematic review"	
Combined sets		
122.	1 AND 2	
		1

DE = Term from the thesaurus

TI = Title

AB = Abstract

TX = All Text. Performs a keyword search of all the database's searchable fields

ZC = Methodology Index

* = Truncation

Embase 1 Mars 2011		
Title: Systematic reviews of Autism		
	Search terms	
Population:	Population: Autism	
123.	'autism'/exp OR autis*:ab,ti OR asperger*:ab,ti	
Health economics		
124.	[meta analysis]/lim OR [systematic review]/lim OR 'systematic review':ab,ti	
Combined a	Combined sets	
125.	1 AND 2	

/exp= Includes terms found below this term in the EMTREE hierarchy

:ti:ab = Title or abstract

/lim = Limit

* = Truncation

" " = Citation Marks; searches for an exact phrase

Cochrane Li Title: XXX	brary via Wiley 1 Mars 2011 (CDSR, HTA)	
	Search terms	
Population: Autism		
126.	"Child Development Disorders, Pervasive/diagnosis"[MeSH] OR autis* OR asperger*	

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

* = Truncation

" " = Citation Marks; searches for an exact phrase

CDSR = Cochrane Database of Systematic Review

HTA = Health Technology Assessments

Centre for Reviews and Dissemination 1 Mars 2011 (HTA)		
Title: XXX		
	Search terms	
Population: Autism		
127.	"Child Development Disorders, Pervasive/diagnosis"[MeSH] OR autis* OR asperger*	

[MeSH] = Term from the Medline controlled vocabulary, including terms found below this term in the MeSH hierarchy

- * = Truncation
- " " = Citation Marks; searches for an exact phrase
- HTA = Health Technology Assessments