



Bilaga 2.22

1 (12)

Inventering av vetenskapliga kunskapsluckor inom psykisk ohälsa 2005–2020
- insatser för att utreda, diagnostisera, förebygga och behandla psykisk ohälsa,
inklusive stödjande och organisatoriska åtgärder
rapport 335 (2021)

Bilaga 2.22 Komplementärmedicin

Utdrag från DUET:s databas med vetenskapliga kunskapsluckor

Listan i denna bilaga innehåller följande information:

Populations-kategori	Titel	Insats-kategori	Källa (endast i DUETs)	Referens	Typ av kunskapslucka	Datum
Övergripande kategori för population	Kunskaps-luckans titel	Övergripande kategori för insats	Internationell eller brittisk arbetsgrupp som tagit fram underlaget (t.ex. Cochrane, NICE, JLA, DUETs Mental Health Module editorial group)	Underlag som kunskaps-luckan hämtats från	Tre typer: - En systematisk översikt behövs - En uppdaterad systematisk översikt behövs - Fler primärstudier behövs De tre typerna återspeglar kunskapsläget sådant det såg ut vid tidpunkten för utredningen av kunskapsluckan.	Datum för när den senaste versionen av kunskaps-luckan publicerades

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Neuropsykiatriska tillstånd	Acupuncture for Attention Deficit Hyperactivity Disorder (ADHD) in children and adolescents	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Developmental, Psychosocial and Learning Problems Group	<i>Li S, Yu B, Zhou D, He C, Kang L, Wang X, Jiang S, Chen X. Acupuncture for Attention Deficit Hyperactivity Disorder (ADHD) in children and adolescents. Cochrane Database of Systematic Reviews 2011, Issue 4. Art. No.: CD007839.</i>	2011-06-29
Neuropsykiatriska tillstånd	Acupuncture for autism spectrum disorders (ASD)	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Cheuk DKL, Wong V, Chen WX. Acupuncture for autism spectrum disorders (ASD). Cochrane Database of Systematic Reviews 2011, Issue 9. Art. No.: CD007849.</i>	2011-11-14
Neuropsykiatriska tillstånd	Music therapy for people with autism spectrum disorder	Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Geretsegger M, Elefant C, Mössler KA, Gold C. Music therapy for people with autism spectrum disorder. Cochrane Database of Systematic Reviews 2014, Issue 6. Art. No.: CD004381.</i>	2014-07-07
Affektiva tillstånd	Complementary medicine, self-help and lifestyle interventions for obsessive compulsive disorder	Komplementärmedicin, Levandsvanor	Fler primärstudier behövs	Evidence update - Obsessive compulsive disorder	<i>Sarris J, Camfield D, Berk M. Complementary medicine, self-help, and lifestyle interventions for Obsessive Compulsive Disorder (OCD) and the OCD spectrum: A systematic review. Journal of Affective Disorders 2012; Vol.138. Krisanaparakornkit T, Sriraj W, Piyavhatkul N, Laopaiboon M. Meditation therapy for anxiety disorders. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD004998. Miyasaka LS, Atallah ÁN, Soares B. Valerian for anxiety disorders. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD004515. Miyasaka LS, Atallah ÁN, Soares B. Passiflora for anxiety disorder. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD004518.</i>	2013-07-25
Affektiva tillstånd	Eye movement desensitisation and reprocessing (EMDR) in obsessive compulsive disorder	Medicinteknik & Kirurgi, Komplementärmedicin, Psykologiska & Psykoterapeutiska	En systematisk översikt behövs	Evidence update - Obsessive compulsive disorder		2013-07-25

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Relaxation for depression	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Jorm AF, Morgan AJ, Hetrick SE. Relaxation for depression. Cochrane Database of Systematic Reviews 2008, Issue 4. Art. No.: CD007142.</i>	2009-07-23
Affektiva tillstånd	Meditation and yoga for depression	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	Fler primärstudier behövs	Mind Cymru	<i>Pilkington K, Kirkwood G, Rampes H, Richardson J. Yoga for depression: the research evidence. Journal of Affective Disorders. 2005;89(1-3):13-24 PMID 16185770.</i>	2007-09-11
Affektiva tillstånd	Tai Chi for depression	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	En systematisk översikt behövs	DUETs Mental Health Module Editorial Group		2009-07-23
Affektiva tillstånd	Dance movement therapy for depression	Fysioterapi & Fysisk aktivitet, Komplementärmedicin, Syssestättning & Färdighetsträning	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Meekums B, Karkou V, Nelson EA. Dance movement therapy for depression. Cochrane Database of Systematic Reviews 2015, Issue 2. Art. No.: CD009895.</i>	2015-02-19
Affektiva tillstånd	Acupuncture for depression	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Mind Cymru		2007-08-20
Affektiva tillstånd	Music therapy for depression	Komplementärmedicin, Psykologiska & Psykoterapeutiska, Syssestättning & Färdighetsträning	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Maratos A, Gold C, Wang X, Crawford M. Music therapy for depression. Cochrane Database of Systematic Reviews 2008, Issue 1. Art. No.: CD004517.</i>	2009-07-23
Affektiva tillstånd	Mindfulness-based 'third wave' cognitive and behavioural therapies versus other psychological therapies for depression	Psykologiska & Psykoterapeutiska, Komplementärmedicin	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2012-08-23
Affektiva tillstånd	Does mindfulness based cognitive therapy prevent relapse of depression?	Psykologiska & Psykoterapeutiska, Prevention, Komplementärmedicin	Fler primärstudier behövs	BMJ	<i>Kuyken W, Crane R, Dalgleish T. Does mindfulness based cognitive therapy prevent relapse of depression? BMJ. 2012. 10.1136/bmj.e7194.</i>	2012-11-09
Affektiva tillstånd	Light therapy for preventing seasonal affective disorder	Medicinteknik & Kirurgi, Komplementärmedicin	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-10-10
Schizofreni & Psykotiska tillstånd	Yoga versus standard care for schizophrenia	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Liu J, Zhang P, Tian J, Li L, Li J, Tian JH, Yang K. Ozone therapy for treating foot ulcers in people with diabetes. Cochrane Database of Systematic Reviews 2015, Issue 10. Art. No.: CD008474.</i>	2015-11-11

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Tai chi for schizophrenia	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-02-25
Schizofreni & Psykotiska tillstånd	Yoga for schizophrenia	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	En systematisk översikt behövs	Cochrane Schizophrenia Group		2013-07-24
Schizofreni & Psykotiska tillstånd	Meditation and yoga for schizophrenia	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	En systematisk översikt behövs	Mind Cymru		2007-09-11
Schizofreni & Psykotiska tillstånd	Exercise therapy for schizophrenia	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	En systematisk översikt behövs	Cochrane Schizophrenia Group		2006-09-19
Schizofreni & Psykotiska tillstånd	Dance therapy for schizophrenia	Fysioterapi & Fysisk aktivitet, Komplementärmedicin, Sysselsättning & Färdighetsträning	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Ren J, Xia J. Dance therapy for schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 10. Art. No.: CD006868.</i>	2013-11-14
Schizofreni & Psykotiska tillstånd	Ayurvedic medicine for schizophrenia	Komplementärmedicin	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Agarwal V, Abhijnhan A, Raviraj P. Ayurvedic medicine for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 4. Art. No.: CD006867.</i>	2008-02-28

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Complementary therapies for schizophrenia	Komplementärmedicin	Fler primärstudier behövs	Hafal	<p><i>Joy CB, Mumby-Croft R, Joy LA. Polyunsaturated fatty acid supplementation for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD001257.</i></p> <p><i>Elias A, Kumar A. Testosterone for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD006197.</i></p> <p><i>Ruddy R, Milnes D. Art therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD003728.</i></p> <p><i>Gold C, Heldal TO, Dahle T, Wigram T. Music therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD004025.</i></p> <p><i>Rathbone J, Xia J. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD005475.</i></p>	2007-09-11
Schizofreni & Psykotiska tillstånd	Complementary therapies for schizophrenia	Komplementärmedicin	Fler primärstudier behövs	Hafal	<p><i>Joy CB, Mumby-Croft R, Joy LA. Polyunsaturated fatty acid supplementation for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD001257.</i></p> <p><i>Elias A, Kumar A. Testosterone for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD006197.</i></p> <p><i>Ruddy R, Milnes D. Art therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD003728.</i></p> <p><i>Gold C, Heldal TO, Dahle T, Wigram T. Music therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD004025.</i></p> <p><i>Rathbone J, Xia J. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD005475.</i></p>	2007-09-10

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	What are the effects of complementary therapies for schizophrenia?	Komplementärmedicin	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Rathbone J, Xia J. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD005475.</i> <i>Ruddy R, Milnes D. Art therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD003728.</i> <i>Gold C, Heldal TO, Dahle T, Wigram T. Music therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD004025.</i>	2007-06-13
Schizofreni & Psykotiska tillstånd	Acupuncture for schizophrenia	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Shen X, Xia J, Adams CE. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 10. Art. No.: CD005475.</i>	2014-11-28
Schizofreni & Psykotiska tillstånd	Acupuncture for schizophrenia	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Hafal	<i>Rathbone J, Xia J. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD005475.</i>	2007-09-11
Schizofreni & Psykotiska tillstånd	Acupuncture for schizophrenia	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Rathbone J, Xia J. Acupuncture for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 4.</i>	2006-10-04
Schizofreni & Psykotiska tillstånd	Horticultural therapy for schizophrenia	Komplementärmedicin, Sysselsättning & Färdighetsträning	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Liu Y, Sampson S, Roberts S, Zhang G, Bo L, Wu W. Horticultural therapy for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 5. Art. No.: CD009413.</i>	2014-06-06
Schizofreni & Psykotiska tillstånd	Music therapy for people with schizophrenia and schizophrenia-like disorders	Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Mössler K, Chen X, Heldal TO, Gold C. Music therapy for people with schizophrenia and schizophrenia-like disorders. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD004025.</i>	2012-03-14
Schizofreni & Psykotiska tillstånd	Drama therapy for schizophrenia or schizophrenia-like illnesses	Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Ruddy R, Dent-Brown K. Drama therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD005378.</i>	2006-09-18
Schizofreni & Psykotiska tillstånd	Animal-assisted therapy for people with serious mental illness	Komplementärmedicin	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-01-10

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Missbruk & Beroende	Mindfulness-based interventions for substance use disorders	Psykologiska & Psykoterapeutiska, Komplementärmedicin	En systematisk översikt behövs	Cochrane Drugs and Alcohol Group		2015-07-09
Demens & Äldre	Is yoga therapy and relaxation effective for reducing stress in carers of people with dementia?	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is massage effective for the management of dementia?	Fysioterapi & Fysisk aktivitet, Komplementärmedicin, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Moyle W, Murfield JE, O'Dwyer S, Van Wyk S. The effect of massage on agitated behaviours in older people with dementia. J Clin Nurs. 2013 Mar; 22(5-6):601-10. PMID: 23164052.</i>	2015-10-29
Demens & Äldre	Dance movement therapy for dementia	Fysioterapi & Fysisk aktivitet, Komplementärmedicin, Sysselsättning & Färdighetsträning	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2014-04-08

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Are non-pharmacological or alternative therapies effective for the treatment and management of dementia (specifically including the management of behavioural and psychological symptoms)?	Komplementärmedicin	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	Seitz DP, Brisbin S, Herrmann N, Rapoport MJ, Wilson K, Gill SS, et al. Efficacy and feasibility of nonpharmacological interventions for neuropsychiatric symptoms of dementia in long term care: a systematic review. <i>Journal of the American Medical Directors Association</i> . 2012; 13(6):503-6.e2 PMID: 22342481. Dickson K, Lafortune L, Kavanagh J, Thomas J, Mays N, Erens B. Non-drug treatments for symptoms in dementia: an overview of systematic reviews of non-pharmacological interventions in the management of neuropsychiatric symptoms and challenging behaviours in patients with dementia: Policy Innovation Research Unit (PIRU)2012. http://www.piru.ac.uk/assets/files/2012-1%20PIRU%20Publication.pdf . Brodaty H, Arasaratnam C. Meta-analysis of nonpharmacological interventions for neuropsychiatric symptoms of dementia. <i>American Journal of Psychiatry</i> . 2012; 169(9):946-53 PMID: 22952073. Spector A, Orrell M, Goyder J. A systematic review of staff training interventions to reduce the behavioural and psychological symptoms of dementia. <i>Ageing Res Rev</i> . 2013; 12(1):354-64.22 PMID: 22820151. Lawrence V, Fossey J, Ballard C, Moniz-Cook E, Murray J. Improving quality of life for people with dementia in care homes: making psychosocial interventions work. <i>British Journal of Psychiatry</i> . 2012; 201(5):344-51 http://bjp.rcpsych.org/content/bjprcpsych/201/5/344.full.pdf .	2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	How effective is dementia friendly design including signage/changes of scenery/larger sitting spaces/positioning of light in care homes on the quality of life/management of behavioural issues/symptoms in people with dementia?	Komplementärmedicin, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is pet therapy effective for the management of dementia?	Komplementärmedicin, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Art therapy for people with dementia	Komplementärmedicin, Psykologiska & Psykoterapeutiska, Sysselsättning & Färdighetsträning	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2014-05-19
Demens & Äldre	Can 'mind puzzles' help delay the onset of dementias?	Komplementärmedicin, Sysselsättning & Färdighetsträning	Fler primärstudier behövs	PEOPPLE project		2013-03-13
Demens & Äldre	Music therapy for people with dementia	Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska, Omsorg & Boende	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Vink AC, Bruinsma MS, Scholten RJPM. Music therapy for people with dementia. Cochrane Database of Systematic Reviews 2004, Issue 3. Art. No.: CD003477.</i>	2011-07-25
Demens & Äldre	Is music, e.g. singing, playing recordings, or playing instruments, effective in helping to manage symptoms of dementia/QoL/progression of the disease?	Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Light therapy for improving cognition, activities of daily living, sleep, challenging behaviour, and psychiatric disturbances in dementia	Medicinteknik & Kirurgi, Komplementärmedicin	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Forbes D, Blake CM, Thiessen EJ, Peacock S, Hawranik P. Light therapy for improving cognition, activities of daily living, sleep, challenging behaviour, and psychiatric disturbances in dementia. Cochrane Database of Systematic Reviews 2014, Issue 2. Art. No.: CD003946.</i>	2014-03-17
Demens & Äldre	Is light therapy effective for the management of dementia?	Medicinteknik & Kirurgi, Komplementärmedicin	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Forbes D, Blake CM, Thiessen EJ, Peacock S, Hawranik P. Light therapy for improving cognition, activities of daily living, sleep, challenging behaviour, and psychiatric disturbances in dementia. Cochrane Database of Systematic Reviews 2014, Issue 2. Art. No.: CD003946.</i>	2015-10-29
Övrig psykisk ohälsa	Massage for promoting mental and physical health in typically developing infants under the age of six months	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Bennett C, Underdown A, Barlow J. Massage for promoting mental and physical health in typically developing infants under the age of six months. Cochrane Database of Systematic Reviews 2013, Issue 4. Art. No.: CD005038.</i>	2013-05-02
Övrig psykisk ohälsa	Acupuncture for insomnia	Komplementärmedicin, Medicinteknik & Kirurgi	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Cheuk DKL, Yeung W-F, Chung K, Wong V. Acupuncture for insomnia. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD005472.</i>	2012-09-13
Somatisk sjukdom	Bright light therapy for patients at risk of delirium	Medicinteknik & Kirurgi, Prevention, Komplementärmedicin	Fler primärstudier behövs	Evidence Update - Delirium	<i>Ono H, Taguchi T, Kido Y, Fujino Y, Doki Y. The usefulness of bright light therapy for patients after oesophagectomy. Intensive Crit Care Nurs. 2011 Jun;27(3):158-66. Forbes D, Culum I, Lischka AR, Morgan DG, Peacock S, Forbes J, Forbes S. Light therapy for managing cognitive, sleep, functional, behavioural, or psychiatric disturbances in dementia. Cochrane Database of Systematic Reviews 2009, Issue 4. Art. No.: CD003946.</i>	2012-02-27

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Somatisk sjukdom	Dance/movement therapy for improving psychological and physical outcomes in cancer patients	Fysioterapi & Fysisk aktivitet, Komplementärmedicin	Fler primärstudier behövs	Cochrane Gynaecological Cancer Group	<i>Bradt J, Shim M, Goodill SW. Dance/movement therapy for improving psychological and physical outcomes in cancer patients. Cochrane Database of Systematic Reviews 2015, Issue 1. Art. No.: CD007103.</i>	2015-01-07
Somatisk sjukdom	Mindfulness-based stress reduction for women diagnosed with breast cancer	Psykologiska & Psykoterapeutiska, Komplementärmedicin	En systematisk översikt behövs	Cochrane Breast Cancer Group		2015-04-16
Somatisk sjukdom	Music for stress and anxiety reduction in coronary heart disease	Komplementärmedicin, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	NHS Evidence - Cardiovascular Collection	<i>Bradt J, Dileo C, Potvin N. Music for stress and anxiety reduction in coronary heart disease patients. Cochrane Database of Systematic Reviews 2013, Issue 12. Art. No.: CD006577.</i>	2010-05-04
Graviditet & Förlossning	Psychosocial and cultural interventions for reducing alcohol consumption during lactation	Prevention, Levnadsvanor, Stöd & Information, Komplementärmedicin	En systematisk översikt behövs	Cochrane Drugs and Alcohol Group		2012-04-10

