



## Bilaga 2.28

1 (9)

Inventering av vetenskapliga kunskapsluckor inom psykisk ohälsa 2005–2020  
- insatser för att utreda, diagnostisera, förebygga och behandla psykisk ohälsa,  
inklusive stödjande och organisatoriska åtgärder  
rapport 335 (2021)

### Bilaga 2.28 Omsorg och boende

Utdrag från DUET:s databas med vetenskapliga kunskapsluckor

Listan i denna bilaga innehåller följande information:

Populations-kategori	Titel	Insats-kategori	Källa (endast i DUETs)	Referens	Typ av kunskapslucka	Datum
Övergripande kategori för population	Kunskaps-luckans titel	Övergripande kategori för insats	Internationell eller brittisk arbetsgrupp som tagit fram underlaget (t.ex. Cochrane, NICE, JLA, DUETs Mental Health Module editorial group)	Underlag som kunskaps-luckan hämtats från	Tre typer: - En systematisk översikt behövs - En uppdaterad systematisk översikt behövs - Fler primärstudier behövs  De tre typerna återspeglar kunskapsläget sådant det såg ut vid tidpunkten för utredningen av kunskapsluckan.	Datum för när den senaste versionen av kunskaps-luckan publicerades

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Specialist interventions for homeless people with severe mental illness	Omsorg & Boende, Organisation	En systematisk översikt behövs	Cochrane Schizophrenia Group		2013-01-15
Schizofreni & Psykotiska tillstånd	Is providing treatment for psychosis and substance misuse services within staffed accommodation more cost-effective than a combination of hospital and home treatment?	Omsorg & Boende, Organisation	Fler primärstudier behövs	NICE Clinical Guideline Psychosis with coexisting substance misuse	<i>National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2011-03-31
Schizofreni & Psykotiska tillstånd	Are environmental interventions clinically and cost effective when compared with standard care for people with psychosis and coexisting substance misuse?	Organisation, Omsorg & Boende	Fler primärstudier behövs	NICE Clinical Guideline Psychosis with coexisting substance misuse	<i>National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2011-03-31
Demens & Äldre	Is massage effective for the management of dementia?	Fysioterapi & Fysisk aktivitet, Komplementärmedicin, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Moyle W, Murfield JE, O'Dwyer S, Van Wyk S. The effect of massage on agitated behaviours in older people with dementia. J Clin Nurs. 2013 Mar; 22(5-6):601-10. PMID: 23164052.</i>	2015-10-29
Demens & Äldre	How effective is dementia friendly design including signage/changes of scenery/larger sitting spaces/positioning of light in care homes on the quality of life/management of behavioural issues/symptoms in people with dementia?	Komplementärmedicin, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is pet therapy effective for the management of dementia?	Komplementärmedicin, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Music therapy for people with dementia	Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska, Omsorg & Boende	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Vink AC, Bruinsma MS, Scholten RJPM. Music therapy for people with dementia. Cochrane Database of Systematic Reviews 2004, Issue 3. Art. No.: CD003477.</i>	2011-07-25

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Is music, e.g. singing, playing recordings, or playing instruments, effective in helping to manage symptoms of dementia/QoL/progression of the disease?	Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Can the provision of safe glasses, specially designed to minimise accidents, be beneficial for maintaining sight in people with dementia, compared to removal of glasses to avoid accidents?	Medicinteknik & Kirurgi, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is telecare effective for maintaining independence in people with dementia living at home for as long as possible?	Medicinteknik & Kirurgi, Omsorg & Boende, Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Lins S, Hayder-Beichel D, Rücker G, Motschall E, Antes G, Meyer G, Langer G. Efficacy and experiences of telephone counselling for informal carers of people with dementia. Cochrane Database of Systematic Reviews 2014, Issue 9. Art. No.: CD009126.</i>	2015-10-29
Demens & Äldre	How cost-effective is Extra care housing compared to residential care for people with dementia and how does it compare in terms of costs to all stakeholders and quality of life outcomes?	Omsorg & Boende	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the characteristics of a good care home for people with dementia and how can standards of care in care homes be improved and monitored?	Omsorg & Boende	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership	<i>Maayan N, Soares-Weiser K, Lee H. Respite care for people with dementia and their carers. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD004396.</i>	2015-10-29
Demens & Äldre	Interventions for preventing and reducing the use of physical restraints in long-term geriatric care	Omsorg & Boende	Fler primärstudier behövs	Dementia and Cognitive Improvement Group	<i>Möhler R, Richter T, Köpke S, Meyer G. Interventions for preventing and reducing the use of physical restraints in long-term geriatric care. Cochrane Database of Systematic Reviews 2011, Issue 2. Art. No.: CD007546.</i>	2011-06-29
Demens & Äldre	Are specialist care homes/facilities (compared to usual care) for people with dementia more effective at maintaining quality of life, quality of care for people with dementia at all stages of the disease?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	How can general housing be adapted/designed to help people with dementia remain in their own homes and enhance quality of life for people with dementia and their carers?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>NOKR. Effect of day care centres for people with dementia: NOKR (Norwegian Knowledge Centre for the Health Services)2011</i> <a href="http://www.kunnskapssenteret.no/en/publications/effect-of-day-care-centers-for-people-with-dementia--184658">http://www.kunnskapssenteret.no/en/publications/effect-of-day-care-centers-for-people-with-dementia--184658</a> .	2015-10-29
Demens & Äldre	How cost-effective to society and a person with dementia or their carers is home care, with or without professional care support compared to residential care/nursing home care for people with dementia at all stages of the disease?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How does Extra care housing for people with dementia compare to residential care in terms of costs to all stakeholders and quality of life outcomes?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How does home care (with or without professional care support) compare to residential care/nursing home care for people with dementia in terms of outcomes (quality of life/behavioural issues, agitation, anxiety, physical function)/progression of the disease/life expectancy at all stages of the disease?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How effective are models of housing and care used in other countries in supporting care in the community for people with dementia?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is it better for dementia patients to be admitted to residential/nursing care at an earlier or later stage of the progression of the disease in terms of outcomes/trauma to the patient?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What are the best ways to care for people with dementia living alone at home?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Cameron ID, Gillespie LD, Robertson MC, Murray GR, Hill KD, Cumming RG, Kerse N. Interventions for preventing falls in older people in care facilities and hospitals. Cochrane Database of Systematic Reviews 2012, Issue 12. Art. No.: CD005465.</i> <i>Gillespie LD, Robertson MC, Gillespie WJ, Sherrington C, Gates S, Clemson LM, Lamb SE. Interventions for preventing falls in older people living in the community. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD007146.</i> <i>Kim DH, Brown RT, Ding EL, Kiel DP, Berry SD. Dementia medications and risk of falls, syncope, and related adverse events: Meta-analysis of randomized controlled trials. Journal of the American Geriatrics Society. 2011; 59(6):1019-31 PMID: 21649634.</i>	2015-10-29
Demens & Äldre	What are the factors that support care of people with dementia in their own homes for as long as possible?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Robinson L, Dickinson C, Rousseau N, Beyer F, Clark A, Hughes J, et al. A systematic review of the effectiveness of advance care planning interventions for people with cognitive impairment and dementia. Age and Ageing. 2012; 41(2):263-9 PMID: 22156555.</i>	2015-10-29
Demens & Äldre	Does a move from a familiar environment compared to not moving, impact negatively on the person with dementia and does this apply at all stages of the disease?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Are activities for people with dementia effective in management of mood, behaviour, anxiety, agitation in people with dementia, and can they reduce the need for psychoactive drugs?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Woods B, Aguirre E, Spector AE, Orrell M. Cognitive stimulation to improve cognitive functioning in people with dementia. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD005562.</i>	2015-10-29
Demens & Äldre	How effective is a regular routine and consistent environment for managing symptoms?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Does assistance with feeding/drinking by carers/care staff of people with dementia improve food intake and improve other outcomes?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Hanson LC, Ersek M, Gilliam R, Carey TS. : a systematic review. Journal of the American Geriatrics Society. 2011; 59(3):463-72 PMID: 21391936.</i>	2015-10-29
Demens & Äldre	What are the most effective design features for producing dementia friendly environments at both the housing and neighbourhood levels?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2013-08-21
Demens & Äldre	What is the best way to care for people with advanced dementia (with or without other illnesses) at the end of life?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Hall S, Koliakou A, Petkova H, Froggatt K, Higginson IJ. Interventions for improving palliative care for older people living in nursing care homes. Cochrane Database of Systematic Reviews 2011, Issue 3. Art. No.: CD007132.</i>	2013-08-21
Demens & Äldre	How effective are different models of housing with care/Extra care housing supporting people living with dementia on quality of life/outcomes and their carers?	Omsorg & Boende	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Non-pharmacological interventions that allow safe wandering for people with dementia	Omsorg & Boende, Medicinteknik & Kirurgi, Boende	Fler primärstudier behövs	Health Technology Assessment	<i>Hermans D, Htay UH, McShane R. Non-pharmacological interventions for wandering of people with dementia in the domestic setting. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD005994.</i>	2009-09-10
Demens & Äldre	What are the most effective ways to manage wandering in people with dementia?	Omsorg & Boende, Medicinteknik & Kirurgi	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is it better for young/early onset patients with dementia to be cared for with other young/early onset patients instead of in care homes/units with more elderly patients in terms of quality of life and outcomes?	Omsorg & Boende, Organisation	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Are people with dementia better cared for in care homes/mental health units with other dementia patients or with non dementia sufferers for progression of the disease, quality of life?	Omsorg & Boende, Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Can the removal of dental amalgam from teeth be effective to help prevent/delay onset of dementia?	Prevention, Medicinteknik & Kirurgi, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What strategies are effective for prevention of falls in people with dementia (in all settings)?	Prevention, Medicinteknik & Kirurgi, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is social interaction effective at preventing or delaying the onset of dementia, including the type of factors in the social environment that are most effective?	Prevention, Psykologiska & Psykoterapeutiska, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Are strategies to prevent physical trauma (brain/head injury) effective for the prevention of dementia, including in those with a family history/genetic risk factors for dementia?	Prevention, Vård- & Behandlingsalternativ, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Could reduction/modification of environmental factors prevent/delay the onset of dementia?	Prevention, Vård- & Behandlingsalternativ, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Woods B, Aguirre E, Spector AE, Orrell M. Cognitive stimulation to improve cognitive functioning in people with dementia. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD005562.</i> <i>Bahar-Fuchs A, Clare L, Woods B. Cognitive training and cognitive rehabilitation for mild to moderate Alzheimer's disease and vascular dementia. Cochrane Database of Systematic Reviews 2013, Issue 6. Art. No.: CD003260.</i> <i>Letts L, Edwards M, Berenyi J, Moros K, O'Neill C, O'Toole C, McGrath C. American Journal of Occupational Therapy. 2011; 65(5):497-504 PMID: 22026317.</i>	2015-10-29
Demens & Äldre	What are the most effective and cost effective ways of supporting people with dementia living at home and their carers?	Vård- & Behandlingsalternativ, Omsorg & Boende	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What activities and care packages are beneficial for younger/early onset people with dementia in the community and in care homes?	Vård- & Behandlingsalternativ, Omsorg & Boende, Sysselsättning & Färdighetsträning	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the optimum ways to care for people with dementia with other chronic health problems?	Vård- & Behandlingsalternativ, Omsorg & Boende	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Övrig psykisk ohälsa	How effective would a helpline/phone line people with dementia and carers be for maintaining independence in people with dementia living at home and reducing stress on carers?	Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Lins S, Hayder-Beichel D, Rücker G, Motschall E, Antes G, Meyer G, Langer G. Efficacy and experiences of telephone counselling for informal carers of people with dementia. Cochrane Database of Systematic Reviews 2014, Issue 9. Art. No.: CD009126.</i>	2015-10-29



