



## Bilaga 2.32

1 (32)

Inventering av vetenskapliga kunskapsluckor inom psykisk ohälsa 2005–2020  
- insatser för att utreda, diagnostisera, förebygga och behandla psykisk ohälsa,  
inklusive stödjande och organisatoriska åtgärder  
rapport 335 (2021)

### Bilaga 2.32 Vård- och behandlingsalternativ

Utdrag från DUET:s databas med vetenskapliga kunskapsluckor

Listan i denna bilaga innehåller följande information:

Populations-kategori	Titel	Insats-kategori	Källa (endast i DUETs)	Referens	Typ av kunskapslucka	Datum
Övergripande kategori för population	Kunskaps-luckans titel	Övergripande kategori för insats	Internationell eller brittisk arbetsgrupp som tagit fram underlaget (t.ex. Cochrane, NICE, JLA, DUETs Mental Health Module editorial group)	Underlag som kunskaps-luckan hämtats från	Tre typer: - En systematisk översikt behövs - En uppdaterad systematisk översikt behövs - Fler primärstudier behövs  De tre typerna återspeglar kunskapsläget sådant det såg ut vid tidpunkten för utredningen av kunskapsluckan.	Datum för när den senaste versionen av kunskaps-luckan publicerades

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Neuropsykiatriska tillstånd	Long term effects of pharmacological and non-pharmacological treatment for childhood attention deficit-hyperactivity disorder (ADHD)	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Evidence Update - attention deficit hyperactivity disorder	<i>Shaw M, Hodgkins P, Caci H et al. (2012) A systematic review and analysis of long-term outcomes in attention deficit hyperactivity disorder: effects of treatment and non-treatment. BMC medicine 10:99 <a href="http://www.biomedcentral.com/1741-7015/10/99">http://www.biomedcentral.com/1741-7015/10/99</a>.</i>	2013-05-13
Neuropsykiatriska tillstånd	Do additional assessments improve accuracy in diagnosing autism among preschool children compared with signs and symptoms alone?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Clinical Guideline Autism spectrum disorders in children and young people	<i>National Collaborating Centre for Women's and Children's Health (2011) Autism spectrum disorders in children and young people. Clinical Guideline. London: National Institute for Health and Clinical Excellence.</i>	2011-09-30
Neuropsykiatriska tillstånd	What is the safety and effectiveness of drugs compared to talking therapies to treat anxiety in children and young people with Autistic Spectrum Disorders?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	JLA Survey	<i>Lang R, Regester A, Lauderale S, Ashbaugh K, Haring A. Treatment of anxiety in autism spectrum disorders using cognitive behaviour therapy: A systematic review. Developmental Neurorehabilitation. 2010. 13(1): 53-63 PMID:20067346.</i>	2014-06-23
Neuropsykiatriska tillstånd	What strategies are effective in improving uptake of and engagement with interventions for conduct disorders?	Stöd & Information, Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Clinical Guideline Conduct disorders in children and young people (CG158)	<i>National Institute for Health and Clinical Excellence (2013) Conduct disorders in children and young people (CG158). Clinical Guideline CG158. London: National Institute for Health and Clinical Excellence.</i>	2013-04-15
Neuropsykiatriska tillstånd	What is the effectiveness of interventions to maintain the benefits of treatment and prevent relapse after successful treatment for conduct disorder?	Vård- & Behandlingsalternativ, Stöd & Information, Prevention	Fler primärstudier behövs	NICE Clinical Guideline Conduct disorders in children and young people (CG158)	<i>National Institute for Health and Clinical Excellence (2013) Conduct disorders in children and young people (CG158). Clinical Guideline CG158. London: National Institute for Health and Clinical Excellence.</i>	2013-04-15
Affektiva tillstånd	Psychological therapies versus pharmacological interventions for panic disorder with or without agoraphobia in adults	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-08-26

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	For people with a common mental health disorder, is the use of a simple algorithm when compared with a standard clinical assessment, more clinically and cost effective?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Clinical Guideline Common mental health disorders	<i>National Collaborating Centre for Mental Health (2011) Common mental health disorders. Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2011-05-31
Affektiva tillstånd	In people with a common mental health disorder, what is the clinical utility of routine outcome measurement and is it cost effective compared with standard care?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Clinical Guideline Common mental health disorders	<i>National Collaborating Centre for Mental Health (2011) Common mental health disorders. Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2011-05-31
Affektiva tillstånd	Comprehensive assessment versus a brief assessment conducted by mental health professional versus a brief assessment by conducted by a paraprofessional?	Diagnostik & Utredning, Vård- & Behandlingsalternativ, Organisation	Fler primärstudier behövs	NICE Clinical Guideline Common mental health disorders	<i>National Collaborating Centre for Mental Health (2011) Common mental health disorders. Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2011-05-31
Affektiva tillstånd	For people with both anxiety and depression, which disorder should be treated first to improve their outcomes?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Clinical Guideline Common mental health disorders	<i>National Collaborating Centre for Mental Health (2011) Common mental health disorders. Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2011-05-31
Affektiva tillstånd	Postdischarge interventions for depression	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2015-05-05
Affektiva tillstånd	Continuation and maintenance treatments for depressive disorder in older adults	Vård- & Behandlingsalternativ	En systematisk översikt behövs	DUETs Mental Health Module Editorial Group		2009-07-23
Affektiva tillstånd	Interventions for preventing relapse and recurrence after the first episode of a depressive disorder in young people	Vård- & Behandlingsalternativ	En systematisk översikt behövs	DUETs Mental Health Module Editorial Group		2009-07-23
Affektiva tillstånd	Interventions for preventing relapse and recurrence of a depressive disorder in children and adolescents	Vård- & Behandlingsalternativ, Prevention	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Cox GR, Fisher CA, De Silva S, Phelan M, Akinwale OP, Simmons MB, Hetrick SE. Interventions for preventing relapse and recurrence of a depressive disorder in children and adolescents. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD007504.</i>	2012-11-16
Affektiva tillstånd	Is drug therapy more effective than psychotherapy in treating emotional distress?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Mental Health Research Network Cymru		2007-03-12

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Interventions for generalised anxiety disorder in older people with cognitive decline	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Evidence Update - Generalised anxiety disorder in adults	<i>Goncalves DC, Byrne GJ. Interventions for generalized anxiety disorder in older adults: Systematic review and meta-analysis. Journal of anxiety disorders. 2012; (26;1):1-11.</i>	2012-07-09
Schizofreni & Psykotiska tillstånd	Treatments for delusional disorder	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Skelton M, Khokhar WA, Thacker SP. Treatments for delusional disorder. Cochrane Database of Systematic Reviews 2015, Issue 5. Art. No.: CD009785.</i>	2015-06-10
Schizofreni & Psykotiska tillstånd	Treatments for primary delusional infestation	Vård- & Behandlingsalternativ, Organisation	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-11-18
Schizofreni & Psykotiska tillstånd	Interventions for psychosis in adolescents	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Schizophrenia Group		2010-01-12
Schizofreni & Psykotiska tillstånd	How can the benefits of early intervention in psychosis services be maintained once service users are discharged after 3 years?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Clinical Guideline Psychosis and schizophrenia in adults (CG178)	<i>National Collaborating Centre for Mental Health (2014) Psychosis and schizophrenia in adults (CG178). Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2014-03-25
Schizofreni & Psykotiska tillstånd	What are the short- and long-term benefits to physical health of guided medication discontinuation and/or reduction in first episode psychosis and can this be achieved without major risks?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Clinical Guideline Psychosis and schizophrenia in adults (CG178)	<i>National Collaborating Centre for Mental Health (2014) Psychosis and schizophrenia in adults (CG178). Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2014-03-25
Schizofreni & Psykotiska tillstånd	Compliance therapy for schizophrenia	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>McIntosh AM, Conlon L, Lawrie SM, Stanfield AC. Compliance therapy for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD003442.</i>	2008-02-28
Schizofreni & Psykotiska tillstånd	Intermittent drug techniques for schizophrenia	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Sampson S, Mansour M, Maayan N, Soares-Weiser K, Adams CE. Intermittent drug techniques for schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD006196.</i>	2008-02-11

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Are doctors favouring different drugs for the same condition on the basis of financial incentives?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Mind Cymru	<i>Sturm H, Austvoll-Dahlgren A, Aaserud M, Oxman AD, Ramsay C, Vernby A, Kösters JP. Pharmaceutical policies: effects of financial incentives for prescribers. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD006731.</i>	2007-11-19
Schizofreni & Psykotiska tillstånd	What is the best way to treat people with schizophrenia un-responsive to treatment?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2.</i>	2007-11-08
Schizofreni & Psykotiska tillstånd	What is the best way of responding, in the short term, to severe challenging behaviour and agitation in relation to the use of anti-psychotics in schizophrenia?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Mind Cymru	<i>Muralidharan S, Fenton M. Containment strategies for people with serious mental illness. Cochrane Database of Systematic Reviews 2006, Issue 3.</i> <i>Chakrabarti A, Whicher E, Morrison M, Douglas-Hall P. 'As required' medication regimens for seriously mentally ill people in hospital. Cochrane Database of Systematic Reviews 2007, Issue 3.</i> <i>Chakrabarti A, Bagnall A, Chue P, Fenton M, Palaniswamy V, Wong W, Xia J. Loxapine for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 4.</i> <i>Belgamwar RB, Fenton M. Olanzapine IM or velotab for acutely disturbed/agitated people with suspected serious mental illnesses. Cochrane Database of Systematic Reviews 2005, Issue 2.</i> <i>Gibson RC, Fenton M, da Silva Freire Coutinho E, Campbell C. Zuclopenthixol acetate for acute schizophrenia and similar serious mental illnesses. Cochrane Database of Systematic Reviews 2004, Issue 3.</i>	2007-11-08

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Can a non-pharmaceutical treatment be the primary one for psychosis?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Mind Cymru	<i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> <i>Malmberg L, Fenton M. Individual psychodynamic psychotherapy and psychoanalysis for schizophrenia and severe mental illness. Cochrane Database of Systematic Reviews 2001, Issue 3.</i>	2007-09-11
Schizofreni & Psykotiska tillstånd	Can non-pharmaceutical treatment be used as a primary intervention in psychosis?	Vård- & behandlingsalternativ	Fler primärstudier behövs	Mind Cymru	<i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> <i>Malmberg L, Fenton M. Individual psychodynamic psychotherapy and psychoanalysis for schizophrenia and severe mental illness. Cochrane Database of Systematic Reviews 2001, Issue 3.</i>	2007-06-26
Schizofreni & Psykotiska tillstånd	Which is the best way to manage aggression in schizophrenia?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Mind Cymru		2007-04-23
Schizofreni & Psykotiska tillstånd	Advance treatment directives for people with severe mental illness	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Campbell LA, Kisely SR. Advance treatment directives for people with severe mental illness. Cochrane Database of Systematic Reviews 2009, Issue 1. Art. No.: CD005963.</i>	2006-09-19
Schizofreni & Psykotiska tillstånd	Increasing antipsychotic dose for non response in schizophrenia	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-11-09
Schizofreni & Psykotiska tillstånd	Increasing antipsychotic dose versus switching antipsychotic for non response in schizophrenia	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-11-09
Schizofreni & Psykotiska tillstånd	Rehabilitation programmes for schizophrenia	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Schizophrenia Group		2010-01-12
Schizofreni & Psykotiska tillstånd	What are my future treatment options for my schizophrenia when the medicine has not helped?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Mind Cymru		2008-03-18
Schizofreni & Psykotiska tillstånd	Does variation in treatment for patients with psychosis, which is often trial and error, affect compliance?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	DUETs Schizophrenia Module Editorial Group		2007-10-09

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	What treatments are best for insomnia whilst taking antipsychotic drugs for schizophrenia?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Hafal	<i>DeMartinis NA, Winokur A. Effects of psychiatric medications on sleep and sleep disorders. CNS Neurol Disord Drug Targets. 2007 Feb;6(1):17-29.</i>	2008-04-16
Schizofreni & Psykotiska tillstånd	Interventions for obsessive compulsive symptoms in people with schizophrenia	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Schizophrenia Group		2010-01-12
Schizofreni & Psykotiska tillstånd	'As required' medication regimens for seriously mentally ill people in hospital	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Douglas-Hall P, Whicher EV. 'As required' medication regimens for seriously mentally ill people in hospital. Cochrane Database of Systematic Reviews 2015, Issue 12. Art. No.: CD003441.</i>	2015-12-21
Schizofreni & Psykotiska tillstånd	Illness management and recovery programme for people with severe mental illness	Vård- & Behandlingsalternativ, Organisation	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-05-19
Schizofreni & Psykotiska tillstånd	Are interventions for psychosis or substance misuse clinically and cost effective when compared with standard care for people with psychosis and coexisting substance misuse?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Clinical Guideline Psychosis with coexisting substance misuse	<i>National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2011-03-31
Särskilda tillstånd	Specific psychological therapies versus other therapies or no treatment for severe and enduring anorexia nervosa	Vård- & Behandlingsalternativ, Psykologiska & Psykoterapeutiska	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2015-05-05
Särskilda tillstånd	Interventions for self-harm in children and adolescents	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Common Mental Disorders Group	<i>Hawton K, Witt KG, Taylor Salisbury TL, Arensman E, Gunnell D, Townsend E, van Heeringen K, Hazell P. Interventions for self-harm in children and adolescents. Cochrane Database of Systematic Reviews 2015, Issue 12. Art. No.: CD012013.</i>	2016-03-10
Särskilda tillstånd	Treatments (i.e. Signs of Suicide, family interventions, therapeutic assessment, dialectical behaviour therapy, cognitive behavioural therapy, pharmacological therapy) in adolescents with self-harm for prevention of recurrence	Vård- & Behandlingsalternativ, Psykologiska & Psykoterapeutiska, Läkemedel	Fler primärstudier behövs	Evidence Update - Self harm		2013-02-15

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Missbruk & Beroende	What types of injecting equipment paraphernalia and non-injecting equipment effectively and cost effectively reduce the harm associated with injecting drug use?	Prevention, Medicinteknik & Kirurgi, Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Public Health Needle and syringe programmes (PH52)	<i>National Institute for Health and Clinical Excellence (2014) Needle and syringe programmes (PH52). Public Health PH52. London: National Institute for Health and Clinical Excellence.</i>	2014-06-27
Missbruk & Beroende	How can needle and syringe programmes encourage specific groups of people who inject drugs to use the service effectively?	Prevention, Medicinteknik & Kirurgi, Vård- & Behandlingsalternativ, Organisation	Fler primärstudier behövs	NICE Public Health Needle and syringe programmes (PH52)	<i>National Institute for Health and Clinical Excellence (2014) Needle and syringe programmes (PH52). Public Health PH52. London: National Institute for Health and Clinical Excellence.</i>	2014-06-27
Missbruk & Beroende	What type of behaviour-change interventions delivered by needle and syringe programmes are effective in promoting safer drug use practices and reducing the incidence of overdose?	Prevention, Organisation, Vård- & Behandlingsalternativ	Fler primärstudier behövs	NICE Public Health Needle and syringe programmes (PH52)	<i>National Institute for Health and Clinical Excellence (2014) Needle and syringe programmes (PH52). Public Health PH52. London: National Institute for Health and Clinical Excellence.</i>	2014-06-27
Missbruk & Beroende	Interventions for drug-using offenders with co-occurring mental illness	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Perry AE, Neilson M, Martyn-St James M, Glanville JM, McCool R, Duffy S, Godfrey C, Hewitt C. Interventions for drug-using offenders with co-occurring mental illness. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD010901.</i>	2014-02-10
Missbruk & Beroende	Treatment for inhalant dependence and abuse	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Konghom S, Verachai V, Srisurapanont M, Suwanmajo S, Ranuwattananon A, Kimsongneun N, Uttawichai K. Treatment for inhalant dependence and abuse. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD007537.</i>	2011-04-28
Missbruk & Beroende	What are the most effective and cost effective ways of delivering needle and syringe programmes to young people aged under 18 or users of image- and performance- enhancing drugs?	Vård- & Behandlingsalternativ, Organisation	Fler primärstudier behövs	NICE Public Health Needle and syringe programmes (PH52)	<i>National Institute for Health and Clinical Excellence (2014) Needle and syringe programmes (PH52). Public Health PH52. London: National Institute for Health and Clinical Excellence.</i>	2014-06-27
Demens & Äldre	Are nurses/nurse practitioners as effective at diagnosing dementia (and sub-types) as doctors?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership	<i>Xiao Y, Wang J, Jiang S, Luo H. Hyperbaric oxygen therapy for vascular dementia. Cochrane Database of Systematic Reviews 2012, Issue 7. Art. No.: CD009425.</i>	2015-10-29



Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Are there very early signs or precursors of dementia that could be used to indicate onset?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership	<i>Lins S, Hayder-Beichel D, Rücker G, Motschall E, Antes G, Meyer G, Langer G. Efficacy and experiences of telephone counselling for informal carers of people with dementia. Cochrane Database of Systematic Reviews 2014, Issue 9. Art. No.: CD009126.</i>	2015-10-29
Demens & Äldre	Could assessment of early childhood experiences be used to aid diagnosis of dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Does flying affect the onset/development of dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How effective is the DC-LD for diagnosis of dementia in people with learning disabilities?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is assessment of endothelial function in mild cognitive impairment (MCI) a potential route for early diagnosis of dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership	<i>Bond M, Rogers G, Peters J, Anderson R, Hoyle M, Miners A, Moxham T, Davis S, Thokala P, Wailoo A, Jeffreys M, Hyde C. The effectiveness and cost-effectiveness of donepezil, galantamine, rivastigmine and memantine for the treatment of Alzheimer's disease (review of Technology Appraisal No. 111): a systematic review and economic model. Health Technology Assessment. 2012; 16(21):1-470 PMID: 22541366.</i>	2015-10-29
Demens & Äldre	Is diagnostic assessment of dementia more accurate when the observations of carers/partners/family are incorporated into the diagnostic procedures?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership	<i>Gates NJ, Sachdev PS, Fiatarone Singh MA, Valenzuela M. Cognitive and memory training in adults at risk of dementia: a systematic review. BMC Geriatrics. 2011; 11:55 PMID: 21942932.</i>	2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Plasma and cerebrospinal fluid amyloid beta for the diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI)	Diagnostik & Utredning, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Ritchie C, Smailagic N, Noel-Storr AH, Takwoingi Y, Flicker L, Mason SE, McShane R. Plasma and cerebrospinal fluid amyloid beta for the diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). Cochrane Database of Systematic Reviews 2014, Issue 6. Art. No.: CD008782.</i>	2014-07-24
Demens & Äldre	Are longer assessments, compared to 10 minute check-ups or 30 min home visits, more effective for assessment of symptoms/progression of the disease/effect of medication?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Are there any non-invasive tests (e.g. based on saliva) effective for the diagnosis of dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Are there any screening/diagnostic tools that partners, relatives and carers can use at home over a period of time to aid diagnosis of dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Does more frequent and regular monitoring, compared to less frequent monitoring, of people with dementia and their carers by healthcare professionals improve outcomes/QoL for dementia sufferers and their carers?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can pain be identified and controlled in people with dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Hall S, Koliakou A, Petkova H, Froggatt K, Higginson IJ. Interventions for improving palliative care for older people living in nursing care homes. Cochrane Database of Systematic Reviews 2011, Issue 3. Art. No.: CD007132.</i>	2015-10-29
Demens & Äldre	How can the difference between dementia and delirium be distinguished in an acute hospital setting?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Morandi A, McCurley J, Vasilevskis EE, Fick DM, Bellelli G, Lee P, et al. Tools to detect delirium superimposed on dementia: a systematic review. Journal of the American Geriatrics Society. 2012; 60(11):2005-13. PMID: 23039270.</i>	2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	How can the difference between normal age related memory problems and dementia be distinguished?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can the difference between Parkinsons disease and dementia be diagnosed?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can the emotional needs of people with dementia best be assessed?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can you predict whether a person with mild cognitive impairment (MCI) will develop dementia or not?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Ritchie C, Smailagic N, Noel-Storr AH, Takwoingi Y, Flicker L, Mason SE, McShane R. Plasma and cerebrospinal fluid amyloid beta for the diagnosis of Alzheimer's disease dementia and other dementias in people with mild cognitive impairment (MCI). Cochrane Database of Systematic Reviews 2014, Issue 6. Art. No.: CD008782.</i>	2015-10-29
Demens & Äldre	How could an effective self-diagnosis test (or a test that could be used by family or carers at home) for dementia be developed and what would be its effects?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How effective are memory clinics for diagnosis and assessment of dementia including differential diagnosis of different types of dementia and for providing support to patients and carers?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How effective are mobile clinics for the early diagnosis of dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How effective in terms of cost and economics is it to diagnose dementia sub-types in the older 70 years plus and old old 85 years plus population?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	How effective is Functional Analysis for the management of behaviour in people with dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Moniz Cook ED, Swift K, James I, Malouf R, De Vugt M, Verhey F. Functional analysis-based interventions for challenging behaviour in dementia. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD006929.</i>	2015-10-29
Demens & Äldre	In patients with mild cognitive impairment (MCI)/normal cognition who have biomarkers for Alzheimers Disease such as hippocampal atrophy, APOE4 genes, or SPECT scan changes, does antibody treatment or vaccine treatment prevent the development of dementia.	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is diagnosis of dementia more effective when conducted by specialists or by GPs?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is screening clinically and cost-effective for improving outcomes for dementia, and what age would it be most effective to start, including in people with a family history/genetic risk factors for dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the characteristics of mild cognitive impairment (MCI) and early dementia and how can they be distinguished?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What diagnostic methods/strategies are accurate, effective and reliable for diagnosis/early diagnosis of dementia in people of different ethnicities and cultures	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What diagnostic tests are available and effective for people with acute mental illness who are also showing signs of dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What is the most effective and accurate tool for diagnosing early onset dementia in primary care?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What methods are effective to assess and monitor the effect of treatment for dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What patient or carer valued outcomes should be included in evaluation of treatment and care interventions for dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What screening tests are effective for frontotemporal dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What tests are effective and cost-effective for screening for dementia, including scans, cognitive tests, and biomarkers, for all different types of dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What tests can be used to predict whether a person will develop dementia in later life (including blood tests, cognitive tests, biomarkers, brain scans, genetic tests, new techniques) for all sub-types?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What tools are effective for Allied Health Professionals to diagnose dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What diagnostic tests/methods/strategies are clinically effective to improve diagnosis/early diagnosis of dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Papathanasiou ND, Boutsiadis A, Dickson J, Bomanji JB. Diagnostic accuracy of 123I-FP-CIT (DaTSCAN) in dementia with Lewy bodies: a meta-analysis of published studies. Parkinsonism and Related Disorders. 2012;18(3):225-9. van Harten AC, Kester MI, Visser PJ, Blankenstein MA, Pijnenburg YA, van der Flier WM, et al. Tau and p-tau as CSF biomarkers in dementia: a meta-analysis. Clinical Chemistry and Laboratory Medicine. 2011;49(3):353-66. Beynon R, Sterne JA, Wilcock G, Likeman M, Harbord RM, Astin M, et al. Is MRI better than CT for detecting a vascular component to dementia? A systematic review and meta-analysis. BMC Neurology. 2012;12:33.</i>	2013-08-21
Demens & Äldre	What is the impact of an early diagnosis of dementia and how can primary care support a more effective route to diagnosis?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2013-08-21
Demens & Äldre	How accurate, reliable, valid and cost-effective are the assessment and diagnostic tools for dementia that are currently available?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can scan availability be improved, so that all suspected dementia patients are scanned within 4 weeks?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How does the input of day to day professional care from an early stage compared to care from family/carers alone affect outcomes/quality of life/ability to stay in own home in people with dementia living at home?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is assessment of dementia more effective when conducted in a memory clinic with home visits and detailed assessments by nurses or a clinic based interview conducted by an old age psychiatrist?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Is the use of cerebral spinal fluid beneficial for diagnosis of dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the characteristics of people with dementia for whom donepezil or other acetylcholinesterase inhibitors and memantine are effective compared to those who suffer side effects, and how can treatment be optimised by linking to individual profiles?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the most effective strategies to improve diagnosis of dementia in people with learning disabilities and are different strategies needed for different syndromes and different levels of severity?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What is the energy expenditure and metabolic rate of people with dementia, including those with agitation, and what are the conversion factors required to calculate their nutritional requirements?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What tests/methods/strategies are effective to predict the rate of progression of dementia (e.g. rapid or slow progression) and response to therapy?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Would administering the Addenbrookes test rather than the MMSE by GPs lead to an earlier diagnosis of fronto-temporal dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Would memory clinics be more effective and accessible if they were part of a GP surgery?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are effective pharmacological treatments for the behavioural and psychological symptoms of dementia other than antipsychotic drugs?	Läkemedel, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Dolder CR, Nealy KL. The efficacy and safety of newer anticonvulsants in patients with dementia. Drugs and Aging. 2012; 29(8):627-37 PMID: 22734626.</i>	2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Are people with dementia better cared for in care homes/mental health units with other dementia patients or with non dementia sufferers for progression of the disease, quality of life?	Omsorg & Boende, Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is advanced care planning for both the person with dementia and carers effective for outcomes for the person with dementia (including quality of life and acute events), and for good end of life care that meets the wishes of the person with dementia?	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is person-centred care the most effective approach to caring for people with dementia in all settings?	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the most effective facilities/projects/models of care in the community to support people with dementia and their carers, mainstream and specialist projects, in enabling people with dementia to live at home for as long as possible?	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	When is the optimal time to move a person with dementia into a care home setting and how can the standard of care be improved?	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2013-08-21
Demens & Äldre	Is sedation at night for people with dementia, to allow carers to sleep, effective and what is the effect on behaviour/quality of life during the day, and time to institutionalisation?	Organisation, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Do strategies to control vascular risk factors (e.g. blood pressure (including high, low and irregular blood pressure) and cholesterol prevent/delay onset of dementia?	Prevention, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29



Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Do prevention strategies for diabetes prevent/delay the onset of dementia, including for different sub-types of dementia?	Prevention, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Cheng G, Huang C, Deng H, Wang H. Diabetes as a risk factor for dementia and mild cognitive impairment: a meta-analysis of longitudinal studies. Internal Medicine Journal. 2012; 42(5):484-91 PMID: 22372522.</i>	2015-10-29
Demens & Äldre	What are effective ways to prevent and treat hallucinations in people with dementia?	Prevention, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Are strategies to prevent physical trauma (brain/head injury) effective for the prevention of dementia, including in those with a family history/genetic risk factors for dementia?	Prevention, Vård- & Behandlingsalternativ, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Could reduction/modification of environmental factors prevent/delay the onset of dementia?	Prevention, Vård- & Behandlingsalternativ, Omsorg & Boende	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Woods B, Aguirre E, Spector AE, Orrell M. Cognitive stimulation to improve cognitive functioning in people with dementia. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD005562. Bahar-Fuchs A, Clare L, Woods B. Cognitive training and cognitive rehabilitation for mild to moderate Alzheimer's disease and vascular dementia. Cochrane Database of Systematic Reviews 2013, Issue 6. Art. No.: CD003260. Letts L, Edwards M, Berenyi J, Moros K, O'Neill C, O'Toole C, McGrath C. American Journal of Occupational Therapy. 2011; 65(5):497-504 PMID: 22026317.</i>	2015-10-29
Demens & Äldre	What techniques/methods are effective for improving the self-esteem of people with dementia?	Stöd & Information, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is cognitive stimulation effective in people with learning disabilities and dementia?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership	<i>Woods B, Aguirre E, Spector AE, Orrell M. Cognitive stimulation to improve cognitive functioning in people with dementia. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD005562.</i>	2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Interventions for preventing delirium in older people in institutional long-term care	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Clegg A, Siddiqi N, Heaven A, Young J, Holt R. Interventions for preventing delirium in older people in institutional long-term care. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD009537.</i>	2014-02-10
Demens & Äldre	Withdrawal versus continuation of chronic antipsychotic drugs for behavioural and psychological symptoms in older people with dementia	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Declercq T, Petrovic M, Azermai M, Vander Stichele R, De Sutter AIM, van Driel ML, Christiaens T. Withdrawal versus continuation of chronic antipsychotic drugs for behavioural and psychological symptoms in older people with dementia. Cochrane Database of Systematic Reviews 2013, Issue 3. Art. No.: CD007726.</i>	2013-04-04
Demens & Äldre	Are strategies to control weight (obesity, underweight and overweight) effective to prevent/delay onset of dementia, including for different sub-types of dementia?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is it better for a carer to allow the person with dementia to manage their own day to day life as best as possible (even if they are struggling) or to take over/do it for them in terms of progression of the disease/rate of deterioration?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is it better for carers to go along with the misconceptions of a person with dementia or to explain the reality in terms of reducing anxiety, agitation, quality of life, and other outcomes?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is it better to wean people with dementia off dementia medication slowly, rather than suddenly taking people off it?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is it possible to say if there is a stage of dementia when it is the optimum time to stop prescribing acetylcholinesterase inhibitors or memantine?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Is treatment/intervention as effective for early onset dementia, compared to later onset dementia?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are effective methods for dealing with apathy in dementia?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Berman K, Brodaty H, Withall A, Seeher K. Pharmacologic treatment of apathy in dementia. American Journal of Geriatric Psychiatry. 2012; 20(2):104-22 PMID: 21841459. Brodaty H, Burns K. Nonpharmacological management of apathy in dementia: a systematic review. American Journal of Geriatric Psychiatry. 2012; 20(7):549-64 PMID: 21860324.</i>	2015-10-29
Demens & Äldre	What are effective ways to care for people with dementia who are in denial about their condition (care, medical and legal routes)?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the best ways to manage incontinence in people with dementia?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the most effective and cost-effective factors in care of people with dementia that keep the person as independent as they can be while minimising stress to carers/families at every stage of the disease and in all settings e.g. at home, in care homes, in society?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the most effective methods (pharmacological and non-pharmacological) for treating younger/early onset people with dementia?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the most effective methods for treatment of mild cognitive impairment (MCI)?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What are the most effective methods to manage sleep disorders and sleep patterns in people with dementia?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the most effective ways, pharmacological and non-pharmacological, of treating and caring for different/rarer types of dementia e.g. vascular dementia, early onset, fronto-temporal, Lewy Body dementia, Picks disease?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What community facilities/projects are effective to support people with dementia and their carers?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What interventions are most likely to create a person centred culture of dementia care that meets individual care needs within care homes/hospitals and other settings?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What practical and psychological techniques are effective for carers to help people with dementia?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What treatments are effective for patients presenting with mild cognitive impairment (MCI) and raised blood homocysteine levels?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Who and at what point in the progression of dementia should discuss end of life care?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Robinson L, Dickinson C, Rousseau N, Beyer F, Clark A, Hughes J, et al. A systematic review of the effectiveness of advance care planning interventions for people with cognitive impairment and dementia. Age and Ageing. 2012; 41(2):263-9 PMID: 22156555.</i>	2015-10-29
Demens & Äldre	Non-pharmacological interventions for sleep disturbances in people with dementia	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2015-10-20
Demens & Äldre	Palliative care interventions in advanced dementia	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2015-04-16

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What interventions/techniques/facilities/staff training are of most benefit in improving the quality of life for people with dementia and their carers in all settings and at all stages of the disease?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	Lawrence V, Fossey J, Ballard C, Moniz-Cook E, Murray J. <i>Improving quality of life for people with dementia in care homes: making psychosocial interventions work. British Journal of Psychiatry.</i> 2012;201(5):344-51. Letts L, Edwards M, Berenyi J, Moros K, O'Neill C, O'Toole C, et al. <i>Using occupations to improve quality of life, health and wellness, and client and caregiver satisfaction for people with Alzheimer's disease and related dementias. American Journal of Occupational Therapy.</i> 2011;65(5):497-504. Potter R, Ellard D, Rees K, Thorogood M. <i>A systematic review of the effects of physical activity on physical functioning, quality of life and depression in older people with dementia. International Journal of Geriatric Psychiatry.</i> 2011;26(10):1000-11.	2013-08-21
Demens & Äldre	What non-pharmacological and/or pharmacological (drug) interventions are most effective for managing challenging behaviour in people with dementia?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	Cheung G, Stapelberg J. <i>Quetiapine for the treatment of behavioural and psychological symptoms of dementia (BPSD): a meta-analysis of randomised placebo-controlled trials. New Zealand Medical Journal.</i> 2011;124(1336). Seitz DP, Brisbin S, Herrmann N, Rapoport MJ, Wilson K, Gill SS, et al. <i>Efficacy and feasibility of nonpharmacological interventions for neuropsychiatric symptoms of dementia in long term care: a systematic review. Journal of the American Medical Directors Association.</i> 2012;13(6):503-6.e2. Seitz Dallas P, Adunuri N, Gill Sudeep S, Gruneir A, Herrmann N, Rochon P. <i>Antidepressants for agitation and psychosis in dementia. Cochrane Database of Systematic Reviews: Reviews.</i> 2011; Issue 2. Dickson K, Lafortune L, Kavanagh J, Thomas J, Mays N, Erens B. <i>Non-drug treatments for</i>	2013-08-21

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
					<p><i>symptoms in dementia: an overview of systematic reviews of non-pharmacological interventions in the management of neuropsychiatric symptoms and challenging behaviours in patients with dementia: Policy Innovation Research Unit (PIRU) 2012.</i></p> <p><i>Seitz DP, Brisbin S, Herrmann N, Rapoport MJ, Wilson K, Gill SS, et al. Efficacy and feasibility of nonpharmacological interventions for neuropsychiatric symptoms of dementia in long term care: a systematic review. Journal of the American Medical Directors Association. 2012;13(6):503-6.e2.</i></p> <p><i>Brodsky H, Arasaratnam C. Meta-analysis of nonpharmacological interventions for neuropsychiatric symptoms of dementia. American Journal of Psychiatry. 2012;169(9):946-53.</i></p> <p><i>Spector A, Orrell M, Goyder J. A systematic review of staff training interventions to reduce the behavioural and psychological symptoms of dementia. Ageing Res Rev. 2013;12(1):354-64.</i></p> <p><i>Lawrence V, Fossey J, Ballard C, Moniz-Cook E, Murray J. Improving quality of life for people with dementia in care homes: making psychosocial interventions work. British Journal of Psychiatry. 2012;201(5):344-51.</i></p> <p><i>Fung JK, Tsang HW, Chung RC. A systematic review of the use of aromatherapy in treatment of behavioral problems in dementia. Geriatrics and Gerontology International. 2012;12(3):372-82.</i></p> <p><i>Cadth et al 2012. Therapy dogs and horses for mental health: a review of the clinical effectiveness. Canadian Agency for Drugs and Technologies in Health Xiao Y, Wang J, Jiang S, Luo H. Hyperbaric oxygen therapy for vascular</i></p>	

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
					<p>dementia. <i>Cochrane Database of Systematic Reviews: Reviews</i>. 2012; Issue 7.</p> <p>Pitkälä K, Raivio M, Strandberg T, Savikko N, Laakkonen ML. Efficacy of physical exercise intervention on mobility and physical functioning in older people with dementia: A systematic review. <i>Exp Gerontol</i>. 2013;48(1):85-93.</p> <p>Littbrand H, Stenvall M, Rosendahl E. Applicability and effects of physical exercise on physical and cognitive functions and activities of daily living among people with dementia: a systematic review. <i>American Journal of Physical Medicine and Rehabilitation</i>. 2011;90(6):495-518.</p> <p>Potter R, Ellard D, Rees K, Thorogood M. A systematic review of the effects of physical activity on physical functioning, quality of life and depression in older people with dementia. <i>International Journal of Geriatric Psychiatry</i>. 2011;26(10):1000-11.</p> <p>Blankevoort CG, van Heuvelen MJ, Boersma F, Luning H, de Jong J, Scherder EJ. Review of effects of physical activity on strength, balance, mobility and ADL performance in elderly subjects with dementia. <i>Dementia and Geriatric Cognitive Disorders</i>. 2010;30(5):392-402.</p> <p>Kiepe MS, Stockigt B, Keil T. Effects of dance therapy and ballroom dances on physical and mental illnesses: a systematic review. <i>Arts in Psychotherapy</i>. 2012;39(5):404-11.</p> <p>Subramaniam P, Woods B. The impact of individual reminiscence therapy for people with dementia: systematic review. <i>Expert Review of Neurotherapeutics</i>. 2012;12(5):545-55.</p> <p>Woods RT, Bruce E, Edwards RT, Elvish R, Hoare Z, Hounsome B, et al. REMCARE: reminiscence groups for people with dementia and their</p>	

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
					<p><i>family caregivers - effectiveness and cost. HTTP:\\www.hta.ac.uk/fullmono/mon1648.pdf. Kim SY, Yoo EY, Jung MY, Park SH, Park JH. A systematic review of the effects of occupational therapy for persons with dementia: a meta-analysis of randomized controlled trials. NeuroRehabilitation. 2012;31(2):107-15. Patera N, Piso B. [Occupational therapy for dementia and depression]. Vienna: Ludwig Boltzmann Institut fuer Health Technology Assessment (LBIHTA); 2012. Woods B, Aguirre E, Spector AE, Orrell M. Cognitive stimulation to improve cognitive functioning in people with dementia. Cochrane Database of Systematic Reviews. 2012(2). Letts L, Edwards M, Berenyi J, Moros K, O'Neill C, O'Toole C, et al. Using occupations to improve quality of life, health and wellness, and client and caregiver satisfaction for people with Alzheimer's disease and related dementias. American Journal of Occupational Therapy. 2011;65(5):497-504.</i></p>	
Demens & Äldre	Personally-tailored activities for improving psychosocial outcomes for people with dementia in community settings	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2013-06-06
Demens & Äldre	Can the benefits of drug treatment for dementia be prolonged by changing from one drug to another drug after a few years?	Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is regular monitoring/counselling of carers by healthcare professionals specialising in dementia beneficial for the carers quality of life, physical and mental health?	Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29



Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What are effective treatments, pharmacological and non-pharmacological, for vascular dementia including the effect on quality of life and progression of the disease?	Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the most effective ways of treating and caring for people in the advanced stages of dementia when they are no longer responding to acetylcholinesterase inhibitors or memantine?	Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the most effective ways to care for adults with learning disabilities and dementia (including service provision)?	Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What treatment is effective for people with dementia and acute mental health issues?	Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What is the best way to give palliative care to patients with dementia and their carers and families? This includes communicating about their diagnosis when they are being cared for at home or elsewhere?	Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership	<i>Robinson L, Dickinson C, Rousseau N, Beyer F, Clark A, Hughes J, Howel D, Exley C. A systematic review of the effectiveness of advance care planning interventions for people with cognitive impairment and dementia. Age and Ageing.2012;41(2):263-269 PMID: 22156555.</i>	2015-09-08
Demens & Äldre	How effective are currently available drug treatments compared to non-pharmacological therapies on the symptoms and progression of dementia at all stages of the disease, and on quality of life, cognition and across all stages of the disease?	Vård- & Behandlingsalternativ				2015-10-29
Demens & Äldre	What are the most effective and cost effective ways of supporting people with dementia living at home and their carers?	Vård- & Behandlingsalternativ, Omsorg & Boende	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What activities and care packages are beneficial for younger/early onset people with dementia in the community and in care homes?	Vård- & Behandlingsalternativ, Omsorg & Boende, Sysselsättning & Färdighetsträning	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the most effective treatments for depression and/or anxiety in dementia and can the treatment improve outcomes?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Can systematic investigation to look for co-morbidities in people with dementia and appropriate treatment for co-morbidities lead to better outcomes for dementia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Does a frail old person with multiple comorbidities (heart failure/heart disease/COPD/stroke disease or cancer) benefit from having a diagnosis of dementia?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What are the optimum ways to care for people with dementia with other chronic health problems?	Vård- & Behandlingsalternativ, Omsorg & Boende	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	What cognitive tests are suitable for diagnosis of dementia in people with dyslexia?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Does intervention to correct vision problems/sight loss in people with dementia improve cognition and quality of life?	Medicinteknik & Kirurgi, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Promoting the mental health of carers of people with dementia	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Health Technology Assessment	<i>Vernooij-Dassen M, Draskovic I, McCleery J, Downs M. Cognitive reframing for carers of people with dementia. Cochrane Database of Systematic Reviews 2011, Issue 11. Art. No.: CD005318.</i>	2009-09-10

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	What are the best ways to assess and treat pain and discomfort in people at the end of life with advanced dementia, Parkinson's disease and other diseases that affect cognition and communication?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership	<i>Pieper MJ, van Dalen-Kok AH, Francke AL, van der Steen JT, Scherder EJ, Husebo BS, Achterberg WP. Interventions targeting pain or behaviour in dementia: a systematic review. Ageing Research Reviews.2013;12(4):1042-1055 PMID: 23727161.</i>	2015-09-08
Demens & Äldre	Treatment of epilepsy for people with Alzheimer's disease	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Epilepsy Group		2015-11-09
Demens & Äldre	Is early diagnosis possible by assessing endothelial function in mild cognitive impairment (MCI)?	Diagnostik & Utredning, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	How can distress that is not related to pain be best assessed and managed in palliative patients with Dementia, Parkinson's disease and other diseases that affect communication?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership		2015-09-08
Övrig psykisk ohälsa	What is the efficacy of combining treatment for mental health problems in parents with treatment for conduct disorders in their children?	Organisation, Vård- & Behandlingsalternativ, Stöd & Information	Fler primärstudier behövs	NICE Clinical Guideline Conduct disorders in children and young people (CG158)	<i>National Institute for Health and Clinical Excellence (2013) Conduct disorders in children and young people (CG158). Clinical Guideline CG158. London: National Institute for Health and Clinical Excellence.</i>	2013-04-15
Övrig psykisk ohälsa	What are the best ways to diagnose and treat delirium, agitation, distress, and restlessness in people at the end of life?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership	<i>Candy B, Jackson KC, Jones L, Tookman A, King M. Drug therapy for symptoms associated with anxiety in adult palliative care patients. Cochrane Database of Systematic Reviews 2012, Issue 10. Art. No.: CD004596. Beller EM, van Driel ML, McGregor L, Truong S, Mitchell G. Palliative pharmacological sedation for terminally ill adults. Cochrane Database of Systematic Reviews 2015, Issue 1. Art. No.: CD010206. Candy B, Jackson KC, Jones L, Leurent B, Tookman A, King M. Drug therapy for delirium in terminally ill adult patients. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD004770.</i>	2015-09-08

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Övrig psykisk ohälsa	What are the best ways to recognise and treat depression, anxiety and low mood in people who are dying? What are the pros and cons of different psychotherapeutic interventions, including drug therapies, and when is the best time to provide them?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership	<i>Walker J, Sawhney A, Hansen CH, Symeonides S, Martin P, Murrey G, Sharpe M. Treatment of depression in people with lung cancer: a systematic review. Lung Cancer 2013; 79: 46-53 PMID: 23102652.</i>	2015-09-08
Övrig psykisk ohälsa	Psychological treatment versus pharmacotherapy: patient preference in the full range of psychiatric illnesses	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Evidence Update - Service user experience in adult mental health	<i>McHugh RK, Whitton SW, Peckham AD et al. Patient preference for psychological vs pharmacologic treatment of psychiatric disorders: a meta-analytic review. Journal of Clinical Psychiatry 2013; Vol. 74: No. 6.</i>	2014-02-18
Övrig psykisk ohälsa	When is the best time to introduce bereavement support, and for how long for palliative and end of life care patients? Should it be offered before the death of a loved one? How can this support be catered to individual needs, including access to 24-hour support?	Organisation, Vård- & Behandlingsalternativ	En systematisk översikt behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership		2015-09-08
Övrig psykisk ohälsa	How can the risk of intense and long-lasting grief best be assessed and treated? Can this be prevented through early bereavement support?	Prediktion, Vård- & Behandlingsalternativ, Prevention	En systematisk översikt behövs	James Lind Alliance Palliative and end of life care Priority Setting Partnership		2015-09-08
Övrig psykisk ohälsa	Interventions for insomnia in conjunction with antipsychotic drug use	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Hafal		2007-09-11
Övrig psykisk ohälsa	Non-pharmacological interventions for somatoform disorders and medically-unexplained physical symptoms (MUPS) in adults	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-07-10
Övrig psykisk ohälsa	Interventions for children exposed to trauma other than maltreatment	Vård- & Behandlingsalternativ	Fler primärstudier behövs	PTSD Evidence Update 2013	<i>Forman-Hoffman VL, Zolotor AJ, McKeeman JL et al. (2013) Comparative effectiveness of interventions for children exposed to nonrelational traumatic events. Pediatrics 131: 526-39 <a href="http://pediatrics.aappublications.org/content/131/3/526.abstract">http://pediatrics.aappublications.org/content/131/3/526.abstract</a>.</i>	2013-10-14

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Oönskade effekter	How can the side effects of drug treatment for dementia be minimised?	Läkemedel, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Oönskade effekter	Strategies for managing sexual dysfunction induced by antidepressant medication	Läkemedel, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Taylor MJ, Rudkin L, Bullemor-Day P, Lubin J, Chukwujekwu C, Hawton K. Strategies for managing sexual dysfunction induced by antidepressant medication. Cochrane Database of Systematic Reviews 2013, Issue 5. Art. No.: CD003382.</i>	2013-06-03
Somatisk sjukdom	Prevention of depression in chronically physically ill adults	Prevention, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-09-16
Somatisk sjukdom	Psychological and pharmacological interventions for depression in patients with coronary artery disease	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Heart Group	<i>Baumeister H, Hutter N, Bengel J. Psychological and pharmacological interventions for depression in patients with coronary artery disease. Cochrane Database of Systematic Reviews 2011, Issue 9. Art. No.: CD008012.</i>	2011-11-14
Somatisk sjukdom	What is the best way to help people address the long term emotional effects of stress following a stroke?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Stroke in Scotland – A JLA Priority Setting Partnership	<i>Hofmann SG, Sawyer AT, Witt AA, Oh D. The effect of mindfulness-based therapy on anxiety and depression: a meta-analytic review. Journal of Consulting and Clinical Psychology 2010 78(2):169-183.</i>	2013-08-08
Somatisk sjukdom	What is the best way to manage altered mood and emotion after stroke?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Stroke in Scotland – A JLA Priority Setting Partnership	<i>Bradt J, Magee WL, Dileo C, Wheeler BL, McGilloway E. Music therapy for acquired brain injury. Cochrane Database of Systematic Reviews 2010, Issue 7. Art. No.: CD006787. Early Supported Discharge Trialists. Services for reducing duration of hospital care for acute stroke patients. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD000443.</i>	2013-08-08
Somatisk sjukdom	Which treatments are best at reducing/preventing depression in patients after stroke?	Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Stroke in Scotland – A JLA Priority Setting Partnership		2013-08-08

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Somatisk sjukdom	What is the best psychological support for people with Hidradenitis suppurativa?	Stöd & Information, Vård- & Behandlingsalternativ	En systematisk översikt behövs	UKDCTN/JLA Hidradenitis Suppurativa PSP		2014-08-28
Somatisk sjukdom	What is the best way to manage anxiety and panic after stroke?	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Stroke in Scotland – A JLA Priority Setting Partnership	<i>Campbell Burton CA, Holmes J, Murray J, Gillespie D, Lightbody CE, Watkins CL, Knapp P. Interventions for treating anxiety after stroke. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD008860.</i> <i>Hofmann SG, Sawyer AT, Witt AA, Oh D. The effect of mindfulness-based therapy on anxiety and depression: a meta-analytic review. Journal of Consulting and Clinical Psychology 2010 78(2):169-183.</i> <i>Ellis G, Mant J, Langhorne P, Dennis M, Winner S. Stroke liaison workers for stroke patients and carers: an individual patient data meta-analysis. Cochrane Database of Systematic Reviews 2010, Issue 5. Art. No.: CD005066.</i>	2013-08-08
Somatisk sjukdom	Which psychological treatments are effective after stroke?	Psykologiska & Psykoterapeutiska, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Stroke in Scotland – A JLA Priority Setting Partnership	<i>Campbell Burton CA, Holmes J, Murray J, Gillespie D, Lightbody CE, Watkins CL, Knapp P. Interventions for treating anxiety after stroke. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD008860.</i>	2013-08-08
Somatisk sjukdom	Is counselling better than anti-depressants for treating depression following stroke?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Stroke in Scotland – A JLA Priority Setting Partnership	<i>Turner-Strokes L, Nair A, Sedki I, Disler PB, Wade DT. Multi-disciplinary rehabilitation for acquired brain injury in adults of working age. Cochrane Database of Systematic Reviews 2005, Issue 3. Art. No.: CD004170.</i>	2013-08-08
Somatisk sjukdom	Can nursing treatments prevent depression following a stroke?	Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Stroke in Scotland – A JLA Priority Setting Partnership		2013-08-08
Somatisk sjukdom	How can behaviour changes best be addressed after stroke?	Vård- & Behandlingsalternativ, Stöd & Information	En systematisk översikt behövs	Stroke in Scotland – A JLA Priority Setting Partnership	<i>Hackett ML, Yang M, Anderson CS, Horrocks JA, House A. Pharmaceutical interventions for emotionalism after stroke. Cochrane Database of Systematic Reviews 2010, Issue 2. Art. No.: CD003690.</i>	2013-08-08

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Somatisk sjukdom	What is the best way to manage psychosocial problems after stroke?	Vård- & Behandlingsalternativ, Stöd & Information	En systematisk översikt behövs	Stroke in Scotland – A JLA Priority Setting Partnership		2013-08-08
Somatisk sjukdom	What is the best way to treat depression in people with aphasia following stroke?	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Stroke in Scotland – A JLA Priority Setting Partnership		2013-08-08
Somatisk sjukdom	What is the best way to support a 'positive sense of self' after stroke?	Stöd & Information, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Stroke in Scotland – A JLA Priority Setting Partnership	<i>Bowen A, Knapp P, Gillespie D, Nicolson DJ, Vail A. Non-pharmacological interventions for perceptual disorders following stroke and other adult-acquired, non-progressive brain injury. Cochrane Database of Systematic Reviews 2011, Issue 4. Art. No.: CD007039.</i>	2013-08-08
Somatisk sjukdom	Non-pharmacological interventions for depression in adults and children with traumatic brain injury	Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Injuries Group	<i>Gertler P, Tate RL, Cameron ID. Non-pharmacological interventions for depression in adults and children with traumatic brain injury. Cochrane Database of Systematic Reviews 2015, Issue 12. Art. No.: CD009871.</i>	2016-03-10
Somatisk sjukdom	Non-pharmacological interventions for depression in adults and children with traumatic brain injury	Vård- & Behandlingsalternativ	En systematisk översikt behövs	Cochrane Injuries Group		2012-05-30
Intellektuell funktionsnedsättning	What strategies are effective in preventing/delaying onset of dementia in people with Down's syndrome and with learning disabilities other than Down's syndrome?	Prevention, Vård- & Behandlingsalternativ	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

