



## Bilaga 2.4

1 (54)

Inventering av vetenskapliga kunskapsluckor inom psykisk ohälsa 2005–2020  
- insatser för att utreda, diagnostisera, förebygga och behandla psykisk ohälsa,  
inklusive stödjande och organisatoriska åtgärder  
rapport 335 (2021)

### Bilaga 2.4 Läkemedel

Utdrag från DUET:s databas med vetenskapliga kunskapsluckor

Listan i denna bilaga innehåller följande information:

Populations-kategori	Titel	Insats-kategori	Källa (endast i DUETs)	Referens	Typ av kunskapslucka	Datum
Övergripande kategori för population	Kunskaps-luckans titel	Övergripande kategori för insats	Internationell eller brittisk arbetsgrupp som tagit fram underlaget (t.ex. Cochrane, NICE, JLA, DUETs Mental Health Module editorial group)	Underlag som kunskaps-luckan hämtats från	Tre typer: <ul style="list-style-type: none"><li>- En systematisk översikt behövs</li><li>- En uppdaterad systematisk översikt behövs</li><li>- Fler primärstudier behövs</li></ul> <p>De tre typerna återspeglar kunskapsläget sådant det såg ut vid tidpunkten för utredningen av kunskapsluckan.</p>	Datum för när den senaste versionen av kunskaps-luckan publicerades

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Neuropsykiatriska tillstånd	Cost effectiveness of lisdexamfetamine in children and adolescents with attention deficit-hyperactivity disorder (ADHD)	Läkemedel	En systematisk översikt behövs	Evidence Update - attention deficit hyperactivity disorder		2013-05-13
Neuropsykiatriska tillstånd	Methylphenidate for attention deficit hyperactivity disorder (ADHD) in children and adolescents	Läkemedel	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2012-05-30
Neuropsykiatriska tillstånd	Methylphenidate for children and adolescents with attention deficit hyperactivity disorder (ADHD)	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Storebø OJ, Ramstad E, Krogh HB, Nilausen TD, Skoog M, Holmskov M, Rosendal S, Groth C, Magnusson FL, Moreira-Maia CR, Gillies D, Buch Rasmussen K, Gauci D, Zwi M, Kirubakaran R, Forsbøl B, Simonsen E, Gluud C. Methylphenidate for children and adolescents with attention deficit hyperactivity disorder (ADHD). Cochrane Database of Systematic Reviews 2015, Issue 11. Art. No.: CD009885.</i>	2015-12-17
Neuropsykiatriska tillstånd	Immediate-release methylphenidate for attention deficit hyperactivity disorder (ADHD) in adults	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Epstein T, Patsopoulos NA, Weiser M. Immediate-release methylphenidate for attention deficit hyperactivity disorder (ADHD) in adults. Cochrane Database of Systematic Reviews 2014, Issue 9. Art. No.: CD005041.</i>	2014-10-31
Neuropsykiatriska tillstånd	Tricyclic antidepressants for attention deficit hyperactivity disorder (ADHD) in children and adolescents	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Otasowie J, Castells X, Ehimare UP, Smith CH. Tricyclic antidepressants for attention deficit hyperactivity disorder (ADHD) in children and adolescents. Cochrane Database of Systematic Reviews 2014, Issue 9. Art. No.: CD006997.</i>	2014-10-31

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Neuropsykiatriska tillstånd	What is the long term safety and effectiveness of psychostimulant drug management for Attention Deficit Hyperactivity Disorder (ADHD)?	Läkemedel	Fler primärstudier behövs	JLA Survey	<i>Faraone SV, Buitelaa J. Comparing the efficacy of stimulants for ADHD in children and adolescents using meta-analysis. European Child &amp; Adolescent Psychiatry. April 2010 (Impact Factor: 3.7); 19(4):353-64. Epub 2009 Sep 10. PMID: 19763664.</i> <i>National Institute for Health and Care Excellence. 2013. Diagnosis and management of ADHD in children young people and adults. CG 72. London: National Institute for Health and Care Excellence.</i> <a href="http://guidance.nice.org.uk/CG72/NICEGuidance/pdf/English">http://guidance.nice.org.uk/CG72/NICEGuidance/pdf/English</a> .	2014-06-23
Neuropsykiatriska tillstånd	Short and long term benefits of methylphenidate for adult male prison inmates with attention deficit-hyperactivity disorder (ADHD)	Läkemedel	Fler primärstudier behövs	Evidence Update - attention deficit hyperactivity disorder		2013-05-13
Neuropsykiatriska tillstånd	Comparative educational outcomes of different drug treatments for childhood attention deficit-hyperactivity disorder (ADHD)	Läkemedel	Fler primärstudier behövs	Evidence Update - attention deficit hyperactivity disorder	<i>Prasad, V., Brogan, E., Mulvaney, C.et al. (2012) How effective are drug treatments for children with ADHD at improving on-task behaviour and academic achievement in the school classroom? A systematic review and meta-analysis. European Child &amp; Adolescent Psychiatry. 22:203-16 Epub 2012 Nov 21 PMID: 23179416.</i>	2013-05-13
Neuropsykiatriska tillstånd	Educational outcomes of atomoxetine in childhood attention deficit-hyperactivity disorder (ADHD)	Läkemedel	Fler primärstudier behövs	Evidence Update - attention deficit hyperactivity disorder	<i>Prasad, V., Brogan, E., Mulvaney, C.et al. (2012) How effective are drug treatments for children with ADHD at improving on-task behaviour and academic achievement in the school classroom? A systematic review and meta-analysis. European Child &amp; Adolescent Psychiatry. 22:203-16 Epub 2012 Nov 21 PMID: 23179416.</i>	2013-05-13
Neuropsykiatriska tillstånd	Effect of stimulant medication on gray matter volumes in attention deficit-hyperactivity disorder (ADHD) patients	Läkemedel	Fler primärstudier behövs	Evidence Update - attention deficit hyperactivity disorder	<i>Nakao T, Radua J, Rubia K et al. (2011) Gray matter volume abnormalities in ADHD: voxel-based meta-analysis exploring the effects of age and stimulant medication. The American journal of psychiatry 168 (11): 1154-1163 PMID: 21865529.</i>	2013-05-13

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Neuropsykiatriska tillstånd	Do minor increases in heart rate and blood pressure caused by central nervous system stimulants in attention deficit hyperactivity disorder (ADHD) patients result in adverse cardiovascular effects	Läkemedel	Fler primärstudier behövs	Evidence Update - attention deficit hyperactivity disorder 2013	<i>Martinez-Raga, Jose, Knecht, Carlos, Szerman, Nestoret al. (2013) Risk of serious cardiovascular problems with medications for attention-deficit hyperactivity disorder. CNS drugs 27 (1): 15-30 PMID: 23160939.</i>	2013-05-10
Neuropsykiatriska tillstånd	Pharmacological treatment for Attention Deficit Hyperactivity Disorder (ADHD) in children with comorbid tic disorders	Läkemedel	Fler primärstudier behövs	Developmental, Psychosocial and Learning Problems Group	<i>Pringsheim T, Steeves T. Pharmacological treatment for Attention Deficit Hyperactivity Disorder (ADHD) in children with comorbid tic disorders. Cochrane Database of Systematic Reviews 2011, Issue 4. Art. No.: CD007990.</i>	2011-06-29
Neuropsykiatriska tillstånd	Pharmacological intervention for irritability, aggression, and self-injury in Autism Spectrum Disorders (ASD)	Läkemedel	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2015-08-12
Neuropsykiatriska tillstånd	Methylphenidate for core and ADHD-like symptoms in children aged 6 to 18 years with autism spectrum disorders (ASDs)	Läkemedel	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2014-09-16
Neuropsykiatriska tillstånd	Intranasal oxytocin for autism spectrum disorders (ASD)	Läkemedel, Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2014-02-17
Neuropsykiatriska tillstånd	Chelation for autism spectrum disorder (ASD)	Läkemedel	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2013-11-20
Neuropsykiatriska tillstånd	Is a small dose of stimulant medication helpful in children with Autistic Spectrum Disorder (ASD) and learning disability to reduce hyperactive behaviours?	Läkemedel	Fler primärstudier behövs	JLA Survey	<i>Ching H, Pringsheim T. Aripiprazole for autism spectrum disorders (ASD). Cochrane Database of Systematic Reviews 2012, Issue 5. Art. No.: CD009043.</i>	2014-06-23
Neuropsykiatriska tillstånd	Selective serotonin reuptake inhibitors (SSRIs) for autism spectrum disorders (ASD)	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Williams K, Brignell A, Randall M, Silove N, Hazell P. Selective serotonin reuptake inhibitors (SSRIs) for autism spectrum disorders (ASD). Cochrane Database of Systematic Reviews 2013, Issue 8. Art. No.: CD004677.</i>	2013-10-11
Neuropsykiatriska tillstånd	Atypical antipsychotics for disruptive behaviour disorders in children and youths	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Loy JH, Merry SN, Hetrick SE, Stasiak K. Atypical antipsychotics for disruptive behaviour disorders in children and youths. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD008559.</i>	2012-09-19

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Neuropsykiatriska tillstånd	Selective serotonin reuptake inhibitors (SSRIs) for the treatment of moderate and severe depression in adults with autism	Läkemedel	Fler primärstudier behövs	NICE~ Clinical guidelines Autism in adults.	<i>National Institute for Health and Clinical Excellence. 2012. Autism in adults. Clinical guidelines CG 142. London: National Institute for Health and Clinical Excellence.</i>	2012-07-31
Neuropsykiatriska tillstånd	Aripiprazole for autism spectrum disorders (ASD)	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Ching H, Pringsheim T. Aripiprazole for autism spectrum disorders (ASD). Cochrane Database of Systematic Reviews 2012, Issue 5. Art. No.: CD009043.</i>	2012-05-18
Neuropsykiatriska tillstånd	Intravenous secretin for autism spectrum disorders (ASD)	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Williams K, Wray JA, Wheeler DM. Intravenous secretin for autism spectrum disorders (ASD). Cochrane Database of Systematic Reviews 2012, Issue 4. Art. No.: CD003495.</i>	2012-04-30
Neuropsykiatriska tillstånd	Tricyclic antidepressants for autism spectrum disorders (ASD) in children and adolescents	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Hurwitz R, Blackmore R, Hazell P, Williams K, Woolfenden S. Tricyclic antidepressants for autism spectrum disorders (ASD) in children and adolescents. Cochrane Database of Systematic Reviews 2012, Issue 3. Art. No.: CD008372.</i>	2012-03-23
Affektiva tillstånd	Augmentation of cognitive and behavioural therapies (CBT) with d-cycloserine for anxiety and related disorders	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Ori R, Amos T, Bergman H, Soares-Weiser K, Ipser JC, Stein DJ. Augmentation of cognitive and behavioural therapies (CBT) with d-cycloserine for anxiety and related disorders. Cochrane Database of Systematic Reviews 2015, Issue 5. Art. No.: CD007803.</i>	2015-06-10
Affektiva tillstånd	Second-generation antipsychotics for anxiety disorders	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Depping AM, Komossa K, Kissling W, Leucht S. Second-generation antipsychotics for anxiety disorders. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD008120.</i>	2011-04-27
Affektiva tillstånd	Benzodiazepines for generalised anxiety disorder (GAD)	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2012-11-20
Affektiva tillstånd	Hydroxyzine for generalised anxiety disorder	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Guaiana G, Barbui C, Cipriani A. Hydroxyzine for generalised anxiety disorder. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD006815.</i>	2011-04-27

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Combined pharmacology and psychotherapy for older adults with generalised anxiety disorder	Läkemedel, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	Evidence Update - Generalised anxiety disorder in adults	<i>Goncalves DC, Byrne GJ. Interventions for generalized anxiety disorder in older adults: Systematic review and meta-analysis. Journal of anxiety disorders. 2012; Vol. 26, No. 1:1-11.</i>	2012-07-09
Affektiva tillstånd	Sertraline compared with cognitive behavioural therapy (CBT) in people with generalised anxiety disorder (GAD) that has not responded to guided self-help and psychoeducation in a stepped-care model	Läkemedel, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	NICE Clinical Guideline Anxiety	<i>National Collaborating Centre for Mental Health (2011) Anxiety. Clinical Guideline. London: The British Psychological Society and The Royal College of Psychiatrists.</i>	2011-01-31
Affektiva tillstånd	Combined psychological and pharmacological interventions compared with either intervention alone in the treatment of adults with social anxiety disorder	Läkemedel, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	NICE Clinical Guideline Social anxiety disorder (CG159)	<i>National Collaborating Centre for Mental Health (2013) Social anxiety disorder (CG159). Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2013-07-12
Affektiva tillstånd	Pharmacotherapy for anxiety and comorbid alcohol use disorders	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Ipser JC, Wilson D, Akindipe TO, Sager C, Stein DJ. Pharmacotherapy for anxiety and comorbid alcohol use disorders. Cochrane Database of Systematic Reviews 2015, Issue 1. Art. No.: CD007505.</i>	2015-02-24
Affektiva tillstånd	Pharmacotherapy for trichotillomania	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Rothbart R, Amos T, Siegfried N, Ipser JC, Fineberg N, Chamberlain SR, Stein DJ. Pharmacotherapy for trichotillomania. Cochrane Database of Systematic Reviews 2013, Issue 11. Art. No.: CD007662.</i>	2013-12-09
Affektiva tillstånd	Gabapentin augmentation for obsessive compulsive disorder	Läkemedel	En systematisk översikt behövs	Evidence update - Obsessive compulsive disorder		2013-07-25
Affektiva tillstånd	Second-generation antipsychotics for obsessive compulsive disorder	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Komossa K, Depping AM, Meyer M, Kissling W, Leucht S. Second-generation antipsychotics for obsessive compulsive disorder. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD008141.</i>	2011-04-28
Affektiva tillstånd	Antidepressants and benzodiazepines for panic disorder in adults	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2015-05-05

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Azapirones versus placebo for panic disorder in adults	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2013-12-17
Affektiva tillstånd	Antidepressants versus placebo for panic disorder in adults	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2013-08-14
Affektiva tillstånd	Benzodiazepines versus placebo for panic disorder in adults	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2013-08-14
Affektiva tillstånd	Pharmacological interventions for preventing post-traumatic stress disorder (PTSD)	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Amos T, Stein DJ, Ipser JC. Pharmacological interventions for preventing post-traumatic stress disorder (PTSD). Cochrane Database of Systematic Reviews 2014, Issue 7. Art. No.: CD006239.</i>	2014-08-12
Affektiva tillstånd	Pharmacotherapy for bipolar disorder in older people	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2013-05-02
Affektiva tillstånd	Ketamine and other glutamate receptor modulators for depression in bipolar disorder in adults	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>McCloud TL, Caddy C, Jochim J, Rendell JM, Diamond PR, Shuttleworth C, Brett D, Amit BH, McShane R, Hamadi L, Hawton K, Cipriani A. Ketamine and other glutamate receptor modulators for depression in bipolar disorder in adults. Cochrane Database of Systematic Reviews 2015, Issue 9. Art. No.: CD011611.</i>	2015-09-29
Affektiva tillstånd	Fluoxetine combined with olanzapine versus an alternative selective serotonin reuptake inhibitor (SSRI) combined with olanzapine in the treatment of moderate to severe bipolar depression	Läkemedel	Fler primärstudier behövs	NICE CG. Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people.	<i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i>	2014-11-19

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	In the maintenance treatment of bipolar disorder, what is the relative effect on quality of life of lithium, an antipsychotic (haloperidol, olanzapine, quetiapine or risperidone), or a combination of lithium and an antipsychotic?	Läkemedel	Fler primärstudier behövs	NICE CG. Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people.	<i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i>	2014-11-19
Affektiva tillstånd	Valproic acid, valproate and divalproex in the maintenance treatment of bipolar disorder	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Cipriani A, Reid K, Young AH, Macritchie K, Geddes J. Valproic acid, valproate and divalproex in the maintenance treatment of bipolar disorder. Cochrane Database of Systematic Reviews 2013, Issue 10. Art. No.: CD003196.</i>	2013-11-14
Affektiva tillstånd	Tiagabine in the maintenance treatment of bipolar disorder	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Vasudev A, Macritchie K, Rao SNK, Geddes J, Young AH. Tiagabine in the maintenance treatment of bipolar disorder. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD005173.</i>	2012-03-14
Affektiva tillstånd	Tiagabine for acute affective episodes in bipolar disorder	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Vasudev A, Macritchie K, Rao SK, Geddes J, Young AH. Tiagabine for acute affective episodes in bipolar disorder. Cochrane Database of Systematic Reviews 2012, Issue 12. Art. No.: CD004694.</i>	2012-12-24
Affektiva tillstånd	Oxcarbazepine for acute affective episodes in bipolar disorder	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Vasudev A, Macritchie K, Vasudev K, Watson S, Geddes J, Young AH. Oxcarbazepine for acute affective episodes in bipolar disorder. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD004857.</i>	2011-12-09
Affektiva tillstånd	Aripiprazole alone or in combination for acute mania	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Brown R, Taylor MJ, Geddes J. Aripiprazole alone or in combination for acute mania. Cochrane Database of Systematic Reviews 2013, Issue 12. Art. No.: CD005000.</i>	2014-01-21
Affektiva tillstånd	Vortioxetine for depression in adults	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2015-04-16



Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	S-adenosyl methionine (SAM-e) for depression in adults	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-10-10
Affektiva tillstånd	Bupropion versus other antidepressive agents for depression	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-04-08
Affektiva tillstånd	Amantadine for depression	Läkemedel	En systematisk översikt behövs	DUETs Editorial team		2011-01-13
Affektiva tillstånd	Bupropion for depression	Läkemedel	En systematisk översikt behövs	DUETs Mental Health Module Editorial Group		2009-07-23
Affektiva tillstånd	Duloxetine depression	Läkemedel	En systematisk översikt behövs	DUETs Mental Health Module Editorial Group		2009-07-23
Affektiva tillstånd	Fluvoxamine for depression	Läkemedel	En systematisk översikt behövs	DUETs Mental Health Module Editorial Group		2009-07-23
Affektiva tillstånd	Mirtazapine for depression	Läkemedel	En systematisk översikt behövs	DUETs Mental Health Module Editorial Group		2009-07-23
Affektiva tillstånd	Paroxetine depression	Läkemedel	En systematisk översikt behövs	DUETs Mental Health Module Editorial Group		2009-07-23
Affektiva tillstånd	Venlafaxine for depression	Läkemedel	En systematisk översikt behövs	DUETs Mental Health Module Editorial Group		2009-07-23
Affektiva tillstånd	Reboxetine for depression	Läkemedel	En systematisk översikt behövs	BMJ Clinical Evidence		2009-07-23
Affektiva tillstånd	Sertraline for depression	Läkemedel	En systematisk översikt behövs	Mind Cymru		2007-08-20
Affektiva tillstånd	Ketamine and other glutamate receptor modulators for depression in adults	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Caddy C, Amit BH, McCloud TL, Rendell JM, Furukawa TA, McShane R, Hawton K, Cipriani A. Ketamine and other glutamate receptor modulators for depression in adults. Cochrane Database of Systematic Reviews 2015, Issue 9. Art. No.: CD011612.</i>	2015-09-23
Affektiva tillstånd	Different regimens of intravenous sedatives or hypnotics for electroconvulsive therapy (ECT) in adult patients with depression	Läkemedel	Fler primärstudier behövs	Cochrane Anaesthesia Group	<i>Lihua P, Su M, Ke W, Ziemann-Gimmel P. Different regimens of intravenous sedatives or hypnotics for electroconvulsive therapy (ECT) in adult patients with depression. Cochrane Database of Systematic Reviews 2014, Issue 4. Art. No.: CD009763.</i>	2014-05-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Paroxetine versus other anti-depressive agents for depression	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Purgato M, Papola D, Gastaldon C, Trespidi C, Magni LR, Rizzo C, Furukawa TA, Watanabe N, Cipriani A, Barbui C. Paroxetine versus other anti-depressive agents for depression. Cochrane Database of Systematic Reviews 2014, Issue 4. Art. No.: CD006531.</i>	2014-05-29
Affektiva tillstånd	Fluoxetine versus other types of pharmacotherapy for depression	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Magni LR, Purgato M, Gastaldon C, Papola D, Furukawa TA, Cipriani A, Barbui C. Fluoxetine versus other types of pharmacotherapy for depression. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD004185.</i>	2013-09-04
Affektiva tillstånd	Pharmacological treatment of depression in patients with a primary brain tumour	Läkemedel	Fler primärstudier behövs	Cochrane Gynaecological Cancer Group	<i>Rooney A, Grant R. Pharmacological treatment of depression in patients with a primary brain tumour. Cochrane Database of Systematic Reviews 2013, Issue 5. Art. No.: CD006932.</i>	2013-06-03
Affektiva tillstånd	Amitriptyline versus placebo for major depressive disorder	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Leucht C, Huhn M, Leucht S. Amitriptyline versus placebo for major depressive disorder. Cochrane Database of Systematic Reviews 2012, Issue 12. Art. No.: CD009138.</i>	2012-12-31
Affektiva tillstånd	Duloxetine versus other anti-depressive agents for depression	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Cipriani A, Koesters M, Furukawa TA, Nosè M, Purgato M, Omori IM, Trespidi C, Barbui C. Duloxetine versus other anti-depressive agents for depression. Cochrane Database of Systematic Reviews 2012, Issue 10. Art. No.: CD006533.</i>	2012-10-18
Affektiva tillstånd	Alprazolam for depression	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>van Marwijk H, Allick G, Wegman F, Bax A, Riphagen II. Alprazolam for depression. Cochrane Database of Systematic Reviews 2012, Issue 7. Art. No.: CD007139.</i>	2012-07-25
Affektiva tillstånd	Citalopram versus other anti-depressive agents for depression	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Cipriani A, Purgato M, Furukawa TA, Trespidi C, Imperadore G, Signoretti A, Churchill R, Watanabe N, Barbui C. Citalopram versus other anti-depressive agents for depression. Cochrane Database of Systematic Reviews 2012, Issue 7. Art. No.: CD006534.</i>	2012-07-25

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Mirtazapine versus other antidepressive agents for depression	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Watanabe N, Omori IM, Nakagawa A, Cipriani A, Barbui C, Churchill R, Furukawa TA. Mirtazapine versus other antidepressive agents for depression. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD006528.</i>	2011-12-09
Affektiva tillstånd	Lithium augmentation for depression	Läkemedel	En uppdaterad systematisk översikt behövs	BMJ Clinical Evidence		2009-07-23
Affektiva tillstånd	Pindolol augmentation for depression	Läkemedel	En uppdaterad systematisk översikt behövs	BMJ Clinical Evidence		2009-07-23
Affektiva tillstånd	Newer generation antidepressants for depressive disorders in children and adolescents	Läkemedel	Fler primärstudier behövs	Evidence Update - Depression in children and young people	<i>Hetrick SE, McKenzie JE, Cox GR, Simmons MB, Merry SN. Newer generation antidepressants for depressive disorders in children and adolescents. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD004851.</i>	2012-12-23
Affektiva tillstånd	Selective serotonin reuptake inhibitors (SSRIs) for depressive disorders in children and adolescents	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Hetrick SE, Merry SN, McKenzie J, Sindahl P, Proctor M. Selective serotonin reuptake inhibitors (SSRIs) for depressive disorders in children and adolescents. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004851.</i>	2009-07-23
Affektiva tillstånd	Tricyclic drugs for depression in children and adolescents	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Hazell P, O'Connell D, Heathcote D, Henry DA. Tricyclic drugs for depression in children and adolescents. Cochrane Database of Systematic Reviews 2002, Issue 2. Art. No.: CD002317.</i>	2009-07-23
Affektiva tillstånd	Antidepressant medication for children with depression	Läkemedel	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	<i>Jureidini JN, Doecke CJ, Mansfield PR, Haby MM, Menkes DB, Tonkin AL. Efficacy and safety of antidepressants for children and adolescents. BMJ 2004;328:879-883.</i>	2006-09-04
Affektiva tillstånd	Continuation and maintenance treatments for depression in older people	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Wilkinson P, Izmeth Z. Continuation and maintenance treatments for depression in older people. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD006727.</i>	2012-11-16

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Antidepressants for depressed elderly	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Mottram PG, Wilson K, Strobl JJ. Antidepressants for depressed elderly. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD003491.</i>	2009-07-23
Affektiva tillstånd	Antidepressant drugs for older people	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Mottram PG, Wilson K, Strobl JJ. Antidepressants for depressed elderly. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD003491.</i>	2009-07-23
Affektiva tillstånd	Antidepressants versus placebo for the depressed elderly	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Wilson K, Mottram PG, Sivananthan A, Nightingale A. Antidepressants versus placebo for the depressed elderly. Cochrane Database of Systematic Reviews 2001, Issue 1. Art. No.: CD000561.</i>	2009-07-23
Affektiva tillstånd	Second-generation antipsychotics for major depressive disorder and dysthymia	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Komossa K, Depping AM, Gaudchau A, Kissling W, Leucht S. Second-generation antipsychotics for major depressive disorder and dysthymia. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD008121.</i>	2011-04-28
Affektiva tillstånd	Folate Augmentation of Treatment - Evaluation for Depression: randomised controlled trial (FolATED)	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Taylor MJ, Carney SM, Geddes J, Goodwin G. Folate for depressive disorders. Cochrane Database of Systematic Reviews 2003, Issue 2. Art. No.: CD003390.</i>	2009-07-23
Affektiva tillstånd	Psychostimulants for depression	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Candy B, Jones L, Williams R, Tookman A, King M. Psychostimulants for depression. Cochrane Database of Systematic Reviews 2008, Issue 2. Art. No.: CD006722.</i>	2009-07-23
Affektiva tillstånd	Tryptophan and 5-Hydroxytryptophan for depression	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Shaw KA, Turner J, Del Mar C. Tryptophan and 5-Hydroxytryptophan for depression. Cochrane Database of Systematic Reviews 2002, Issue 1. Art. No.: CD003198.</i>	2009-07-23
Affektiva tillstånd	Active placebos versus antidepressants for depression	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Moncrieff J, Wessely S, Hardy R. Active placebos versus antidepressants for depression. Cochrane Database of Systematic Reviews 2004, Issue 1. Art. No.: CD003012.</i>	2009-07-23
Affektiva tillstånd	Amitriptyline for depression	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Guaiana G, Barbui C, Hotopf M. Amitriptyline for depression. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004186.</i>	2009-07-23

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Escitalopram versus other antidepressive agents for depression	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Cipriani A, Santilli C, Furukawa TA, Signoretti A, Nakagawa A, McGuire H, Churchill R, Barbui C. Escitalopram versus other antidepressive agents for depression. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD006532.</i>	2009-07-23
Affektiva tillstånd	Fluoxetine for depression	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Cipriani A, Brambilla P, Furukawa TA, Geddes J, Gregis M, Hotopf M, Malvini L, Barbui C. Fluoxetine versus other types of pharmacotherapy for depression. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD004185.</i>	2009-07-23
Affektiva tillstånd	Milnacipran versus other antidepressive agents for depression	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Nakagawa A, Watanabe N, Omori IM, Barbui C, Cipriani A, McGuire H, Churchill R, Furukawa TA. Milnacipran versus other antidepressive agents for depression. Cochrane Database of Systematic Reviews 2009, Issue 3. Art. No.: CD006529.</i>	2009-07-23
Affektiva tillstånd	Sertraline versus other antidepressive agents for depression	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Cipriani A, La Ferla T, Furukawa TA, Signoretti A, Nakagawa A, Churchill R, McGuire H, Barbui C. Sertraline versus other antidepressive agents for depression. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD006117.</i>	2009-07-23
Affektiva tillstånd	Antidepressants versus placebo for depression in primary care	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Arroll B, Elley CR, Fishman T, Goodyear-Smith FA, Kenealy T, Blashki G, Kerse N, MacGillivray S. Antidepressants versus placebo for depression in primary care. Cochrane Database of Systematic Reviews 2009, Issue 3. Art. No.: CD007954.</i>	2009-07-23
Affektiva tillstånd	Combining prescription antidepressant drugs and psychological treatments for depression	Läkemedel, Psykologiska & Psykoterapeutiska	En uppdaterad systematisk översikt behövs	BMJ Clinical Evidence		2009-07-23
Affektiva tillstånd	Is Cognitive Behavioural Therapy equally useful in patients with and without active medication?	Läkemedel, Psykologiska & Psykoterapeutiska	En systematisk översikt behövs	DUETs Schizophrenia Module Editorial Group		2007-03-07

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Antidepressants plus benzodiazepines for major depression	Läkemedel	Fler primärstudier behövs	DUETs Mental Health Module Editorial Group	<i>Furukawa TA, Streiner D, Young LT, Kinoshita Y. Antidepressants plus benzodiazepines for major depression. Cochrane Database of Systematic Reviews 2001, Issue 3. Art. No.: CD001026.</i>	2009-07-23
Affektiva tillstånd	Agomelatine versus other antidepressive agents for major depression	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Guaiana G, Gupta S, Chiodo D, Davies SJ, Haederle K, Koesters M. Agomelatine versus other antidepressive agents for major depression. Cochrane Database of Systematic Reviews 2013, Issue 12. Art. No.: CD008851.</i>	2014-01-21
Affektiva tillstånd	Pharmacological treatment for psychotic depression	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Wijkstra J, Lijmer J, Burger H, Cipriani A, Geddes J, Nolen WA. Pharmacological treatment for psychotic depression. Cochrane Database of Systematic Reviews 2015, Issue 7. Art. No.: CD004044.</i>	2013-12-17
Affektiva tillstånd	Second-generation antidepressants for seasonal affective disorder	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Thaler K, Delivuk M, Chapman A, Gaynes BN, Kaminski A, Gartlehner G. Second-generation antidepressants for seasonal affective disorder. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD008591.</i>	2011-12-09
Affektiva tillstånd	Melatonin and agomelatine for preventing seasonal affective disorder	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-10-10
Affektiva tillstånd	Second-generation antidepressants for preventing seasonal affective disorder in adults	Läkemedel	Fler primärstudier behövs	Cochrane Common Mental Disorders Group	<i>Gartlehner G, Nussbaumer B, Gaynes BN, Forneris CA, Morgan LC, Kaminski-Hartenthaler A, Greenblatt A, Wipplinger J, Lux LJ, Sonis JH, Hofmann J, Van Noord MG, Winkler D. Second-generation antidepressants for preventing seasonal affective disorder in adults. Cochrane Database of Systematic Reviews 2015, Issue 11. Art. No.: CD011268.</i>	2015-12-17
Affektiva tillstånd	Second-generation antidepressants for preventing seasonal affective disorder	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2014-10-10
Affektiva tillstånd	Pharmacological interventions for adjustment disorders in adults	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2013-06-06

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Affektiva tillstånd	Selective serotonin reuptake inhibitors (SSRIs) in patients with depression and coronary heart disease	Läkemedel	Fler primärstudier behövs	Evidence Update - Depression in adults with a chronic physical health problem	<i>Pizzi C, Rutjes AWS, Costa GM, Fontana F, Mezzetti A, Manzoli L. Meta-analysis of selective serotonin reuptake inhibitors in patients with depression and coronary heart disease. American Journal of Cardiology. 2011;107:(7):972-9 PMID: 21256471.</i>	2011-12-12
Schizofreni & Psykotiska tillstånd	Pharmacological interventions for acute and transient psychotic disorder (ATPD)	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2016-01-13
Schizofreni & Psykotiska tillstånd	Atypical antipsychotics for psychosis in adolescents	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Kumar A, Datta SS, Wright SD, Furtado VA, Russell PS. Atypical antipsychotics for psychosis in adolescents. Cochrane Database of Systematic Reviews 2013, Issue 10. Art. No.: CD009582.</i>	2013-11-15
Schizofreni & Psykotiska tillstånd	Haloperidol for psychosis-induced aggression or agitation (rapid tranquillisation)	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Powney MJ, Adams CE, Jones H. Haloperidol for psychosis-induced aggression or agitation (rapid tranquillisation). Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD009377.</i>	2012-11-16

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Utility, acceptability and safety of available drugs for urgent sedation (including atypical antipsychotics) for psychosis	Läkemedel	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	<i>Huf G, Alexander J, Allen MH. Haloperidol plus promethazine for psychosis induced aggression. Cochrane Database of Systematic Reviews 2004, Issue 4. Art. No.: CD005146.</i> <i>Gillies D, Beck A, McCloud A, Rathbone J. Benzodiazepines alone or in combination with antipsychotic drugs for acute psychosis. Cochrane Database of Systematic Reviews 2005, Issue 4. Art. No.: CD003079.</i> <i>Cure SJ, Rathbone J, Mandriota-Carpenter SL. Droperidol for acute psychosis. Cochrane Database of Systematic Reviews 2004, Issue 1. Art. No.: CD002830.</i> <i>Belgamwar RB, Fenton M. Olanzapine IM or velotab for acutely disturbed/agitated people with suspected serious mental illnesses. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD003729.</i> <i>Murphy BE, Bagnall A, Chue P, Fenton M, Leitner M, Wood J. Loxapine for schizophrenia. Cochrane Database of Systematic Reviews 2000, Issue 1. Art. No.: CD001943.</i>	2007-06-27
Schizofreni & Psykotiska tillstånd	Antipsychotic drugs for younger people with psychosis	Läkemedel	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	<i>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</i>	2007-06-18
Schizofreni & Psykotiska tillstånd	Do antidepressants improve negative symptoms in schizophrenia?	Läkemedel	En uppdaterad systematisk översikt behövs	BMJ	<i>SR:Barnes TRE, Paton C. Do antidepressants improve negative symptoms in schizophrenia? BMJ. 2011. 10.1136/bmj.d3371.</i>	2011-06-01
Schizofreni & Psykotiska tillstånd	Augmentation of antipsychotic monotherapy with lithium where a schizophrenic illness has shown only a partial response	Läkemedel	En uppdaterad systematisk översikt behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-22



Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Augmenting antipsychotic monotherapy with an antidepressant to treat persistent negative symptoms	Läkemedel	En uppdaterad systematisk översikt behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-22
Schizofreni & Psykotiska tillstånd	Depot/long-acting injectable antipsychotic preparations for schizophrenia	Läkemedel	En uppdaterad systematisk översikt behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)		2010-02-21
Schizofreni & Psykotiska tillstånd	Are side effects of antipsychotics proportional to their effectiveness?	Läkemedel	En uppdaterad systematisk översikt behövs	Mind Cymru		2008-04-14
Schizofreni & Psykotiska tillstånd	Do individual metabolic differences influence outcomes treatment in schizophrenia? In what way?	Läkemedel	En uppdaterad systematisk översikt behövs	Mind Cymru		2008-04-14
Schizofreni & Psykotiska tillstånd	Would changes in my antipsychotic medication help my concentration improve?	Läkemedel	En uppdaterad systematisk översikt behövs	Mind Cymru		2008-03-10
Schizofreni & Psykotiska tillstånd	What is the effect of antipsychotic medication on people with learning disability?	Läkemedel	En uppdaterad systematisk översikt behövs	Mental Health Research Network Cymru		2007-06-26
Schizofreni & Psykotiska tillstånd	What is the experience for patients of drug treatments, both conventional and atypical antipsychotics, for schizophrenia?	Läkemedel	En uppdaterad systematisk översikt behövs	National Institute for Health and Clinical Excellence research recommendation		2007-06-19
Schizofreni & Psykotiska tillstånd	Clozapine against other atypicals for treatment-resistant schizophrenia	Läkemedel	En uppdaterad systematisk översikt behövs	National Institute for Health and Clinical Excellence research recommendation		2007-06-18
Schizofreni & Psykotiska tillstånd	Mirtazapine (adjunct) versus placebo for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-12-22

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Amphetamines versus placebo for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-11-09
Schizofreni & Psykotiska tillstånd	Switching antipsychotic for non response in schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-10-20
Schizofreni & Psykotiska tillstånd	Chlorpromazine versus penfluridol for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-09-29
Schizofreni & Psykotiska tillstånd	lloperidone versus placebo for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-09-29
Schizofreni & Psykotiska tillstånd	Chlorpromazine versus clotiapine for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-08-12
Schizofreni & Psykotiska tillstånd	Chlorpromazine versus piperacetazine for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-07-09
Schizofreni & Psykotiska tillstånd	Chlorpromazine versus metiapine for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-07-01
Schizofreni & Psykotiska tillstånd	Asenapine versus placebo for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-02-25
Schizofreni & Psykotiska tillstånd	Haloperidol discontinuation for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-02-25
Schizofreni & Psykotiska tillstånd	Pharmacological interventions for reducing weight gain in schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-07-10
Schizofreni & Psykotiska tillstånd	Atomoxetine for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-04-08
Schizofreni & Psykotiska tillstånd	Chlorpromazine versus atypical antipsychotic drugs for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group	<i>Adams CE, Awad GA, Rathbone J, Thornley B, Soares-Weiser K. Chlorpromazine versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD000284.</i>	2014-01-06
Schizofreni & Psykotiska tillstånd	Fluphenazine (oral) versus atypical antipsychotics for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2013-12-17
Schizofreni & Psykotiska tillstånd	Zotepine versus placebo for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2013-08-14
Schizofreni & Psykotiska tillstånd	Memantine for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2013-07-24
Schizofreni & Psykotiska tillstånd	Zuclopenthixol versus placebo for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2013-07-24

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Lurasidone versus placebo for schizofrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizofrenia Group		2013-04-26
Schizofreni & Psykotiska tillstånd	Asenapine versus typical antipsychotics for schizofrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizofrenia Group		2012-11-20
Schizofreni & Psykotiska tillstånd	Selective noradrenaline reuptake inhibitors for schizofrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizofrenia Group		2012-11-20
Schizofreni & Psykotiska tillstånd	Sulpiride dose for schizofrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizofrenia Group		2012-07-13
Schizofreni & Psykotiska tillstånd	Aripiprazole for people with schizofrenia whose illness has been partially responsive to clozapine	Läkemedel	En systematisk översikt behövs	Cochrane Schizofrenia Group		2012-05-30
Schizofreni & Psykotiska tillstånd	Haloperidol for long-term aggression in psychosis	Läkemedel	En systematisk översikt behövs	Cochrane Schizofrenia Group		2012-05-30
Schizofreni & Psykotiska tillstånd	Haloperidol versus first generation antipsychotics for schizofrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizofrenia Group		2012-05-30
Schizofreni & Psykotiska tillstånd	Olanzapine discontinuation for schizofrenia	Läkemedel	En systematisk översikt behövs	Evidence Update - Alcohol use disorders: harmful drinking and alcohol dependence		2012-04-10
Schizofreni & Psykotiska tillstånd	How satisfied are patients with schizofrenia with the drug they take for their illness	Läkemedel	En systematisk översikt behövs	Schizofrenia Core interventions in the treatment and management of schizofrenia in primary and secondary care (update)		2010-02-21
Schizofreni & Psykotiska tillstånd	Pericyazine for schizofrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizofrenia Group		2010-01-13
Schizofreni & Psykotiska tillstånd	Levomepromazine for schizofrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizofrenia Group		2010-01-12
Schizofreni & Psykotiska tillstånd	Antiglucocorticoid and related treatments for psychosis	Läkemedel	En systematisk översikt behövs	Cochrane Schizofrenia Group		2010-01-08
Schizofreni & Psykotiska tillstånd	In people with chronic schizofrenia who have to stop clozapine, what is the most appropriate choice of antipsychotic in terms of symptom control and quality of life?	Läkemedel	En systematisk översikt behövs	Mental Health Research Network Cymru		2008-03-18

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	What are the indications for discontinuing medication in patients with schizophrenia?	Läkemedel	En systematisk översikt behövs	Mental Health Research Network Cymru		2008-03-18
Schizofreni & Psykotiska tillstånd	Do patients who are withdrawing from olanzapine, taken for schizophrenia, experience withdrawal symptoms after more than 5 years of treatment?	Läkemedel	En systematisk översikt behövs	Mental Health Research Network Cymru		2007-11-08
Schizofreni & Psykotiska tillstånd	Sultopride for schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2007-07-24
Schizofreni & Psykotiska tillstånd	Is Clozapine particularly effective in reducing hostility, violence and reducing suicide rates in schizophrenia?	Läkemedel	En systematisk översikt behövs	National Institute for Health and Clinical Excellence research recommendation		2007-06-18
Schizofreni & Psykotiska tillstånd	Are antipsychotic drugs more effective when combined with a mood stabilizer in severe mental illness?	Läkemedel	En systematisk översikt behövs	Mental Health Research Network Cymru		2007-04-23
Schizofreni & Psykotiska tillstånd	Antipsychotic medication for early episode schizophrenia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2007-03-05
Schizofreni & Psykotiska tillstånd	My daughter is taking olanzapine for schizophrenia. Could I give her Nytol (diphenhydramine) and olanzapine?	Läkemedel	En systematisk översikt behövs	United Kingdom Psychiatric Pharmacy Group Telephone Helpline	None	2005-10-18
Schizofreni & Psykotiska tillstånd	Lithium for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Leucht S, Helfer B, Dold M, Kissling W, McGrath JJ. Lithium for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 10. Art. No.: CD003834.</i>	2015-11-24
Schizofreni & Psykotiska tillstånd	Perphenazine for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Hartung B, Sampson S, Leucht S. Perphenazine for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 3. Art. No.: CD003443.</i>	2015-04-17
Schizofreni & Psykotiska tillstånd	Haloperidol versus first-generation antipsychotics for the treatment of schizophrenia and other psychotic disorders	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Dold M, Samara MT, Li C, Tardy M, Leucht S. Haloperidol versus first-generation antipsychotics for the treatment of schizophrenia and other psychotic disorders. Cochrane Database of Systematic Reviews 2015, Issue 1. Art. No.: CD009831.</i>	2015-02-24

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Fluphenazine decanoate (depot) and enanthate for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Maayan N, Quraishi SN, David A, Jayaswal A, Eisenbruch M, Rathbone J, Asher R, Adams CE. Fluphenazine decanoate (depot) and enanthate for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 1. Art. No.: CD000307.</i>	2015-02-05
Schizofreni & Psykotiska tillstånd	Cannabis and schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>McLoughlin BC, Pushpa-Rajah JA, Gillies D, Rathbone J, Variend H, Kalakouti E, Kyprianou K. Cannabis and schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 10. Art. No.: CD004837.</i>	2014-11-28
Schizofreni & Psykotiska tillstånd	Perphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Tardy M, Huhn M, Engel RR, Leucht S. Perphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 10. Art. No.: CD009369.</i>	2014-11-13
Schizofreni & Psykotiska tillstånd	Flupenthixol versus low-potency first-generation antipsychotic drugs for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Tardy M, Dold M, Engel RR, Leucht S. Flupenthixol versus low-potency first-generation antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 9. Art. No.: CD009227.</i>	2014-10-31
Schizofreni & Psykotiska tillstånd	Fluphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Tardy M, Huhn M, Engel RR, Leucht S. Fluphenazine versus low-potency first-generation antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 8. Art. No.: CD009230.</i>	2014-09-26
Schizofreni & Psykotiska tillstånd	Haloperidol versus low-potency first-generation antipsychotic drugs for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Tardy M, Huhn M, Kissling W, Engel RR, Leucht S. Haloperidol versus low-potency first-generation antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 7. Art. No.: CD009268.</i>	2014-08-12
Schizofreni & Psykotiska tillstånd	Trifluoperazine versus low-potency first-generation antipsychotic drugs for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Tardy M, Dold M, Engel RR, Leucht S. Trifluoperazine versus low-potency first-generation antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 7. Art. No.: CD009396.</i>	2014-08-12

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Pericyazine for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Matar HE, Almerie MQ, Makhoul S, Xia J, Humphreys P. Pericyazine for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 5. Art. No.: CD007479.</i>	2014-06-06
Schizofreni & Psykotiska tillstånd	Sulpiride versus placebo for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Wang J, Sampson S. Sulpiride versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 4. Art. No.: CD007811.</i>	2014-05-09
Schizofreni & Psykotiska tillstånd	Trifluoperazine versus placebo for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Koch K, Mansi K, Haynes E, Adams CE, Sampson S, Furtado VA. Trifluoperazine versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD010226.</i>	2014-02-10
Schizofreni & Psykotiska tillstånd	Anticholinergic medication for non-clozapine neuroleptic-induced hypersalivation in people with schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Essali A, Rihawi A, Altujjar M, Alhafez B, Tarboush A, Alhaj Hasan N. Anticholinergic medication for non-clozapine neuroleptic-induced hypersalivation in people with schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 12. Art. No.: CD009546.</i>	2014-01-21
Schizofreni & Psykotiska tillstånd	Aripiprazole versus other atypical antipsychotics for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Khanna P, Suo T, Komossa K, Ma H, Rummel-Kluge C, El-Sayeh HG, Leucht S, Xia J. Aripiprazole versus other atypical antipsychotics for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD006569.</i>	2014-01-02
Schizofreni & Psykotiska tillstånd	Pimozide for schizophrenia or related psychoses	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Mothi M, Sampson S. Pimozide for schizophrenia or related psychoses. Cochrane Database of Systematic Reviews 2013, Issue 11. Art. No.: CD001949.</i>	2013-12-17
Schizofreni & Psykotiska tillstånd	Quetiapine versus other atypical antipsychotics for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Asmal L, Flegar SJ, Wang J, Rummel-Kluge C, Komossa K, Leucht S. Quetiapine versus other atypical antipsychotics for schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 11. Art. No.: CD006625.</i>	2013-12-17
Schizofreni & Psykotiska tillstånd	Haloperidol versus placebo for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Adams CE, Bergman H, Irving CB, Lawrie S. Haloperidol versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 11. Art. No.: CD003082.</i>	2013-12-17

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Haloperidol dose for the acute phase of schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Donnelly L, Rathbone J, Adams CE. Haloperidol dose for the acute phase of schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 8. Art. No.: CD001951.</i>	2013-10-11
Schizofreni & Psykotiska tillstånd	Fluphenazine (oral) versus placebo for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Matar HE, Almerie MQ, Sampson S. Fluphenazine (oral) versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD006352.</i>	2013-09-04
Schizofreni & Psykotiska tillstånd	Quetiapine versus typical antipsychotic medications for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Suttajit S, Srisurapanont M, Xia J, Suttajit S, Maneeton B, Maneeton N. Quetiapine versus typical antipsychotic medications for schizophrenia. Cochrane Database of Systematic Reviews 2013, Issue 5. Art. No.: CD007815.</i>	2013-06-03
Schizofreni & Psykotiska tillstånd	Benzodiazepines for psychosis-induced aggression or agitation	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Gillies D, Sampson S, Beck A, Rathbone J. Benzodiazepines for psychosis-induced aggression or agitation. Cochrane Database of Systematic Reviews 2013, Issue 4. Art. No.: CD003079.</i>	2013-04-30
Schizofreni & Psykotiska tillstånd	Flupenthixol versus placebo for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Shen X, Xia J, Adams CE. Flupenthixol versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD009777.</i>	2012-11-16
Schizofreni & Psykotiska tillstånd	Paliperidone palmitate for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Nussbaum AM, Stroup TS. Paliperidone palmitate for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 6. Art. No.: CD008296.</i>	2012-06-28
Schizofreni & Psykotiska tillstånd	Antipsychotic drug treatment for elderly people with late-onset schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Essali A, Ali G. Antipsychotic drug treatment for elderly people with late-onset schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD004162.</i>	2012-03-02
Schizofreni & Psykotiska tillstånd	Aripiprazole versus placebo for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Belgamwar RB, El-Sayeh HGG. Aripiprazole versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2011, Issue 8. Art. No.: CD006622.</i>	2011-08-18

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Antidepressants for people with both schizophrenia and depression	Läkemedel	Fler primärstudier behövs	NICE guideline on core interventions in the treatment and management of schizophrenia		2011-02-17
Schizofreni & Psykotiska tillstånd	Interventions to reduce weight gain in schizophrenia	Läkemedel	Fler primärstudier behövs	NICE guideline on core interventions in the treatment and management of schizophrenia		2011-02-17
Schizofreni & Psykotiska tillstånd	Anticholinergic medication for neuroleptic-induced tardive dyskinesia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Soares-Weiser K, McGrath J. Anticholinergic medication for neuroleptic-induced tardive dyskinesia. Cochrane Database of Systematic Reviews 1997, Issue 2. Art. No.: CD000204.</i>	2010-03-18
Schizofreni & Psykotiska tillstånd	Augmentation of antipsychotic monotherapy with sodium valproate where a schizophrenic illness has shown only a partial response	Läkemedel	Fler primärstudier behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Schwarz C, Volz A, Li C, Leucht S. Valproate for schizophrenia. Cochrane Database of Systematic Reviews 2008, Issue 3. Art. No.: CD004028.</i>	2010-02-22
Schizofreni & Psykotiska tillstånd	Augmentation of clozapine monotherapy with an appropriate second antipsychotic where a refractory schizophrenic illness has shown only a partial response to clozapine	Läkemedel	Fler primärstudier behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Cipriani A, Boso M, Barbui C. Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 3 John Wiley &amp; Sons, Ltd Chichester, UK.</i>	2010-02-22
Schizofreni & Psykotiska tillstånd	Clozapine to reduce hostility, violence and suicide for people with schizophrenia	Läkemedel	Fler primärstudier behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Essali A, Al-Haj HN, Li C, Rathbone J. Clozapine versus typical neuroleptic medication for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 1 John Wiley &amp; Sons, Ltd Chichester, UK.</i>	2010-02-22



Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Combining antipsychotics to treat schizophrenia that has proved to be poorly responsive to adequate trials of antipsychotic monotherapy	Läkemedel	Fler primärstudier behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Cipriani A, Boso M, Barbui C. Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. Cochrane Database of Systematic Reviews 2009, Issue 3. Art. No.: CD006324.</i>	2010-02-22
Schizofreni & Psykotiska tillstånd	Benzodiazepines and antipsychotic drugs for urgent urgent sedation/control of acute behavioural disturbance	Läkemedel	Fler primärstudier behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Huf G, Alexander J, Allen MH, Raveendran NS. Haloperidol plus promethazine for psychosis-induced aggression. Cochrane Database of Systematic Reviews 2009, Issue 3. Art. No.: CD005146.</i>	2010-02-21
Schizofreni & Psykotiska tillstånd	Safety/tolerability and patient acceptability of low dose antipsychotic medication for people with schizophrenia	Läkemedel	Fler primärstudier behövs	Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update)	<i>Komossa K, Rummel-Kluge C, Schmid F, Hunger H, Schwarz S, El-Sayeh HGG, Kissling W, Leucht S. Aripiprazole versus other atypical antipsychotics for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 4 John Wiley &amp; Sons, Ltd Chichester, UK. Bhattacharjee J, El-Sayeh Hany GG. Aripiprazole versus typical antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2008 Issue 3 John Wiley &amp; Sons, Ltd Chichester, UK. Cipriani A, Boso M, Barbui C. Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 3 John Wiley &amp; Sons, Ltd Chichester, UK. Essali A, Al-Haj HN, Li C, Rathbone J. Clozapine versus typical neuroleptic medication for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 1 John Wiley &amp; Sons, Ltd Chichester, UK. Leucht C, Kitzmantel M, Kane J, Leucht S, Chua WL. Haloperidol versus chlorpromazine for</i>	2010-02-21

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
					<p><i>schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2008 Issue 1 John Wiley &amp; Sons, Ltd Chichester, UK.</i></p> <p><i>Nussbaum AM, Stroup TS. Oral paliperidone for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2008 Issue 2 John Wiley &amp; Sons, Ltd Chichester, UK.</i></p> <p><i>Komossa K, Rummel-Kluge C, Hunger H, Schwarz S, Schmid F, Lewis R, Kissling W, Leucht S. Sertindole versus other atypical antipsychotics for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 2 John Wiley &amp; Sons, Ltd Chichester, UK.</i></p> <p><i>Omori IM, Wang J. Sulpiride versus placebo for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 2 John Wiley &amp; Sons, Ltd Chichester, UK.</i></p> <p><i>Komossa K, Rummel-Kluge C, Hunger H, Schwarz S, Bhoopathi PS, Kissling W, Leucht S. Ziprasidone versus other atypical antipsychotics for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 4 John Wiley &amp; Sons, Ltd Chichester, UK.</i></p>	
Schizofreni & Psykotiska tillstånd	Does risperidone worsen psoriasis?	Läkemedel	Fler primärstudier behövs	DUETs Editorial team	<p><i>Li C, Xia J, Wang J. Risperidone dose for schizophrenia. Cochrane Database of Systematic Reviews 2009, Issue 4. Art. No.: CD007474.</i></p> <p><i>Ratthalli RD, Jayaram MB, Smith M. Risperidone versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2010, Issue 1. Art. No.: CD006918.</i></p>	2010-02-15
Schizofreni & Psykotiska tillstånd	Maintenance treatment with antipsychotic drugs for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<p><i>Leucht S, Tardy M, Komossa K, Heres S, Kissling W, Davis JM. Maintenance treatment with antipsychotic drugs for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 5. Art. No.: CD008016.</i></p>	2010-01-12

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Acetylcholinesterase inhibitors for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Singh J, Kour K, Jayaram MB. Acetylcholinesterase inhibitors for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 1. Art. No.: CD007967.</i>	2010-01-08
Schizofreni & Psykotiska tillstånd	Are the adverse effects of antipsychotic drugs worse in the morning?	Läkemedel	Fler primärstudier behövs	Hafal	<i>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948. Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</i>	2008-03-18
Schizofreni & Psykotiska tillstånd	Antipsychotic medication for elderly people with schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Marriott RG, Neil W, Waddingham S. Antipsychotic medication for elderly people with schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD005580.</i>	2008-02-28
Schizofreni & Psykotiska tillstånd	Benzodiazepines for neuroleptic-induced tardive dyskinesia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Bhoopathi PS, Soares-Weiser K. Benzodiazepines for neuroleptic-induced tardive dyskinesia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD000205.</i>	2008-02-28
Schizofreni & Psykotiska tillstånd	Benzodiazepines for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Dold M, Li C, Tardy M, Khorsand V, Gillies D, Leucht S. Benzodiazepines for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD006391.</i>	2008-02-28
Schizofreni & Psykotiska tillstånd	Carbamazepine for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Leucht S, Helfer B, Dold M, Kissling W, McGrath J. Carbamazepine for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 5. Art. No.: CD001258.</i>	2008-02-28
Schizofreni & Psykotiska tillstånd	Antipsychotic medication for childhood-onset schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</i>	2008-02-28
Schizofreni & Psykotiska tillstånd	Clotiapine for schizophrenia	Läkemedel	Fler primärstudier behövs	Mind Cymru	<i>Berk M, Rathbone J, Mandriota-Carpenter SL. Clotiapine for acute psychotic illnesses. Cochrane Database of Systematic Reviews 2004, Issue 4. Art. No.: CD002304.</i>	2008-02-11

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Clotiapine for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Berk M, Rathbone J, Mandriota-Carpenter SL. Clotiapine for acute psychotic illnesses. Cochrane Database of Systematic Reviews 2004, Issue 4. Art. No.: CD002304.</i>	2008-02-11
Schizofreni & Psykotiska tillstånd	Is the use of antipsychotic drugs in elderly patients more dangerous?	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Marriott RG, Neil W, Waddingham S. Antipsychotic medication for elderly people with schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD005580.</i>	2008-02-11
Schizofreni & Psykotiska tillstånd	Once an antipsychotic medication is started for someone for a first episode of psychosis, how long do they need to keep taking them before we can start reducing the dose or consider stopping medication?	Läkemedel	Fler primärstudier behövs	DUETs Schizophrenia Module Editorial Group	<i>Almerie MQ, Alkhateeb H, Essali A, Matar HE, Rezk E. Cessation of medication for people with schizophrenia already stable on chlorpromazine. Cochrane Database of Systematic Reviews 2007, Issue 1.</i>	2007-11-09
Schizofreni & Psykotiska tillstånd	How do we improve adherence to oral antipsychotic drugs?	Läkemedel	Fler primärstudier behövs	Mind Cymru	<i>McIntosh AM, Conlon L, Lawrie SM, Stanfield AC. Compliance therapy for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3.</i>	2007-09-11
Schizofreni & Psykotiska tillstånd	Antipsychotic switching for people with schizophrenia who have neuroleptic-induced weight or metabolic problems	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Mukundan A, Faulkner G, Cohn T, Remington G. Antipsychotic switching for people with schizophrenia who have neuroleptic-induced weight or metabolic problems. Cochrane Database of Systematic Reviews 2010, Issue 12. Art. No.: CD006629.</i>	2007-07-24
Schizofreni & Psykotiska tillstånd	Anticholinergics for neuroleptic-induced acute akathisia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Rathbone J, Soares-Weiser K. Anticholinergics for neuroleptic-induced acute akathisia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD003727.</i>	2007-07-11
Schizofreni & Psykotiska tillstånd	Antidepressants for the negative symptoms of schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Rummel C, Kissling W, Leucht S. Antidepressants for the negative symptoms of schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD005581.</i>	2007-07-11
Schizofreni & Psykotiska tillstånd	Clinical efficacy and acceptability of combined antipsychotics (including clozapine) for schizophrenia when monotherapy has proved unsatisfactory	Läkemedel	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	<i>Correll C U, Rummel-Kluge C, Corves C, Kane J M, Leucht S. Antipsychotic combinations vs monotherapy in schizophrenia: a meta-analysis of randomized controlled trials. Schizophrenia Bulletin 2009; 35(2): 443-457 PMID 18417466.</i>	2007-06-27

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Clinical and cost-effectiveness of depot and similar preparations of both conventional and atypical antipsychotics for schizophrenia	Läkemedel	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	<p><i>Abhijnhan A, Adams CE, David A, Ozbilen M. Depot fluspirilene for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD001718.</i></p> <p><i>David A, Quraishi S, Rathbone J. Depot perphenazine decanoate and enanthate for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 3. Art. No.: CD001717.</i></p> <p><i>Hosalli P, Davis JM. Depot risperidone for schizophrenia. Cochrane Database of Systematic Reviews 2003, Issue 4. Art. No.: CD004161.</i></p> <p><i>da Silva Freire Coutinho E, Fenton M, Quraishi SN. Zuclophenthixol decanoate for schizophrenia and other serious mental illnesses. Cochrane Database of Systematic Reviews 1999, Issue 3. Art. No.: CD001164.</i></p>	2007-06-27

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Direct comparisons between atypical antipsychotics for schizophrenia	Läkemedel	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	<i>El-Sayeh HG, Morganti C. Aripiprazole for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD004578. Murphy BE, Bagnall A, Chue P, Fenton M, Leitner M, Wood J. Loxapine for schizophrenia. Cochrane Database of Systematic Reviews 2000, Issue 1. Art. No.: CD001943. Bagnall A, Fenton M, Kleijnen J, Lewis R. Molindone for schizophrenia and severe mental illness. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD002083. Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD001359. Lewis R, Bagnall A-M, Leitner M. Sertindole for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 3. Art. No.: CD001715. Bagnall A, Kleijnen J, Leitner M, Lewis R. Ziprasidone for schizophrenia and severe mental illness. Cochrane Database of Systematic Reviews 2000, Issue 4. Art. No.: CD001945. DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</i>	2007-06-27
Schizofreni & Psykotiska tillstånd	Antipsychotic drugs for older people with schizophrenia	Läkemedel	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	<i>Marriott RG, Neil W, Waddingham S. Antipsychotic medication for elderly people with schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD005580.</i>	2007-06-18
Schizofreni & Psykotiska tillstånd	Antipsychotic drugs in first episode of schizophrenia	Läkemedel	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	<i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD004718.</i>	2007-06-18
Schizofreni & Psykotiska tillstånd	What are the effects of antipsychotic drugs on children with early symptoms of schizophrenia?	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</i>	2007-06-11

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	What are the effects of antipsychotic drugs and/or psychological interventions in early onset schizophrenia?	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD004718.</i>	2007-04-23
Schizofreni & Psykotiska tillstånd	Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia.	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Cipriani A, Boso M, Barbui C. Clozapine combined with different antipsychotic drugs for treatment resistant schizophrenia. Cochrane Database of Systematic Reviews 2009, Issue 3. Art. No.: CD006324.</i>	2007-03-05
Schizofreni & Psykotiska tillstånd	Paliperidone for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Nussbaum AM, Stroup TS. Oral paliperidone for schizophrenia. Cochrane Database of Systematic Reviews 2008, Issue 2. Art. No.: CD006369.</i>	2007-03-05
Schizofreni & Psykotiska tillstånd	Testosterone for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Elias A, Kumar A. Testosterone for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD006197.</i>	2006-12-04
Schizofreni & Psykotiska tillstånd	Risperidone versus olanzapine for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2.</i>	2006-10-09
Schizofreni & Psykotiska tillstånd	Haloperidol versus chlorpromazine for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Leucht C, Kitzmantel M, Kane J, Leucht S, Chua WLLC. Haloperidol versus chlorpromazine for schizophrenia. Cochrane Database of Systematic Reviews 2008, Issue 1. Art. No.: CD004278.</i>	2006-09-25
Schizofreni & Psykotiska tillstånd	Perazine for schizophrenia	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Leucht S, Helfer B, Hartung B. Perazine for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD002832.</i>	2006-09-18
Schizofreni & Psykotiska tillstånd	My son has schizophrenia. He was on Clozapine and transferred to aripiprazole. He's now becoming unwell. Is it better to switch straight back to clozapine, taper the doses or combine the two?	Läkemedel	Fler primärstudier behövs	United Kingdom Psychiatric Pharmacy Group Telephone Helpline	<i>Tuunainen A, Wahlbeck K, Gilbody SM. Newer atypical antipsychotic medication versus clozapine for schizophrenia. The Cochrane Database of Systematic Reviews 2000, Issue 2.</i>	2005-09-12
Schizofreni & Psykotiska tillstånd	Loxapine inhaler for psychosis-induced aggression or agitation	Läkemedel, Medicinteknik & Kirurgi	En systematisk översikt behövs	Cochrane Schizophrenia Group		2012-11-20
Schizofreni & Psykotiska tillstånd	Cognitive behaviour therapy versus specific pharmacological treatments for schizophrenia	Läkemedel, Psykologiska & Psykoterapeutiska	En systematisk översikt behövs	Cochrane Schizophrenia Group		2010-01-11

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Schizofreni & Psykotiska tillstånd	Cognitive behaviour therapy versus standard care for schizophrenia	Läkemedel, Psykologiska & Psykoterapeutiska	En systematisk översikt behövs	Cochrane Schizophrenia Group		2010-01-11
Schizofreni & Psykotiska tillstånd	Smoking cessation advice for people with serious mental illness	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2012-04-10
Schizofreni & Psykotiska tillstånd	Flupenthixol decanoate (depot) for schizophrenia or other similar psychotic disorders	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Mahapatra J, Quraishi SN, David A, Sampson S, Adams CE. Flupenthixol decanoate (depot) for schizophrenia or other similar psychotic disorders. Cochrane Database of Systematic Reviews 2014, Issue 6. Art. No.: CD001470.</i>	2014-06-10
Schizofreni & Psykotiska tillstånd	Zuclopenthixol acetate for acute schizophrenia and similar serious mental illnesses	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Jayakody K, Gibson RC, Kumar A, Gunadasa S. Zuclopenthixol acetate for acute schizophrenia and similar serious mental illnesses. Cochrane Database of Systematic Reviews 2012, Issue 4. Art. No.: CD000525.</i>	2012-04-30
Schizofreni & Psykotiska tillstånd	Benzodiazapines for catatonia in persons with schizophrenia and other serious mental illnesses.	Läkemedel	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Gibson RC, Walcott G. Benzodiazepines for catatonia in people with schizophrenia and other serious mental illnesses. Cochrane Database of Systematic Reviews 2008, Issue 4. Art. No.: CD006570.</i>	2007-07-24
Schizofreni & Psykotiska tillstånd	Is the effect of antipsychotic medication altered by illicit drug use or excessive alcohol consumption?	Läkemedel	En systematisk översikt behövs	Mind Cymru		2007-06-04
Schizofreni & Psykotiska tillstånd	Olanzapine for cannabis cravings or use in people with psychosis and coexisting substance misuse.	Läkemedel	En systematisk översikt behövs	Evidence Update		2012-11-05
Schizofreni & Psykotiska tillstånd	Risperidone for cannabis cravings or use in people with psychosis and coexisting substance misuse	Läkemedel	En systematisk översikt behövs	Evidence Update		2012-11-05
Schizofreni & Psykotiska tillstånd	Is clozapine clinically and cost effective when compared with other pharmacological interventions for people with psychosis and coexisting substance misuse?	Läkemedel	Fler primärstudier behövs	NICE Clinical Guideline Psychosis with coexisting substance misuse	<i>National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. Clinical Guideline. London: The British Psychological Society &amp; The Royal College of Psychiatrists.</i>	2011-03-31
Schizofreni & Psykotiska tillstånd	Risperidone versus other antipsychotics for people with severe mental illness and co-occurring substance misuse	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-05-19



Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Särskilda tillstånd	Pharmacological interventions for ADHD symptoms in children with fetal alcohol spectrum disorders (FASD)	Läkemedel	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2012-04-10
Särskilda tillstånd	Pharmacological interventions for self-harm in adults	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Hawton K, Witt KG, Taylor Salisbury TL, Arensman E, Gunnell D, Hazell P, Townsend E, van Heeringen K. Pharmacological interventions for self-harm in adults. Cochrane Database of Systematic Reviews 2015, Issue 7. Art. No.: CD011777.</i>	2015-09-03
Särskilda tillstånd	Treatments (i.e. Signs of Suicide, family interventions, therapeutic assessment, dialectical behaviour therapy, cognitive behavioural therapy, pharmacological therapy) in adolescents with self-harm for prevention of recurrence	Vård- & Behandlingsalternativ, Psykologiska & Psykoterapeutiska, Läkemedel	Fler primärstudier behövs	Evidence Update - Self harm		2013-02-15
Missbruk & Beroende	Supervised dosing with a long acting opioid medication in the management of opioid dependence	Läkemedel	En systematisk översikt behövs	Cochrane Drugs and Alcohol Group		2016-01-13
Missbruk & Beroende	Pharmacological treatment for depression during opioid agonist treatment for opioid dependence	Läkemedel	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Pani PP, Vacca R, Trogu E, Amato L, Davoli M. Pharmacological treatment for depression during opioid agonist treatment for opioid dependence. Cochrane Database of Systematic Reviews 2010, Issue 9. Art. No.: CD008373.</i>	2011-03-14
Missbruk & Beroende	Acceptability, efficacy and safety of pharmacological interventions for cocaine dependence: an overview of Cochrane reviews	Läkemedel	En systematisk översikt behövs	Cochrane Drugs and Alcohol Group		2012-04-10
Missbruk & Beroende	Efficacy of Psychostimulant Drugs for Amphetamine Abuse or Dependence	Läkemedel	En systematisk översikt behövs	Cochrane Drugs and Alcohol Group		2012-04-10
Missbruk & Beroende	Pharmacological interventions for drug-using offenders	Läkemedel	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Perry AE, Neilson M, Martyn-St James M, Glanville JM, McCool R, Duffy S, Godfrey C, Hewitt C. Pharmacological interventions for drug-using offenders. Cochrane Database of Systematic Reviews 2013, Issue 12. Art. No.: CD010862.</i>	2014-01-21
Missbruk & Beroende	Disulfiram for alcohol use disorder	Läkemedel	En systematisk översikt behövs	Cochrane Drugs and Alcohol Group		2013-05-02

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Missbruk & Beroende	Anticonvulsants for alcohol dependence	Läkemedel	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Pani PP, Trogu E, Pacini M, Maremmanni I. Anticonvulsants for alcohol dependence. Cochrane Database of Systematic Reviews 2014, Issue 2. Art. No.: CD008544.</i>	2014-03-21
Missbruk & Beroende	Dopamine agonists for the treatment of cocaine dependence	Läkemedel	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Minozzi S, Amato L, Pani PP, Solimini R, Vecchi S, De Crescenzo F, Zuccaro P, Davoli M. Dopamine agonists for the treatment of cocaine dependence. Cochrane Database of Systematic Reviews 2015, Issue 5. Art. No.: CD003352.</i>	2015-06-19
Missbruk & Beroende	Anticonvulsants for cocaine dependence	Läkemedel	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Minozzi S, Cinquini M, Amato L, Davoli M, Farrell MF, Pani PP, Vecchi S. Anticonvulsants for cocaine dependence. Cochrane Database of Systematic Reviews 2015, Issue 4. Art. No.: CD006754.</i>	2015-05-13
Missbruk & Beroende	Antidepressants for cocaine dependence and problematic cocaine use	Läkemedel	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Pani PP, Trogu E, Vecchi S, Amato L. Antidepressants for cocaine dependence and problematic cocaine use. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD002950.</i>	2012-03-14
Missbruk & Beroende	Opioid agonist treatment for pharmaceutical opioid dependent people	Läkemedel	En systematisk översikt behövs	Cochrane Drugs and Alcohol Group		2014-06-10
Missbruk & Beroende	Alpha2-adrenergic agonists for the management of opioid withdrawal	Läkemedel	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Gowing L, Farrell MF, Ali R, White JM. Alpha2-adrenergic agonists for the management of opioid withdrawal. Cochrane Database of Systematic Reviews 2014, Issue 3. Art. No.: CD002024.</i>	2014-04-15
Missbruk & Beroende	Slow-release oral morphine as maintenance therapy for opioid dependence	Läkemedel	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Ferri M, Minozzi S, Bo A, Amato L. Slow-release oral morphine as maintenance therapy for opioid dependence. Cochrane Database of Systematic Reviews 2013, Issue 6. Art. No.: CD009879.</i>	2013-09-12
Missbruk & Beroende	Oral naltrexone maintenance treatment for opioid dependence	Läkemedel	Fler primärstudier behövs	Cochrane Drugs and Alcohol Group	<i>Minozzi S, Amato L, Vecchi S, Davoli M, Kirchmayer U, Verster A. Oral naltrexone maintenance treatment for opioid dependence. Cochrane Database of Systematic Reviews 2011, Issue 2. Art. No.: CD001333.</i>	2011-07-12

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Are any combinations of cholinesterase inhibitors and /or memantine more effective for treatment of dementia than a single drug at all stages of the disease in managing symptoms/slowing progression?	Läkemedel	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Bond M, Rogers G, Peters J, Anderson R, Hoyle M, Miners A, et al. The effectiveness and cost-effectiveness of donepezil, galantamine, rivastigmine and memantine for the treatment of Alzheimer's disease (review of Technology Appraisal No. 111): a systematic review and economic model. Health Technology Assessment. 2012; 16(21):1-470 PMID: 22541366.</i> <i>Pfeil AM, Kressig RW, Szucs TD. Alzheimer's dementia: budget impact and cost-utility analysis of a combination treatment with a cholinesterase inhibitor and memantine in Switzerland. Swiss Medical Weekly. 2012; 142:w13676 PMID: 23180021.</i>	2015-10-29
Demens & Äldre	Are there any drugs/medications that are effective in preventing/delaying the onset of dementia, including in those with a family history or genetic risk factors for dementia?	Läkemedel	En uppdaterad systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	HTA study of antidepressants for depression in dementia - a definitive multicentre pragmatic randomised controlled trial of clinical and cost effectiveness (HTA-SADD)	Läkemedel	En uppdaterad systematisk översikt behövs	NIHR Health Technology Assessment Programme		2009-09-02
Demens & Äldre	Are current drug treatments for dementia effective in people with learning disabilities and dementia?	Läkemedel	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Can lithium slow progression of dementia?	Läkemedel	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Can statins prevent/delay onset of dementia when therapy is started in midlife?	Läkemedel	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is aspirin effective for the prevention or treatment of dementia? What dose is effective?	Läkemedel	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Is donepezil effective for treatment of Lewy Body dementia?	Läkemedel	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Is ibuprofen effective in preventing/delaying the onset of dementia?	Läkemedel	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Jaturapatporn D, Isaac MGEKN, McCleery J, Tabet N. Aspirin, steroidal and non-steroidal anti-inflammatory drugs for the treatment of Alzheimer's disease. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD006378.</i>	2015-10-29
Demens & Äldre	Is methylphenidate (Ritalin) or other stimulants effective for the treatment of apathy in dementia?	Läkemedel	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Berman K, Brodaty H, Withall A, Seeher K. Pharmacologic treatment of apathy in dementia. American Journal of Geriatric Psychiatry. 2012; 20(2):104-22.</i>	2015-10-29
Demens & Äldre	Intravenous immunoglobulin for Alzheimer's disease	Läkemedel	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2015-08-12

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Are acetylcholinesterase inhibitors or memantine effective and cost-effective for people with dementia?	Läkemedel	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<p><i>Bond M, Rogers G, Peters J, Anderson R, Hoyle M, Miners A, et al. The effectiveness and cost-effectiveness of donepezil, galantamine, rivastigmine and memantine for the treatment of Alzheimer's disease (review of Technology Appraisal No. 111): a systematic review and economic model. Health Technology Assessment. 2012;16(21):1-470.</i></p> <p><i>Pfeil AM, Kressig RW, Szucs TD. Alzheimer's dementia: budget impact and cost-utility analysis of a combination treatment with a cholinesterase inhibitor and memantine in Switzerland. Swiss Medical Weekly. 2012;142:w13676.</i></p> <p><i>Oremus M, Santaguida P, Raina P. Efficacy and safety of galantamine hydrobromide in the treatment of mild to moderate dementia. Clinical Medicine Insights: Therapeutics. 2010;2:809-24.</i></p> <p><i>Parsons C, Hughes C, McGuinness B, Passmore P. Withdrawal or continuation of cholinesterase inhibitors and/or memantine in patients with dementia. Cochrane Database of Systematic Reviews: Reviews. 2011;Issue 4.</i></p> <p><i>Rolinski M, Fox C, Maidment I, McShane R. Cholinesterase inhibitors for dementia with Lewy bodies, Parkinson's disease dementia and cognitive impairment in Parkinson's disease. Cochrane Database of Systematic Reviews 2012, Issue 3. Art. No.: CD006504.</i></p> <p><i>van Laar T, De Deyn PP, Aarsland D, Barone P, Galvin JE. Effects of cholinesterase inhibitors in Parkinson's disease dementia: a review of clinical data. CNS Neuroscience and Therapeutics. 2011;17(5):428-41.</i></p>	2013-08-21

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Is drug treatment for dementia e.g. donepezil or memantine, effective when used in conjunction with treatments for cancer co-morbidities, including medication, hormone therapy and radical radiotherapy?	Läkemedel	Fler primärstudier behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Demens & Äldre	Latrepirdine for Alzheimer's disease	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Chau S, Herrmann N, Ruthirakuhan MT, Chen JJ, Lanctôt KL. Latrepirdine for Alzheimer's disease. Cochrane Database of Systematic Reviews 2015, Issue 4. Art. No.: CD009524.</i>	2015-05-08
Demens & Äldre	Statins for the treatment of dementia	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>McGuinness B, Craig D, Bullock R, Malouf R, Passmore P. Statins for the treatment of dementia. Cochrane Database of Systematic Reviews 2014, Issue 7. Art. No.: CD007514.</i>	2014-08-31
Demens & Äldre	Pharmacotherapies for sleep disturbances in Alzheimer's disease	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>McCleery J, Cohen DA., Sharpley AL. Pharmacotherapies for sleep disturbances in Alzheimer's disease. Cochrane Database of Systematic Reviews 2014, Issue 3. Art. No.: CD009178.</i>	2014-04-28
Demens & Äldre	Rivastigmine for vascular cognitive impairment	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Birks J, McGuinness B, Craig D. Rivastigmine for vascular cognitive impairment. Cochrane Database of Systematic Reviews 2013, Issue 5. Art. No.: CD004744.</i>	2013-06-03
Demens & Äldre	Galantamine for vascular cognitive impairment	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Birks J, Craig D. Galantamine for vascular cognitive impairment. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD004746.</i>	2013-05-02
Demens & Äldre	Cerebrolysin for vascular dementia	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Chen N, Yang M, Guo J, Zhou M, Zhu C, He L. Cerebrolysin for vascular dementia. Cochrane Database of Systematic Reviews 2013, Issue 1. Art. No.: CD008900.</i>	2013-02-04
Demens & Äldre	Huperzine A for mild cognitive impairment	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Yue J, Dong BR, Lin X, Yang M, Wu HM, Wu T. Huperzine A for mild cognitive impairment. Cochrane Database of Systematic Reviews 2012, Issue 12. Art. No.: CD008827.</i>	2012-12-31

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Cholinesterase inhibitors for mild cognitive impairment	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Russ TC, Morling JR. Cholinesterase inhibitors for mild cognitive impairment. Cochrane Database of Systematic Reviews 2012, Issue 9. Art. No.: CD009132.</i>	2012-09-19
Demens & Äldre	Metal protein attenuating compounds for the treatment of Alzheimer's dementia	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Sampson EL, Jenagaratnam L, McShane R. Metal protein attenuating compounds for the treatment of Alzheimer's dementia. Cochrane Database of Systematic Reviews 2012, Issue 5. Art. No.: CD005380.</i>	2012-05-18
Demens & Äldre	Opioids for agitation in dementia	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Brown R, Howard R, Candy B, Sampson EL. Opioids for agitation in dementia. Cochrane Database of Systematic Reviews 2015, Issue 5. Art. No.: CD009705.</i>	2012-04-10
Demens & Äldre	Cholinesterase inhibitors for dementia with Lewy bodies, Parkinson's disease dementia and cognitive impairment in Parkinson's disease	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Rolinski M, Fox C, Maidment I, McShane R. Cholinesterase inhibitors for dementia with Lewy bodies, Parkinson's disease dementia and cognitive impairment in Parkinson's disease. Cochrane Database of Systematic Reviews 2012, Issue 3. Art. No.: CD006504.</i>	2012-03-23
Demens & Äldre	Piracetam for dementia or cognitive impairment	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Flicker L, Grimley Evans J. Piracetam for dementia or cognitive impairment. Cochrane Database of Systematic Reviews 2001, Issue 2. Art. No.: CD001011.</i>	2012-03-02
Demens & Äldre	Aspirin, steroidal and non-steroidal anti-inflammatory drugs for the treatment of Alzheimer's disease	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Jaturapatporn D, Isaac MGEKN, McCleery J, Tabet N. Aspirin, steroidal and non-steroidal anti-inflammatory drugs for the treatment of Alzheimer's disease. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD006378.</i>	2012-02-20
Demens & Äldre	Naftidrofuryl for dementia	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Lu D, Song H, Hao Z, Wu T, McCleery J. Naftidrofuryl for dementia. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD002955.</i>	2011-12-09
Demens & Äldre	Melatonin for the treatment of dementia	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Jansen SLynn, Forbes D, Duncan V, Morgan DG, Malouf R. Melatonin for the treatment of dementia. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD003802.</i>	2011-07-25

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Almitrine-Raubasine combination for dementia	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Yang W, Liu M, Teng J, Hao Z, Wu B, Wu T, Liu GJ. Almitrine-Raubasine combination for dementia. Cochrane Database of Systematic Reviews 2011, Issue 3. Art. No.: CD008068.</i>	2011-06-29
Demens & Äldre	Cognitive stimulation or acetylcholinesterase inhibitors for Alzheimer's disease over six months	Läkemedel	Fler primärstudier behövs	A NICE–SCIE Guideline on supporting people with dementia and their carers in health and social care. National Clinical Practice Guideline Number 42	<i>McShane R, Areosa Sastre A, Minakaran N. Memantine for dementia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD003154.</i> <i>Birks J, Harvey RJ. Donepezil for dementia due to Alzheimer's disease. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD001190.</i> <i>Birks J, Grimley Evans J, Iakovidou V, Tsolaki M. Rivastigmine for Alzheimer's disease. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD001191.</i>	2009-09-02
Demens & Äldre	Cognitive stimulation and acetylcholinesterase inhibitors for Alzheimer's disease over six months	Läkemedel, Psykologiska & Psykoterapeutiska	En uppdaterad systematisk översikt behövs	A NICE–SCIE Guideline on supporting people with dementia and their carers in health and social care. National Clinical Practice Guideline Number 42		2009-09-02
Demens & Äldre	What are effective pharmacological treatments for the behavioural and psychological symptoms of dementia other than antipsychotic drugs?	Läkemedel, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership	<i>Dolder CR, Nealy KL. The efficacy and safety of newer anticonvulsants in patients with dementia. Drugs and Aging. 2012; 29(8):627-37 PMID: 22734626.</i>	2015-10-29
Demens & Äldre	Thiamine for prevention and treatment of Wernicke-Korsakoff Syndrome in people who abuse alcohol	Prevention, Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Day E, Bentham PW, Callaghan R, Kuruvilla T, George S. Thiamine for prevention and treatment of Wernicke-Korsakoff Syndrome in people who abuse alcohol. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD004033.</i>	2013-09-04
Demens & Äldre	How effective are medicines designed for other illnesses for the treatment of dementia (e.g. treatments for Parkinsons disease)?	Läkemedel	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29



Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Demens & Äldre	Antidepressants for agitation and psychosis in dementia	Läkemedel	Fler primärstudier behövs	Dementia and Cognitive Improvement Group	<i>Seitz DP, Adunuri N, Gill SS., Gruneir A, Herrmann N, Rochon P. Antidepressants for agitation and psychosis in dementia. Cochrane Database of Systematic Reviews 2011, Issue 2. Art. No.: CD008191.</i>	2011-06-29
Demens & Äldre	Acetylcholinesterase inhibitors and memantine for the treatment of psychotic symptoms in dementia over six months	Läkemedel	Fler primärstudier behövs	A NICE–SCIE Guideline on supporting people with dementia and their carers in health and social care. National Clinical Practice Guideline Number 42	<i>McShane R, Areosa Sastre A, Minakaran N. Memantine for dementia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD003154.</i> <i>Birks J, Harvey RJ. Donepezil for dementia due to Alzheimer's disease. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD001190.</i> <i>Birks J, Grimley Evans J, Iakovidou V, Tsolaki M. Rivastigmine for Alzheimer's disease. Cochrane Database of Systematic Reviews 2009, Issue 2. Art. No.: CD001191.</i>	2009-09-02
Demens & Äldre	Does memantine reduce progression of functional disability in people with severe vascular dementia?	Läkemedel	En uppdaterad systematisk översikt behövs	DUETs Editorial team		2011-10-28
Övrig psykisk ohälsa	How effective and cost effective are interventions that use varenicline for people who are using acute, maternity and mental health services?	Läkemedel, Prevention, Levnadsvanor	Fler primärstudier behövs	NICE Public Health Smoking cessation - acute, maternity and mental health services (PH48)	<i>National Institute for Health and Clinical Excellence (2013) Smoking cessation - acute, maternity and mental health services (PH48). Public Health PH48. London: National Institute for Health and Clinical Excellence.</i>	2014-02-13
Övrig psykisk ohälsa	Antipsychotic drug discontinuation phenomena	Läkemedel	Fler primärstudier behövs	National Institute for Health and Clinical Excellence research recommendation	<i>Almerie MQ, Alkhateeb H, Essali A, Matar HE, Rezk E. Cessation of medication for people with schizophrenia already stable on chlorpromazine. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD006329.</i>	2007-06-18
Övrig psykisk ohälsa	Melatonin for non-respiratory sleep disorders in visually impaired children	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Khan S, Heussler H, McGuire T, Dakin C, Pache D, Cooper D, Norris R, Flenady V, Charles B. Melatonin for non-respiratory sleep disorders in visually impaired children. Cochrane Database of Systematic Reviews 2011, Issue 11. Art. No.: CD008473.</i>	2011-11-30

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Övrig psykisk ohälsa	Pharmacological interventions for those who have sexually offended or are at risk of offending	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Khan O, Ferriter M, Huband N, Powney MJ, Dennis JA, Duggan C. Pharmacological interventions for those who have sexually offended or are at risk of offending. Cochrane Database of Systematic Reviews 2015, Issue 2. Art. No.: CD007989.</i>	2015-03-12
Oönskade effekter	Should I be more concerned about adverse effects from antipsychotic drugs with late onset of psychosis?	Läkemedel	En uppdaterad systematisk översikt behövs	Mind Cymru	<i>Marriott RG, Neil W, Waddingham S. Antipsychotic medication for elderly people with schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 1.</i>	2007-11-08
Oönskade effekter	Long term adverse effects of clozapine (Clozaril)	Läkemedel	En uppdaterad systematisk översikt behövs	Hafal		2007-09-11
Oönskade effekter	Long term adverse effects of clozapine	Läkemedel	En uppdaterad systematisk översikt behövs	Mind Cymru		2007-07-12
Oönskade effekter	Is procyclidine effective in treating tardive dyskinesia if taken in conjunction with antipsychotics?	Läkemedel	En uppdaterad systematisk översikt behövs	Mind Cymru	<i>Bhoopathi PS, Soares-Weiser K. Benzodiazepines for neuroleptic-induced tardive dyskinesia. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD000205. El-Sayeh HG, Lyra da Silva JP, Rathbone J, Soares-Weiser K. Non-neuroleptic catecholaminergic drugs for neuroleptic-induced tardive dyskinesia. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD000458.</i>	2007-07-09
Oönskade effekter	Is risperidone less likely than other antipsychotic drugs to cause tardive dyskinesia?	Läkemedel	En uppdaterad systematisk översikt behövs	Mind Cymru		2007-07-09
Oönskade effekter	Pharmacological interventions for clozapine-induced sinus tachycardia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2015-05-05
Oönskade effekter	Anticholinergics for neuroleptic-induced parkinsonism and tardive dyskinesia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-11-18
Oönskade effekter	Anticholinergics versus placebo for neuroleptic-induced parkinsonism	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-07-10
Oönskade effekter	Will I be able to regain my singing voice whilst taking antipsychotic medication?	Läkemedel	En systematisk översikt behövs	DUETs Editorial team		2014-06-12

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Oönskade effekter	Anticholinergics (various) for neuroleptic-induced parkinsonism	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-06-10
Oönskade effekter	Pharmacological treatment for antipsychotic-related constipation	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2014-06-10
Oönskade effekter	Aripiprazole for neuroleptic induced hyperprolactinaemia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2013-11-20
Oönskade effekter	Pyridoxal 5 phosphate for neuroleptic-induced tardive dyskinesia	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2013-05-02
Oönskade effekter	Do the adverse effects of antipsychotic drugs outweigh the benefits?	Läkemedel	En systematisk översikt behövs	Mind Cymru		2008-04-14
Oönskade effekter	Can too high a dose of antipsychotic cause psychotic symptoms?	Läkemedel	En systematisk översikt behövs	Mind Cymru		2008-03-18
Oönskade effekter	Can overdose/misuse of antipsychotic drugs cause psychotic symptoms?	Läkemedel	En systematisk översikt behövs	Hafal		2008-03-18
Oönskade effekter	Is olanzapine dangerous in patients with hyperglycaemia?	Läkemedel	En systematisk översikt behövs	Mental Health Research Network Cymru		2007-07-09
Oönskade effekter	Anticholinergics for neuroleptic-induced parkinsonism	Läkemedel	En systematisk översikt behövs	Cochrane Schizophrenia Group		2006-09-18

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Oönskade effekter	Long term effects of antipsychotic drugs on kidneys	Läkemedel	Fler primärstudier behövs	Mind Cymru	<i>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</i> <i>El-Sayeh HG, Morganti C. Aripiprazole for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD004578.</i> <i>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</i> <i>Leucht S, Hartung B. Benperidol for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD003083.</i> <i>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD001359.</i> <i>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</i>	2008-03-18
Oönskade effekter	Is there an effective drug to treat akathisia as a side effect of long term antipsychotic medication?	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Lima AR, Bacalchuk J, Barnes TRE, Soares-Weiser K. Central action beta-blockers versus placebo for neuroleptic-induced acute akathisia. Cochrane Database of Systematic Reviews 2004, Issue 4. Art. No.: CD001946.</i> <i>Rathbone J, Soares-Weiser K. Anticholinergics for neuroleptic-induced acute akathisia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD003727.</i>	2008-03-18
Oönskade effekter	Do antipsychotic drugs make learning difficult?	Läkemedel	Fler primärstudier behövs	Hafal		2008-03-18
Oönskade effekter	Pharmacological interventions for clozapine-induced hypersalivation	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Syed R, Au K, Cahill C, Duggan L, He Y, Udu V, Xia J. Pharmacological interventions for clozapine-induced hypersalivation. Cochrane Database of Systematic Reviews 2008, Issue 3. Art. No.: CD005579.</i>	2008-03-10

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Oönskade effekter	Are antipsychotics bad for my sleep	Läkemedel	Fler primärstudier behövs	Hafal	<i>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</i> <i>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</i>	2008-02-13
Oönskade effekter	Which adverse effects from antipsychotic drugs do patients find most difficult to cope with?	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</i> <i>Matar HE, AlMerie MQ. Oral fluphenazine versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD006352.</i> <i>Joy CB, Adams CE, Lawrie SM. Haloperidol versus placebo for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD003082.</i> <i>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</i> <i>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD001359.</i> <i>Lewis R, Bagnall A-M, Leitner M. Sertindole for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 3. Art. No.: CD001715.</i> <i>Lonergan E, Britton AM, Luxenberg J, Wyller T. Antipsychotics for delirium. Cochrane Database of Systematic Reviews 2007, Issue 2. Art. No.: CD005594.</i> <i>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</i> <i>Murphy BE, Bagnall A, Chue P, Fenton M, Leitner</i>	2008-02-11

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
					<i>M, Wood J. Loxapine for schizophrenia. Cochrane Database of Systematic Reviews 2000, Issue 1. Art. No.: CD001943.</i> <i>Haupt DW. Differential metabolic effects of antipsychotic treatments. Eur Neuropsychopharmacol. 2006 Sep;16 Suppl 3:S149-55. Review.</i> <a href="http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&amp;Cmd=ShowDetailView&amp;TermToSearch=16872808&amp;ordinalpos=24&amp;itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum">http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&amp;Cmd=ShowDetailView&amp;TermToSearch=16872808&amp;ordinalpos=24&amp;itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum</a> .	
Oönskade effekter	Do antipsychotic drugs cause permanent physical adverse effects?	Läkemedel	Fler primärstudier behövs	Mind Cymru	<i>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</i>	2008-02-11
Oönskade effekter	Long term side effects of antipsychotics	Läkemedel	Fler primärstudier behövs	Hafal	<i>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</i> <i>El-Sayeh HG, Morganti C. Aripiprazole for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD004578.</i> <i>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</i> <i>Leucht S, Hartung B. Benperidol for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD003083.</i> <i>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD001359.</i> <i>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</i>	2007-09-24

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Oönskade effekter	Long term adverse effects of antipsychotic medication	Läkemedel	Fler primärstudier behövs	Mind Cymru	<p><i>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</i></p> <p><i>El-Sayeh HG, Morganti C. Aripiprazole for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD004578.</i></p> <p><i>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</i></p> <p><i>Leucht S, Hartung B. Benperidol for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD003083.</i></p> <p><i>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD001359.</i></p> <p><i>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</i></p>	2007-09-24

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Oönskade effekter	Long term adverse effects of antipsychotic medication	Läkemedel	Fler primärstudier behövs	Hafal	<i>Kennedy E, Kumar A, Datta SS. Antipsychotic medication for childhood-onset schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004027.</i> <i>El-Sayeh HG, Morganti C. Aripiprazole for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD004578.</i> <i>Jayaram MB, Hosalli P, Stroup S. Risperidone versus olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 2. Art. No.: CD005237.</i> <i>Leucht S, Hartung B. Benperidol for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD003083.</i> <i>Duggan L, Fenton M, Rathbone J, Dardennes R, El-Dosoky A, Indran S. Olanzapine for schizophrenia. Cochrane Database of Systematic Reviews 2005, Issue 2. Art. No.: CD001359.</i> <i>DeSilva P, Fenton M, Rathbone J. Zotepine for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD001948.</i>	2007-09-24
Oönskade effekter	Long term side effects of amisulpride for schizophrenia	Läkemedel	En uppdaterad systematisk översikt behövs	Mind Cymru		2007-07-12
Oönskade effekter	Oculogyric crisis in antipsychotic treatment of schizophrenia	Läkemedel	En systematisk översikt behövs	Hafal		2007-09-10
Oönskade effekter	Does Tegretol cause balance problem in schizophrenia?	Läkemedel	Fler primärstudier behövs	Hafal	<i>Leucht S, Kissling W, McGrath J, White P. Carbamazepine for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD001258.</i>	2007-09-10
Oönskade effekter	How can the side effects of drug treatment for dementia be minimised?	Läkemedel, Vård- & Behandlingsalternativ	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29



Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Oönskade effekter	Is there any interaction between drugs used to treat dementia and other commonly prescribed drugs for co-morbidities, such as diabetes, hypertension, thyroid problems, and Parkinsons disease, including at all stages of the disease?	Läkemedel	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Oönskade effekter	Does long term use of any drugs/medications or combinations of drugs for co-morbidities increase risk of dementia?	Läkemedel, Prediktion	En systematisk översikt behövs	Dementia - A JLA Priority Setting Partnership		2015-10-29
Oönskade effekter	Strategies for managing sexual dysfunction induced by antidepressant medication	Läkemedel, Vård- & Behandlingsalternativ	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Taylor MJ, Rudkin L, Bullemor-Day P, Lubin J, Chukwujekwu C, Hawton K. Strategies for managing sexual dysfunction induced by antidepressant medication. Cochrane Database of Systematic Reviews 2013, Issue 5. Art. No.: CD003382.</i>	2013-06-03
Oönskade effekter	Does mild renal impairment get worse if a person takes lithium for mood disorders?	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru		2007-05-09
Oönskade effekter	If a person benefiting from taking lithium for mood disorders stays on it, are adverse renal effects dose-related?	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru		2007-03-12
Oönskade effekter	Management of sexual dysfunction due to antipsychotic drug therapy	Läkemedel	Fler primärstudier behövs	NICE guideline on core interventions in the treatment and management of schizophrenia		2011-02-17
Oönskade effekter	What are the long term side effects of tranquilizers taken with antipsychotics in the treatment of schizophrenia?	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Volz A, Khorsand V, Gillies D, Leucht S. Benzodiazepines for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 1. Art. No.: CD006391.</i>	2008-03-18
Oönskade effekter	What are the long term adverse metabolic effects of antipsychotic medication?	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru		2007-03-12
Oönskade effekter	Does poly-pharmacy in older patients with severe mental illness cause greater adverse events?	Läkemedel	Fler primärstudier behövs	Mental Health Research Network Cymru	<i>Marriott RG, Neil W, Waddingham S. Antipsychotic medication for elderly people with schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 1. Art. No.: CD005580.</i>	2007-09-11

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Somatisk sjukdom	Melatonin for pre- and postoperative anxiety in adults	Läkemedel	Fler primärstudier behövs	Cochrane Anaesthesia Group	<i>Hansen MV, Halladin NL, Rosenberg J, Gögenur I, Møller AM. Melatonin for pre- and postoperative anxiety in adults. Cochrane Database of Systematic Reviews 2015, Issue 4. Art. No.: CD009861.</i>	2015-05-08
Somatisk sjukdom	Impact of long-term opioid use for chronic non-cancer pain on misuse, abuse or addiction, overdose, falls and fractures	Läkemedel	En systematisk översikt behövs	Cochrane Back Group		2014-05-19
Somatisk sjukdom	Antipsychotics for acute and chronic pain in adults	Läkemedel	Fler primärstudier behövs	Cochrane Pain, Palliative and Supportive Care Group	<i>Seidel S, Aigner M, Ossege M, Pernicka E, Wildner B, Sycha T. Antipsychotics for acute and chronic pain in adults. Cochrane Database of Systematic Reviews 2013, Issue 8. Art. No.: CD004844.</i>	2013-10-11
Somatisk sjukdom	Pharmacological interventions for the treatment of anxiety disorders in chronic obstructive pulmonary disease	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Usmani ZA, Carson KV, Cheng JN, Esterman AJ, Smith BJ. Pharmacological interventions for the treatment of anxiety disorders in chronic obstructive pulmonary disease. Cochrane Database of Systematic Reviews 2011, Issue 11. Art. No.: CD008483.</i>	2011-11-30

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Somatisk sjukdom	Interventions for preventing delirium in hospitalised patients	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Siddiqi N, Holt R, Britton AM, Holmes J. Interventions for preventing delirium in hospitalised patients. Cochrane Database of Systematic Reviews 2007, Issue 2. Art. No.: CD005563.</i> <i>Bruce AJ, Ritchie CW, Blizard R, Lai R, Raven P. The incidence of delirium associated with orthopedic surgery: a meta-analytic review. Int Psychogeriatr. 2007 Apr;19(2):197-214. Epub 2006 Sep 14. PMID: 16973101.</i> <i>Milisen K, Lemiengre J, Braes T, Foreman MD. Multicomponent intervention strategies for managing delirium in hospitalized older people: systematic review. J Adv Nurs. 2005 Oct;52(1):79-90. PMID: 16149984.</i> <i>Dasgupta M, Dumbrell AC. Preoperative risk assessment for delirium after noncardiac surgery: a systematic review. J Am Geriatr Soc. 2006;54(10):1578-89. PMID: 17038078.</i>	2009-07-27
Somatisk sjukdom	Antihypertensive withdrawal for the prevention of cognitive decline	Läkemedel	En systematisk översikt behövs	Cochrane Dementia and Cognitive Improvement Group		2015-12-22
Somatisk sjukdom	Psychological and pharmacological interventions for depression in patients with diabetes mellitus and depression	Läkemedel, Psykologiska & Psykoterapeutiska	Fler primärstudier behövs	Cochrane Metabolic and Endocrine Disorders Group	<i>Baumeister H, Hutter N, Bengel J. Psychological and pharmacological interventions for depression in patients with diabetes mellitus and depression. Cochrane Database of Systematic Reviews 2012, Issue 12. Art. No.: CD008381.</i>	2012-12-31
Somatisk sjukdom	Cholinesterase inhibitors for rarer dementias associated with neurological conditions	Läkemedel	Fler primärstudier behövs	Cochrane Dementia and Cognitive Improvement Group	<i>Li Y, Hai S, Zhou Y, Dong BR. Cholinesterase inhibitors for rarer dementias associated with neurological conditions. Cochrane Database of Systematic Reviews 2015, Issue 3. Art. No.: CD009444.</i>	2015-04-22
Somatisk sjukdom	Antipsychotics for people with epilepsy and psychosis	Läkemedel	En systematisk översikt behövs	Cochrane Epilepsy Group		2013-11-20

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Somatisk sjukdom	Benzodiazepines in non-alcohol related delirium in hospitalised patients	Läkemedel	Fler primärstudier behövs	Evidence Update - Delirium	<i>Loneragan E, Luxenberg J, Areosa Sastre A, Wyller TB. Benzodiazepines for delirium. Cochrane Database Syst Rev. 2009 Jan 21;(1):CD006379. Review. Update in: Cochrane Database Syst Rev. 2009;(4):CD006379.</i>	2012-04-23
Somatisk sjukdom	Melatonin for preoperative anxiety in adults	Läkemedel	En systematisk översikt behövs	Cochrane Anaesthesia Group		2012-05-30
Somatisk sjukdom	Which behavioural or psychological therapies are effective in treating patients following neurosurgery for brain or spine cavernomas?	Läkemedel	En systematisk översikt behövs	Cavernoma Priority Setting Partnership		2015-12-04
Somatisk sjukdom	Antidepressants for the treatment of depression in people with cancer	Läkemedel	Fler primärstudier behövs	Cochrane Gynaecological, Neuro-oncology and Orphan Cancers Group	<i>Ostuzzi G, Matcham F, Dauchy S, Barbui C, Hotopf M. Antidepressants for the treatment of depression in people with cancer. Cochrane Database of Systematic Reviews 2015, Issue 6. Art. No.: CD011006.</i>	2014-04-08
Somatisk sjukdom	Rifaximin for people with hepatic encephalopathy	Läkemedel	En systematisk översikt behövs	Cochrane Hepato-Biliary Group		2015-05-05
Somatisk sjukdom	Pharmacological interventions for depression in people with traumatic brain injury	Läkemedel	En systematisk översikt behövs	Cochrane Injuries Group		2013-04-26
Graviditet & Förlossning	How safe is it for my baby if I am breastfeeding and taking antidepressant medication?	Läkemedel	Fler primärstudier behövs	DUETs Editorial team	<i>Hoffbrand S, Howard L, Crawley H. Antidepressant treatment for post-natal depression. Cochrane Database of Systematic Reviews 2001, Issue 2. Art. No.: CD002018. Gentile S, Rossi A, Bellantuono C. SSRIs during breastfeeding: spotlight on milk-to-plasma ratio. Archives of Women's Mental Health 2007; 10(2): 39-51.</i>	2008-10-23
Graviditet & Förlossning	Antidepressants for depression during pregnancy	Läkemedel	En systematisk översikt behövs	Cochrane Depression, Anxiety and Neurosis Group		2013-09-20
Graviditet & Förlossning	Antidepressant treatment for postnatal depression	Läkemedel	Fler primärstudier behövs	Cochrane Depression, Anxiety and Neurosis Group	<i>Molyneaux E, Howard LM, McGeown HR, Karia AM, Trevillion K. Antidepressant treatment for postnatal depression. Cochrane Database of Systematic Reviews 2014, Issue 9. Art. No.: CD002018.</i>	2014-10-07

Populationskategori	Titel (eng)	Insatskategori	Typ av kunskapslucka	Källa	Referens	Datum
Graviditet & Förlossning	Preventive interventions for postnatal psychosis	Läkemedel, Prevention	Fler primärstudier behövs	Cochrane Schizophrenia Group	<i>Essali A, Alabed S, Guul A, Essali N. Preventive interventions for postnatal psychosis. Cochrane Database of Systematic Reviews 2013, Issue 6. Art. No.: CD009991.</i>	2013-09-12
Graviditet & Förlossning	Creatine for women in pregnancy for neuroprotection of the fetus	Läkemedel	Fler primärstudier behövs	Cochrane Pregnancy and Childbirth Group	<i>Dickinson H, Bain E, Wilkinson D, Middleton P, Crowther CA, Walker DW. Creatine for women in pregnancy for neuroprotection of the fetus. Cochrane Database of Systematic Reviews 2014, Issue 12. Art. No.: CD010846.</i>	2014-12-19
Intellektuell funktionsnedsättning	Pharmacological interventions for cognitive decline in people with Down syndrome	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Chang ASM, Berry A, Jones LJ, Sivasangari S. Specialist teams for neonatal transport to neonatal intensive care units for prevention of morbidity and mortality. Cochrane Database of Systematic Reviews 2015, Issue 10. Art. No.: CD007485.</i>	2015-11-11
Intellektuell funktionsnedsättning	Pharmacological interventions for dementia in people with Down Syndrome	Läkemedel	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2015-04-16
Intellektuell funktionsnedsättning	Risperidone for disruptive behaviour disorders in children with intellectual disabilities	Läkemedel	En systematisk översikt behövs	Cochrane Developmental, Psychosocial and Learning Problems Group		2012-07-20
Intellektuell funktionsnedsättning	Clozapine for psychotic disorders in adults with intellectual disabilities	Läkemedel	Fler primärstudier behövs	Cochrane Developmental, Psychosocial and Learning Problems Group	<i>Ayub M, Saeed K, Munshi TA, Naeem F. Clozapine for psychotic disorders in adults with intellectual disabilities. Cochrane Database of Systematic Reviews 2015, Issue 9. Art. No.: CD010625.</i>	2015-09-23
Intellektuell funktionsnedsättning	What is the long term safety of drugs used in seizure management in terms of adverse effects on learning, psychosis, anxiety, anger and rage in children and young people with neurodisability?	Läkemedel	En uppdaterad systematisk översikt behövs	JLA Survey	<i>National Clinical Guideline Centre 2012 The Epilepsies. CG 137. National Clinical Guideline Centre <a href="http://www.nice.org.uk/nicemedia/live/13635/57784/57784.pdf">http://www.nice.org.uk/nicemedia/live/13635/57784/57784.pdf</a>.</i>	2014-06-23

