



Bilaga 2.6

1 (28)

Inventering av vetenskapliga kunskapsluckor inom psykisk ohälsa 2005–2020
- insatser för att utreda, diagnostisera, förebygga och behandla psykisk ohälsa,
inklusive stödjande och organisatoriska åtgärder
rapport 335 (2021)

Bilaga 2.6 Psykologiska och psykoterapeutiska insatser

Utdrag från DUET:s databas med vetenskapliga kunskapsluckor

Listan i denna bilaga innehåller följande information:

| Populations-kategori | Titel | Insats-kategori | Källa (endast i DUETs) | Referens | Typ av kunskapslucka | Datum |
|--------------------------------------|------------------------|----------------------------------|---|---|--|---|
| Övergripande kategori för population | Kunskaps-luckans titel | Övergripande kategori för insats | Internationell eller brittisk arbetsgrupp som tagit fram underlaget (t.ex. Cochrane, NICE, JLA, DUETs Mental Health Module editorial group) | Underlag som kunskaps-luckan hämtats från | Tre typer: - En systematisk översikt behövs - En uppdaterad systematisk översikt behövs - Fler primärstudier behövs De tre typerna återspeglar kunskapsläget sådant det såg ut vid tidpunkten för utredningen av kunskapsluckan. | Datum för när den senaste versionen av kunskaps-luckan publicerades |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|-----------------------------|---|---|--------------------------------|--|--|------------|
| Neuropsykiatriska tillstånd | Neurofeedback for attention deficit-hyperactivity disorder (ADHD) | Medicinteknik & Kirurgi, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Evidence Update - attention deficit hyperactivity disorder 2013 | <i>Sonuga-Barke EJ, Brandeis D, Cortese S, et al. (2013) Nonpharmacological Interventions for ADHD: Systematic Review and Meta-Analyses of Randomized Controlled Trials of Dietary and Psychological Treatments. Am J Psychiatry 170(3):275-89. PMID: 23360949.</i> <i>Lofthouse, Nicholas, Arnold, L. Eugene, Hersch, Sarah et al. (2012) A review of neurofeedback treatment for pediatric ADHD. Journal of attention disorders 16 (5): 351-372 PMID: 22090396.</i> | 2013-05-09 |
| Neuropsykiatriska tillstånd | Behavioural interventions for attention deficit-hyperactivity disorder (ADHD) | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Evidence Update - attention deficit hyperactivity disorder | <i>Sonuga-Barke EJ, Brandeis D, Cortese S, et al. (2013) Nonpharmacological Interventions for ADHD: Systematic Review and Meta-Analyses of Randomized Controlled Trials of Dietary and Psychological Treatments. Am J Psychiatry 170(3):275-89. PMID: 23360949.</i> | 2013-05-13 |
| Neuropsykiatriska tillstånd | Cognitive training for attention deficit-hyperactivity disorder (ADHD) | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Evidence Update - attention deficit hyperactivity disorder 2013 | <i>Sonuga-Barke EJ, Brandeis D, Cortese S, et al. (2013) Nonpharmacological Interventions for ADHD: Systematic Review and Meta-Analyses of Randomized Controlled Trials of Dietary and Psychological Treatments. Am J Psychiatry 170(3):275-89. PMID: 23360949.</i> | 2013-05-10 |
| Neuropsykiatriska tillstånd | Cognitive-behavioural interventions for attention deficit hyperactivity disorder (ADHD) in adults | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | | 2013-12-17 |
| Neuropsykiatriska tillstånd | Child-focused psychosocial interventions for anger and aggression in children under 12 years of age | Psykologiska & Psykoterapeutiska, Stöd & Information | En systematisk översikt behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | | 2015-08-12 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|-----------------------------|--|---|---------------------------|--|---|------------|
| Neuropsykiatriska tillstånd | Music therapy for people with autism spectrum disorder | Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Geretsegger M, Elephant C, Mössler KA, Gold C. Music therapy for people with autism spectrum disorder. Cochrane Database of Systematic Reviews 2014, Issue 6. Art. No.: CD004381.</i> | 2014-07-07 |
| Neuropsykiatriska tillstånd | Are behavioural and sensory interventions effective in managing symptoms of Autistic Spectrum Disorder? | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | JLA Survey | <i>Reichow B, Steiner AM, Volkmar F. Social skills groups for people aged 6 to 21 with autism spectrum disorders (ASD). Cochrane Database of Systematic Reviews 2012, Issue 7. Art. No.: CD008511.</i> | 2014-06-23 |
| Neuropsykiatriska tillstånd | Interventions based on the Theory of Mind cognitive model for autism spectrum disorder (ASD) | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Fletcher-Watson S, McConnell F, Manola E, McConachie H. Interventions based on the Theory of Mind cognitive model for autism spectrum disorder (ASD). Cochrane Database of Systematic Reviews 2014, Issue 3. Art. No.: CD008785.</i> | 2014-04-28 |
| Neuropsykiatriska tillstånd | Early intensive behavioral intervention (EIBI) for young children with autism spectrum disorders (ASD) | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Reichow B, Barton EE, Boyd BA, Hume K. Early intensive behavioral intervention (EIBI) for young children with autism spectrum disorders (ASD). Cochrane Database of Systematic Reviews 2012, Issue 10. Art. No.: CD009260.</i> | 2012-10-18 |
| Neuropsykiatriska tillstånd | Cognitive behavioural therapy for the treatment of moderate and severe anxiety disorders in adults with autism | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE~ Clinical guidelines Autism in adults. | <i>National Institute for Health and Clinical Excellence. 2012. Autism in adults. Clinical guidelines CG 142. London: National Institute for Health and Clinical Excellence.</i> | 2012-07-31 |
| Neuropsykiatriska tillstånd | Auditory integration training and other sound therapies for autism spectrum disorders | Psykologiska & Psykoterapeutiska, Medicinteknik & Kirurgi | Fler primärstudier behövs | Evidence Update - Autism in adults | <i>Sinha Y, Silove N, Wheeler D, Williams K. Auditory integration training and other sound therapies for autism spectrum disorders. Cochrane Database of Systematic Reviews 2011, Issue 12.</i> | 2014-03-04 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|-----------------------------|--|--|--------------------------------|--|---|------------|
| Neuropsykiatriska tillstånd | Information technology and electronic devices for people with autism spectrum conditions to improve social skills and other outcomes | Psykologiska & Psykoterapeutiska, Medicinteknik & Kirurgi | Fler primärstudier behövs | Evidence Update - Autism in adults | <i>Kagohara DM, van der Meer L, Ramdoss S, O'Reilly MF, Lancioni GE, Davis TN, et al. Using iPods(R) and iPads(R) in teaching programs for individuals with developmental disabilities: a systematic review. Research in Developmental Disabilities 2013; Vol. 34: No. 1. Ramdoss S, Machalicek W, Rispoli M, Mulloy A, Lang R, O'Reilly M. Computer-based interventions to improve social and emotional skills in individuals with autism spectrum disorders: a systematic review. Developmental neurorehabilitation 2012; Vol. 15: No. 2.</i> | 2014-03-04 |
| Neuropsykiatriska tillstånd | Social skills groups for people aged 6 to 21 with autism spectrum disorders (ASD) | Psykologiska & Psykoterapeutiska, Stöd & Information | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Reichow B, Steiner AM, Volkmar F. Social skills groups for people aged 6 to 21 with autism spectrum disorders (ASD). Cochrane Database of Systematic Reviews 2012, Issue 7. Art. No.: CD008511.</i> | 2012-07-25 |
| Neuropsykiatriska tillstånd | Family therapy for autism spectrum disorders | Psykologiska & Psykoterapeutiska, Stöd & Information | En systematisk översikt behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | | 2015-11-09 |
| Neuropsykiatriska tillstånd | Parent-mediated early intervention for young children with autism spectrum disorders (ASD) | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Oono IP, Honey EJ, McConachie H. Parent-mediated early intervention for young children with autism spectrum disorders (ASD). Cochrane Database of Systematic Reviews 2013, Issue 4. Art. No.: CD009774.</i> | 2013-05-02 |
| Neuropsykiatriska tillstånd | Facilitated self-help for the treatment of mild anxiety and depressive disorders in adults with autism | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE~Clinical guidelines. Autism in adults. | <i>National Institute for Health and Clinical Excellence. 2012. Autism in adults. Clinical guidelines CG 142. London: National Institute for Health and Clinical Excellence.</i> | 2012-07-31 |
| Neuropsykiatriska tillstånd | What is the efficacy of classroom-based interventions for conduct disorders? | Sysselsättning & Färdighetsträning, Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Conduct disorders in children and young people (CG158) | <i>National Institute for Health and Clinical Excellence (2013) Conduct disorders in children and young people (CG158). Clinical Guideline CG158. London: National Institute for Health and Clinical Excellence.</i> | 2013-04-15 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|---|--|--------------------------------|---|---|------------|
| Affektiva tillstånd | Cognitive behavioural therapy for anxiety disorders in children and adolescents | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | <i>James AC, James G, Cowdrey FA, Soler A, Choke A. Cognitive behavioural therapy for anxiety disorders in children and adolescents. Cochrane Database of Systematic Reviews 2013, Issue 6. Art. No.: CD004690.</i> | 2013-10-24 |
| Affektiva tillstånd | Media-delivered cognitive behavioural therapy and behavioural therapy (self-help) for anxiety disorders in adults | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | <i>Mayo-Wilson E, Montgomery P. Media-delivered cognitive behavioural therapy and behavioural therapy (self-help) for anxiety disorders in adults. Cochrane Database of Systematic Reviews 2013, Issue 9. Art. No.: CD005330.</i> | 2013-10-21 |
| Affektiva tillstånd | Eye movement desensitisation and reprocessing (EMDR) in obsessive compulsive disorder | Medicinteknik & Kirurgi, Komplementärmedicin, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Evidence update - Obsessive compulsive disorder | | 2013-07-25 |
| Affektiva tillstånd | Low intensity behavioural interventions in stepped care for obsessive compulsive disorder | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Evidence update - Obsessive compulsive disorder | <i>Gava I, Barbui C, Aguglia E, Carlino D, Churchill R, De Vanna M, McGuire H. Psychological treatments versus treatment as usual for obsessive compulsive disorder (OCD). Cochrane Database of Systematic Reviews 2007, Issue 2. Art. No.: CD005333.</i> | 2013-07-25 |
| Affektiva tillstånd | Cognitive Behavioural Therapy and guided bibliotherapy compared with a waiting-list control for panic disorder | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Anxiety | <i>National Collaborating Centre for Mental Health (2011) Anxiety. Clinical Guideline. London: The British Psychological Society and The Royal College of Psychiatrists.</i> | 2011-01-31 |
| Affektiva tillstånd | Psychological therapies for panic disorder with or without agoraphobia in adults | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2014-03-12 |
| Affektiva tillstånd | Psychological therapies for chronic post-traumatic stress disorder (PTSD) in adults | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | <i>Bisson JI, Roberts NP, Andrew M, Cooper R, Lewis C. Psychological therapies for chronic post-traumatic stress disorder (PTSD) in adults. Cochrane Database of Systematic Reviews 2013, Issue 12. Art. No.: CD003388.</i> | 2014-02-12 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|--|--|--------------------------------|---|--|------------|
| Affektiva tillstånd | Exposure therapy versus cognitive processing therapy for adults with PTSD for remission | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | PTSD Evidence Update 2013 | Jonas DE, Cusack K, Forneris CA et al. <i>Psychological and pharmacological treatments for adults with posttraumatic stress disorder (PTSD)</i> . Agency for Healthcare Research and Quality; 2013. http://effectivehealthcare.ahrq.gov/ehec/products/347/1436/PTSD-treatment-adult-executive-130403.pdf . | 2013-10-14 |
| Affektiva tillstånd | Psychological first aid in adults exposed to trauma and incidence of PTSD | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | PTSD Evidence Update 2013 | Gartlehner G, Forneris CA, Brownley KA et al. <i>Interventions for the prevention of posttraumatic stress disorder (PTSD) in adults after exposure to psychological trauma</i> . Agency for Healthcare Research and Quality; 2013 http://effectivehealthcare.ahrq.gov/ehec/products/347/1436/PTSD-treatment-adult-executive-130403.pdf . | 2013-10-14 |
| Affektiva tillstånd | Early interventions with a stepped procedure in children with PTSD | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | PTSD Evidence Update 2013 | Kramer DN, Landolt MA (2011) <i>Characteristics and efficacy of early psychological interventions in children and adolescents after single trauma: a meta-analysis</i> . <i>European Journal of Psychotraumatology</i> , Vol. 2. | 2013-10-14 |
| Affektiva tillstånd | Psychological therapies for the treatment of post-traumatic stress disorder in children and adolescents | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | Gillies D, Taylor F, Gray C, O'Brien L, D'Abrew N. <i>Psychological therapies for the treatment of post-traumatic stress disorder in children and adolescents</i> . <i>Cochrane Database of Systematic Reviews 2012, Issue 12</i> . Art. No.: CD006726. | 2012-12-31 |
| Affektiva tillstånd | Psychological interventions for post-traumatic stress disorder (PTSD) in people with severe mental illness | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Schizophrenia Group | | 2015-02-25 |
| Affektiva tillstånd | Couple and family therapies for post-traumatic stress disorder (PTSD) | Psykologiska & Psykoterapeutiska, Stöd & Information | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2014-10-10 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|---|---|---|--|---|------------|
| Affektiva tillstånd | Face-to-face cognitive behavioural therapy (CBT) compared with internet-facilitated CBT in the long-term management of bipolar disorder | Medicinteknik & Kirurgi, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE CG. Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people. | <i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i> | 2014-11-19 |
| Affektiva tillstånd | Structured psychological interventions for adults with bipolar disorder | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | DUETs Editorial team | <i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i> http://www.nice.org.uk/guidance/cg185/evidence/cg185-bipolar-disorder-update-full-guideline3 . | 2014-12-26 |
| Affektiva tillstånd | Structured psychological interventions for young people with bipolar depression | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE CG. Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people. | <i>National Institute for Health and Clinical Excellence (2014) Bipolar disorder: the assessment and management of bipolar disorder in adults, children and young people in primary and secondary care. Clinical Guideline CG185. London: National Institute for Health and Clinical Excellence.</i> | 2014-11-19 |
| Affektiva tillstånd | Music therapy for depression | Komplementärmedicin, Psykologiska & Psykoterapeutiska, Sysselsättning & Färdighetsträning | Fler primärstudier behövs | DUETs Mental Health Module Editorial Group | <i>Maratos A, Gold C, Wang X, Crawford M. Music therapy for depression. Cochrane Database of Systematic Reviews 2008, Issue 1. Art. No.: CD004517.</i> | 2009-07-23 |
| Affektiva tillstånd | Is Cognitive Behavioural Therapy equally useful in patients with and without active medication? | Läkemedel, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | DUETs Schizophrenia Module Editorial Group | | 2007-03-07 |
| Affektiva tillstånd | Combining prescription antidepressant drugs and psychological treatments for depression | Läkemedel, Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | BMJ Clinical Evidence | | 2009-07-23 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|---|--|---------------------------|---|---|------------|
| Affektiva tillstånd | Psychological and educational interventions for preventing depression in children and adolescents | Prevention, Psykologiska & Psykoterapeutiska, Stöd & Information | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | <i>Merry SN, Hetrick SE, Cox GR, Brudevold-Iversen T, Bir JJ, McDowell H. Psychological and educational interventions for preventing depression in children and adolescents. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD003380.</i> | 2012-03-14 |
| Affektiva tillstånd | Behavioural therapies versus other psychological therapies for depression | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | <i>Shinohara K, Honyashiki M, Imai H, Hunot V, Caldwell DM, Davies P, Moore THM, Furukawa TA, Churchill R. Behavioural therapies versus other psychological therapies for depression. Cochrane Database of Systematic Reviews 2013, Issue 10. Art. No.: CD008696.</i> | 2013-11-15 |
| Affektiva tillstånd | Third wave' cognitive and behavioural therapies versus other psychological therapies for depression | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | <i>Hunot V, Moore THM, Caldwell DM, Furukawa TA, Davies P, Jones H, Honyashiki M, Chen P, Lewis G, Churchill R. 'Third wave' cognitive and behavioural therapies versus other psychological therapies for depression. Cochrane Database of Systematic Reviews 2013, Issue 10. Art. No.: CD008704.</i> | 2013-11-15 |
| Affektiva tillstånd | Third wave' cognitive and behavioural therapies versus treatment as usual for depression | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | <i>Churchill R, Moore THM, Furukawa TA, Caldwell DM, Davies P, Jones H, Shinohara K, Imai H, Lewis G, Hunot V. 'Third wave' cognitive and behavioural therapies versus treatment as usual for depression. Cochrane Database of Systematic Reviews 2013, Issue 10. Art. No.: CD008705.</i> | 2013-11-15 |
| Affektiva tillstånd | Psychological therapies versus antidepressant medication, alone and in combination for depression in children and adolescents | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Evidence Update - Depression in children and young people | <i>Cox GR, Callahan P, Churchill R, Hunot V, Merry SN, Parker AG, Hetrick SE. Psychological therapies versus antidepressant medication, alone and in combination for depression in children and adolescents. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD008324.</i> | 2012-11-16 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|--|----------------------------------|---|---|--|------------|
| Affektiva tillstånd | Psychotherapeutic treatments for older depressed people | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | DUETs Mental Health Module Editorial Group | <i>Wilson K, Mottram PG, Vassilas C. Psychotherapeutic treatments for older depressed people. Cochrane Database of Systematic Reviews 2008, Issue 1. Art. No.: CD004853.</i> | 2009-07-23 |
| Affektiva tillstånd | Behavioural and cognitive-behavioural therapy based self-help versus treatment as usual for depression in adults and adolescents | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2015-07-09 |
| Affektiva tillstånd | Cognitive behavioural therapies versus other psychological therapies for depression | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2012-08-23 |
| Affektiva tillstånd | Cognitive behavioural therapies versus treatment as usual for depression | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2012-08-23 |
| Affektiva tillstånd | Interpersonal, cognitive analytic and other integrative therapies versus treatment as usual for depression | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2012-08-23 |
| Affektiva tillstånd | Psychosocial interventions for prevention of depression in older people | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | DUETs Mental Health Module Editorial Group | | 2009-07-23 |
| Affektiva tillstånd | Psychotherapy for depression in children and adolescents | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | DUETs Mental Health Module Editorial Group | | 2009-07-23 |
| Affektiva tillstånd | Individual Cognitive Behavioural Therapy for children with depression | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | National Institute for Health and Clinical Excellence research recommendation | | 2006-09-04 |
| Affektiva tillstånd | Psychodynamic psychotherapy for children with depression | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | National Institute for Health and Clinical Excellence research recommendation | | 2006-09-04 |
| Affektiva tillstånd | Cognitive behavioural therapy as an adjunct to pharmacotherapy for treatment resistant depression in primary care: a randomised controlled trial | Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | DUETs Mental Health Module Editorial Group | | 2009-07-23 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|---|---|--------------------------------|---|--|------------|
| Affektiva tillstånd | Mindfulness-based 'third wave' cognitive and behavioural therapies versus other psychological therapies for depression | Psykologiska & Psykoterapeutiska, Komplementärmedicin | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2012-08-23 |
| Affektiva tillstånd | Does mindfulness based cognitive therapy prevent relapse of depression? | Psykologiska & Psykoterapeutiska, Prevention, Komplementärmedicin | Fler primärstudier behövs | BMJ | <i>Kuyken W, Crane R, Dalgleish T. Does mindfulness based cognitive therapy prevent relapse of depression? BMJ. 2012. 10.1136/bmj.e7194.</i> | 2012-11-09 |
| Affektiva tillstånd | Family therapy for depression | Psykologiska & Psykoterapeutiska, Stöd & Information | Fler primärstudier behövs | DUETs Mental Health Module Editorial Group | <i>Henken T, Huibers MJ, Churchill R, Restifo KK, Roelofs JJ. Family therapy for depression. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD006728.</i> | 2009-07-23 |
| Affektiva tillstånd | Systemic Family Therapy for children with depression | Psykologiska & Psykoterapeutiska, Stöd & Information | En systematisk översikt behövs | National Institute for Health and Clinical Excellence research recommendation | | 2006-09-04 |
| Affektiva tillstånd | Psychological therapies for preventing seasonal affective disorder | Prevention, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2014-10-10 |
| Affektiva tillstånd | Psychological therapies for treatment-resistant depression in adults | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2013-07-24 |
| Affektiva tillstånd | Combined pharmacology and psychotherapy for older adults with generalised anxiety disorder | Läkemedel, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Evidence Update - Generalised anxiety disorder in adults | <i>Goncalves DC, Byrne GJ. Interventions for generalized anxiety disorder in older adults: Systematic review and meta-analysis. Journal of anxiety disorders. 2012; Vol. 26, No. 1:1-11.</i> | 2012-07-09 |
| Affektiva tillstånd | Sertraline compared with cognitive behavioural therapy (CBT) in people with generalised anxiety disorder (GAD) that has not responded to guided self-help and psychoeducation in a stepped-care model | Läkemedel, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Anxiety | <i>National Collaborating Centre for Mental Health (2011) Anxiety. Clinical Guideline. London: The British Psychological Society and The Royal College of Psychiatrists.</i> | 2011-01-31 |
| Affektiva tillstånd | CBT for generalised anxiety disorder in older people compared to working age adults | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Evidence Update - Generalised anxiety disorder in adults | <i>Gould RL, Coulson MC, Howard RJ. Efficacy of cognitive behavioral therapy for anxiety disorders in older people: A meta-analysis and meta-regression of randomized controlled trials. Journal of the American Geriatrics Society. 2012; Vol. 60, No. 2: 218-29.</i> | 2012-07-09 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|------------------------------------|--|---|--------------------------------|---|--|-------------------------------|
| Affektiva tillstånd | Combined psychological and pharmacological interventions compared with either intervention alone in the treatment of adults with social anxiety disorder | Läkemedel, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Social anxiety disorder (CG159) | <i>National Collaborating Centre for Mental Health (2013) Social anxiety disorder (CG159). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i> | 2013-07-12 |
| Affektiva tillstånd | Individual versus group Cognitive Behavioural Therapy for children and young people with social anxiety disorder | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Social anxiety disorder (CG159) | <i>National Collaborating Centre for Mental Health (2013) Social anxiety disorder (CG159). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i> | 2013-07-12 |
| Affektiva tillstånd | Specific versus generic Cognitive Behavioural Therapy for children and young people with social anxiety disorder | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Social anxiety disorder (CG159) | <i>National Collaborating Centre for Mental Health (2013) Social anxiety disorder (CG159). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i> | 2013-07-12 |
| Schizofreni & Psykotiska tillstånd | Music therapy for people with schizophrenia and schizophrenia-like disorders | Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | <i>Mössler K, Chen X, Heldal TO, Gold C. Music therapy for people with schizophrenia and schizophrenia-like disorders. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD004025.</i> | 2012-03-14 |
| Schizofreni & Psykotiska tillstånd | Cognitive behaviour therapy versus specific pharmacological treatments for schizophrenia | Läkemedel, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Schizophrenia Group | | 2010-01-11 |
| Schizofreni & Psykotiska tillstånd | Cognitive behaviour therapy versus standard care for schizophrenia | Läkemedel, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Schizophrenia Group | | 2010-01-11 |
| Schizofreni & Psykotiska tillstånd | Avatar therapy for schizophrenia or related disorders | Medicinteknik & Kirurgi, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Schizophrenia Group | | 2015-10-20 |
| Schizofreni & Psykotiska tillstånd | Cognitive behavioural therapy (brief versus standard duration) for schizophrenia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | <i>Naeem F, Farooq S, Kingdon D. Cognitive behavioural therapy (brief versus standard duration) for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 4. Art. No.: CD010646.</i> | 2014-05-29 UPPDAT FINNS |
| Schizofreni & Psykotiska tillstånd | Crisis intervention for people with severe mental illnesses | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | <i>Murphy SM, Irving CB, Adams CE, Waqar M. Crisis intervention for people with severe mental illnesses. Cochrane Database of Systematic Reviews 2015, Issue 12. Art. No.: CD001087.</i> | 2015-12-04 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|------------------------------------|---|----------------------------------|---------------------------|---|---|------------|
| Schizofreni & Psykotiska tillstånd | Cognitive behavioural therapy (brief versus standard duration) for schizophrenia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | <i>Naeem F, Farooq S, Kingdon D. Cognitive behavioural therapy (brief versus standard duration) for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 10. Art. No.: CD010646.</i> | 2015-10-21 |
| Schizofreni & Psykotiska tillstånd | Social skills programmes for schizophrenia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | <i>Almerie MQ, Okba Al Marhi M, Jawoosh M, Alsabbagh M, Matar HE, Maayan N, Bergman H. Social skills programmes for schizophrenia. Cochrane Database of Systematic Reviews 2015, Issue 6. Art. No.: CD009006.</i> | 2015-07-16 |
| Schizofreni & Psykotiska tillstånd | Cognitive behavioural therapy (CBT) based trauma reprocessing intervention on PTSD symptoms in people with psychosis and schizophrenia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Psychosis and schizophrenia in adults (CG178) | <i>National Collaborating Centre for Mental Health (2014) Psychosis and schizophrenia in adults (CG178). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i> | 2014-03-25 |
| Schizofreni & Psykotiska tillstånd | Psychological intervention alone compared with treatment as usual in people with psychosis or schizophrenia who choose not to take antipsychotic medication | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Psychosis and schizophrenia in adults (CG178) | <i>National Collaborating Centre for Mental Health (2014) Psychosis and schizophrenia in adults (CG178). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i> | 2014-03-25 |
| Schizofreni & Psykotiska tillstånd | Cognitive behaviour therapy versus other psychosocial treatments for schizophrenia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | <i>Jones C, Hacker D, Cormac I, Meaden A, Irving CB. Cognitive behaviour therapy versus other psychosocial treatments for schizophrenia. Cochrane Database of Systematic Reviews 2012, Issue 4. Art. No.: CD008712.</i> | 2012-04-23 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|------------------------------------|---|----------------------------------|---------------------------|--|--|------------|
| Schizofreni & Psykotiska tillstånd | Psychological and psychosocial interventions for people with schizophrenia from specific ethnic groups | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Schizophrenia Core interventions in the treatment and management of schizophrenia in primary and secondary care (update) | <i>Xia Jun, Grant Tessa Jane. Dance therapy for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 1 John Wiley & Sons, Ltd Chichester, UK.</i> <i>Malmberg L, Fenton M, Rathbone J. Individual psychodynamic psychotherapy and psychoanalysis for schizophrenia and severe mental illness. Cochrane Database of Systematic Reviews: Reviews 2001 Issue 3 John Wiley & Sons, Ltd Chichester, UK.</i> <i>Michalczuk R, Mitchell A. Monetary incentives for schizophrenia. Cochrane Database of Systematic Reviews: Reviews 2009 Issue 4 John Wiley & Sons, Ltd Chichester, UK.</i> | 2010-02-21 |
| Schizofreni & Psykotiska tillstånd | One-to-one psychological therapy versus group interventions for schizophrenia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Mental Health Research Network Cymru | <i>LAWRENCE, R.; BRADSHAW, T.; MAIRS. Group cognitive behavioural therapy for schizophrenia: a systematic review of the literature. Journal of Psychiatric & Mental Health Nursing. 13(6):673-681, December 2006.</i> http://www.ncbi.nlm.nih.gov/sites/entrezDb=pubmed&Cmd=ShowDetailView&TermToSearch=17087669&ordinalpos=6&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum . | 2008-03-10 |
| Schizofreni & Psykotiska tillstånd | Do psychological therapies decrease relapse and re-hospitalizations in patients with severe mental illness? | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | DUETs Schizophrenia Module Editorial Group | <i>Ruddy RA, Dent-Brown K. Drama therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2007, Issue 1.</i> <i>Pharoah F, Mari J, Rathbone J, Wong W. Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> <i>Gold C, Heldal TO, Dahle T, Wigram T. Music therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 2.</i> | 2007-09-11 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|------------------------------------|---|----------------------------------|---|---|---|-------------------------------|
| Schizofreni & Psykotiska tillstånd | Do psychological therapies decrease dependence on standard medication and promote full recovery in severe mental illness? | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | DUETs Schizophrenia Module Editorial Group | <i>Ruddy RA, Dent-Brown K. Drama therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2007, Issue 1.</i> <i>Pharoah F, Mari J, Rathbone J, Wong W. Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4.</i> <i>Gold C, Heldal TO, Dahle T, Wigram T. Music therapy for schizophrenia or schizophrenia-like illnesses. Cochrane Database of Systematic Reviews 2005, Issue 2.</i> | 2007-09-11 |
| Schizofreni & Psykotiska tillstånd | The role of non-pharmacological treatments in behavioural control as an alternative to rapid tranquillisation for schizophrenia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | National Institute for Health and Clinical Excellence research recommendation | <i>Muralidharan S, Fenton M. Containment strategies for people with serious mental illness. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD002084.</i> | 2007-06-18 |
| Schizofreni & Psykotiska tillstånd | Problem solving skills for schizophrenia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | <i>Xia J, Li C. Problem solving skills for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 2. Art. No.: CD006365.</i> | 2007-03-05 |
| Schizofreni & Psykotiska tillstånd | Interventions to improve compliance with treatment in schizophrenia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | <i>McIntosh AM, Conlon L, Lawrie SM, Stanfield AC. Compliance therapy for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 3.</i> | 2006-09-07 |
| Schizofreni & Psykotiska tillstånd | Cognitive behaviour therapy (brief versus standard duration) for schizophrenia | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Schizophrenia Group | | 2013-08-14 UPPDAT FINNS |
| Schizofreni & Psykotiska tillstånd | Acceptance and Commitment Therapy for schizophrenia and related disorders | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Schizophrenia Group | | 2015-07-09 |
| Schizofreni & Psykotiska tillstånd | Are psychological interventions less effective in older people with severe mental illness? | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | DUETs Schizophrenia Module Editorial Group | | 2008-02-11 |
| Schizofreni & Psykotiska tillstånd | Is bibliotherapy effective for relieving psychotic symptoms? | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Mind Cymru | | 2008-02-11 |
| Schizofreni & Psykotiska tillstånd | Which is the best psychotherapy for the treatment of psychosis? | Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | Mind Cymru | | 2008-02-11 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|------------------------------------|--|--|---|---|--|------------|
| Schizofreni & Psykotiska tillstånd | Does psychodynamic therapy really make a difference to symptoms, functioning and quality of life of people with schizophrenia? | Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | Mental Health Research Network Cymru | | 2008-02-11 |
| Schizofreni & Psykotiska tillstånd | Cognitive Behavioural Therapy in the first episode of schizophrenia and those at risk of relapse | Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | National Institute for Health and Clinical Excellence research recommendation | | 2007-06-27 |
| Schizofreni & Psykotiska tillstånd | Cognitive Behavioural Therapy (CBT) for schizophrenia | Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | National Institute for Health and Clinical Excellence research recommendation | | 2007-06-26 |
| Schizofreni & Psykotiska tillstånd | Motivational interventions for drug and alcohol use in schizophrenia | Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | Mental Health Clinical Trials Database | | 2007-01-04 |
| Schizofreni & Psykotiska tillstånd | Teaching cognitive psychology/psychotherapy to people with schizophrenia | Psykologiska & Psykoterapeutiska, Stöd & Information | En uppdaterad systematisk översikt behövs | Mind Cymru | | 2007-11-19 |
| Schizofreni & Psykotiska tillstånd | Supportive therapy for schizophrenia | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | <i>Buckley LA, Maayan N, Soares-Weiser K, Adams CE. Supportive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004716.</i> | 2015-04-17 |
| Schizofreni & Psykotiska tillstånd | Family intervention (brief) for schizophrenia | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | <i>Okpokoro U, Adams CE, Sampson S. Family intervention (brief) for schizophrenia. Cochrane Database of Systematic Reviews 2014, Issue 3. Art. No.: CD009802.</i> | 2014-04-28 |
| Schizofreni & Psykotiska tillstånd | Does family therapy for schizophrenia reduce relapse? | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Mental Health Research Network Cymru | <i>Pharoah F, Mari J, Rathbone J, Wong W. Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD000088.</i> | 2008-02-11 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|------------------------------------|--|--|---------------------------|---|---|------------|
| Schizofreni & Psykotiska tillstånd | Family therapy for schizophrenia | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Mental Health Research Network Cymru | Pharoah F, Mari J, Rathbone J, Wong W. Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD000088. Haddock G, Lewis S. (2005). Psychological interventions in early psychosis. Schizophr Bull. Jul;31(3):697-704. http://www.ncbi.nlm.nih.gov/sites/entrez?Db=pubmed&Cmd=ShowDetailView&TermToSearch=16006594&ordinalpos=14&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_RVDocSum . | 2007-09-12 |
| Schizofreni & Psykotiska tillstånd | Person centred counselling for psychosis | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Mind Cymru | Bower P, Rowland N. Effectiveness and cost effectiveness of counselling in primary care. Cochrane Database of Systematic Reviews 2006, Issue 3. Art. No.: CD001025. | 2007-09-12 |
| Schizofreni & Psykotiska tillstånd | What is the impact of family interventions on the symptoms of schizophrenia? | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | National Institute for Health and Clinical Excellence research recommendation | Pharoah F, Mari J, Rathbone J, Wong W. Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD000088. | 2007-06-26 |
| Schizofreni & Psykotiska tillstånd | Family interventions for the families of people with schizophrenia presenting for the first time | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | National Institute for Health and Clinical Excellence research recommendation | Marshall M, Rathbone J. Early Intervention for psychosis. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD004718. | 2007-06-18 |
| Schizofreni & Psykotiska tillstånd | Which individuals with schizophrenia would most benefit from Family Interventions? | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | National Institute for Health and Clinical Excellence research recommendation | Pharoah F, Mari J, Rathbone J, Wong W. Family intervention for schizophrenia. Cochrane Database of Systematic Reviews 2006, Issue 4. Art. No.: CD000088. | 2007-06-18 |
| Schizofreni & Psykotiska tillstånd | Supportive therapy for schizophrenia | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | DUETs Editorial team | Buckley LA, Pettit TACL, Adams CE. Supportive therapy for schizophrenia. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD004716. | 2006-09-25 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|------------------------------------|--|---|--------------------------------|--|--|------------|
| Schizofreni & Psykotiska tillstånd | Drama therapy for schizophrenia or schizophrenia-like illnesses | Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | Ruddy R, Dent-Brown K. Drama therapy for schizophrenia or schizophrenia-like illnesses. <i>Cochrane Database of Systematic Reviews</i> 2007, Issue 1. Art. No.: CD005378. | 2006-09-18 |
| Schizofreni & Psykotiska tillstånd | Are psychosocial interventions clinically and cost effective when compared with standard care for people with psychosis and coexisting substance misuse? | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Psychosis with coexisting substance misuse | National Collaborating Centre for Mental Health (2011) Psychosis with coexisting substance misuse. <i>Clinical Guideline</i> . London: The British Psychological Society & The Royal College of Psychiatrists. | 2011-03-31 |
| Schizofreni & Psykotiska tillstånd | Psychosocial interventions for people with both severe mental illness and substance misuse | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Schizophrenia Group | Hunt GE, Siegfried N, Morley K, Sitharthan T, Cleary M. Psychosocial interventions for people with both severe mental illness and substance misuse. <i>Cochrane Database of Systematic Reviews</i> 2013, Issue 10. Art. No.: CD001088. | 2013-10-03 |
| Särskilda tillstånd | Psychological therapies for people with borderline personality disorder | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | Stoffers JM, Völlm BA, Rücker G, Timmer A, Huband N, Lieb K. Psychological therapies for people with borderline personality disorder. <i>Cochrane Database of Systematic Reviews</i> 2012, Issue 8. Art. No.: CD005652. | 2012-08-28 |
| Särskilda tillstånd | Cognitive Behavioural Therapy for borderline personality disorder | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Mind Cymru | Binks CA, Fenton M, McCarthy L, Lee T, Adams CE, Duggan C. Psychological therapies for people with borderline personality disorder. <i>Cochrane Database of Systematic Reviews</i> 2006, Issue 1. Art. No.: CD005652. | 2007-09-04 |
| Särskilda tillstånd | Individual psychological therapy in the outpatient treatment of adults with anorexia nervosa | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | Hay PJ, Claudino AM, Touyz S, Abd Elbaky G. Individual psychological therapy in the outpatient treatment of adults with anorexia nervosa. <i>Cochrane Database of Systematic Reviews</i> 2015, Issue 7. Art. No.: CD003909. | 2015-10-29 |
| Särskilda tillstånd | Specific psychological therapies versus other therapies or no treatment for severe and enduring anorexia nervosa | Vård- & Behandlingsalternativ, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2015-05-05 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|--|--|--------------------------------|--|---|------------|
| Särskilda tillstånd | Psychological interventions for people with histrionic personality disorder | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | | 2012-04-10 |
| Särskilda tillstånd | Psychological interventions for people with narcissistic personality disorder | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | | 2012-04-10 |
| Särskilda tillstånd | Low-intensity/ brief psychosocial interventions for people who self-harm | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Self-harm (longer term management) | <i>National Collaborating Centre for Mental Health (2011) Self-harm (longer term management). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i> | 2011-11-30 |
| Särskilda tillstånd | Psychological therapy with problem-solving elements for people who self-harm | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE Clinical Guideline Self-harm (longer term management) | <i>National Collaborating Centre for Mental Health (2011) Self-harm (longer term management). Clinical Guideline. London: The British Psychological Society & The Royal College of Psychiatrists.</i> | 2011-11-30 |
| Särskilda tillstånd | Treatments (i.e. Signs of Suicide, family interventions, therapeutic assessment, dialectical behaviour therapy, cognitive behavioural therapy, pharmacological therapy) in adolescents with self-harm for prevention of recurrence | Vård- & Behandlingsalternativ, Psykologiska & Psykoterapeutiska, Läkemedel | Fler primärstudier behövs | Evidence Update – Self harm | | 2013-02-15 |
| Särskilda tillstånd | Attachment-based family therapy in young people to prevent suicide and suicidal behaviours | Prevention, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Evidence Update – Self harm | | 2013-02-15 |
| Missbruk & Beroende | Psychological therapies for pathological and problem gambling | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | <i>Cowlishaw S, Merkouris S, Dowling N, Anderson C, Jackson A, Thomas S. Psychological therapies for pathological and problem gambling. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD008937.</i> | 2012-11-16 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|---|---|--------------------------------|---|--|------------|
| Missbruk & Beroende | Mindfulness-based interventions for substance use disorders | Psykologiska & Psykoterapeutiska, Komplementärmedicin | En systematisk översikt behövs | Cochrane Drugs and Alcohol Group | | 2015-07-09 |
| Missbruk & Beroende | Brief interventions for heavy alcohol users admitted to general hospital wards | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Drugs and Alcohol Group | <i>McQueen J, Howe TE, Allan L, Mains D, Hardy V. Brief interventions for heavy alcohol users admitted to general hospital wards. Cochrane Database of Systematic Reviews 2011, Issue 8. Art. No.: CD005191.</i> | 2011-08-18 |
| Missbruk & Beroende | Motivational interviewing for alcohol misuse in young adults | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Drugs and Alcohol Group | <i>Foxcroft DR, Coombes L, Wood S, Allen D, Almeida Santimano NM. L.. Motivational interviewing for alcohol misuse in young adults. Cochrane Database of Systematic Reviews 2014, Issue 8. Art. No.: CD007025.</i> | 2014-09-26 |
| Missbruk & Beroende | Cognitive-behavioural treatment for amphetamine-type stimulants (ATS) use disorders | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Drugs and Alcohol Group | | 2014-11-18 |
| Missbruk & Beroende | Psychosocial interventions for benzodiazepine harmful use, abuse or dependence | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Drugs and Alcohol Group | <i>Darker CD, Sweeney BP, Barry JM, Farrell MF, Donnelly-Swift E. Psychosocial interventions for benzodiazepine harmful use, abuse or dependence. Cochrane Database of Systematic Reviews 2015, Issue 5. Art. No.: CD009652.</i> | 2015-06-10 |
| Missbruk & Beroende | Psychosocial interventions for psychostimulant misuse | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Drugs and Alcohol Group | | 2015-12-22 |
| Demens & Äldre | Music therapy for people with dementia | Komplementärmedicin, Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska, Omsorg & Boende | Fler primärstudier behövs | Cochrane Dementia and Cognitive Improvement Group | <i>Vink AC, Bruinsma MS, Scholten RJPM. Music therapy for people with dementia. Cochrane Database of Systematic Reviews 2004, Issue 3. Art. No.: CD003477.</i> | 2011-07-25 |
| Demens & Äldre | Art therapy for people with dementia | Komplementärmedicin, Psykologiska & Psykoterapeutiska, Sysselsättning & Färdighetsträning | En systematisk översikt behövs | Cochrane Dementia and Cognitive Improvement Group | | 2014-05-19 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|---|--|---|---|--|------------|
| Demens & Äldre | Is music, e.g. singing, playing recordings, or playing instruments, effective in helping to manage symptoms of dementia/QoL/ progression of the disease? | Komplementärmedicin, Sysselsättning & Färdighetsträning, Psykologiska & Psykoterapeutiska, Omsorg & Boende | En systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | Cognitive stimulation and acetylcholinesterase inhibitors for Alzheimer's disease over six months | Läkemedel, Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | A NICE–SCIE Guideline on supporting people with dementia and their carers in health and social care. National Clinical Practice Guideline Number 42 | | 2009-09-02 |
| Demens & Äldre | Are brain games and other cognitive stimulation or learning processes effective at preventing or delaying the onset of dementia? | Prevention, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | Can the onset of dementia be prevented or delayed by controlling or minimising stress? | Prevention, Psykologiska & Psykoterapeutiska, Levnadsvanor | En systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | Is social interaction effective at preventing or delaying the onset of dementia, including the type of factors in the social environment that are most effective? | Prevention, Psykologiska & Psykoterapeutiska, Omsorg & Boende | En systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | Psychological treatments for depression and anxiety in dementia and mild cognitive impairment | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Dementia and Cognitive Improvement Group | <i>Orgeta V, Qazi A, Spector AE, Orrell M. Psychological treatments for depression and anxiety in dementia and mild cognitive impairment. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD009125.</i> | 2014-02-10 |
| Demens & Äldre | Cognitive training and cognitive rehabilitation for mild to moderate Alzheimer's disease and vascular dementia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Dementia and Cognitive Improvement Group | <i>Bahar-Fuchs A, Clare L, Woods B. Cognitive training and cognitive rehabilitation for mild to moderate Alzheimer's disease and vascular dementia. Cochrane Database of Systematic Reviews 2013, Issue 6. Art. No.: CD003260.</i> | 2013-10-24 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|--|----------------------------------|--------------------------------|---|---|------------|
| Demens & Äldre | Cognitive stimulation to improve cognitive functioning in people with dementia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Dementia and Cognitive Improvement Group | <i>Woods B, Aguirre E, Spector AE, Orrell M. Cognitive stimulation to improve cognitive functioning in people with dementia. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD005562.</i> | 2012-02-20 |
| Demens & Äldre | Functional analysis-based interventions for challenging behaviour in dementia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Dementia and Cognitive Improvement Group | <i>Moniz Cook ED, Swift K, James I, Malouf R, DeVugt M, Verhey F. Functional analysis-based interventions for challenging behaviour in dementia. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD006929.</i> | 2012-02-20 |
| Demens & Äldre | Should we use individual cognitive stimulation therapy to improve cognitive function in people with dementia? | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | BMJ | <i>Orrell M, Woods B, Spector A. Should we use individual cognitive stimulation therapy to improve cognitive function in people with dementia? BMJ. 2012. 10.1136/bmj.e633.</i> | 2012-02-15 |
| Demens & Äldre | Reminiscence groups for people with dementia and their family care-givers: pragmatic 8-centre trial of joint reminiscence and maintenance versus usual treatment | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Health Technology Assessment | | 2009-09-10 |
| Demens & Äldre | How can access to Psychological therapy for people with dementia and their carers be improved (in all settings)? | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | How effective is the use of social media in reminiscence therapy/life story work and how would this affect quality of life and outcomes in dementia? | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | Is psychological therapy effective in reducing stress and improving quality of life of carers of people with dementia? | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | What is the effect of reminiscence therapy/life story work on quality of life and outcomes in dementia? | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | Simulated presence therapy for dementia | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Dementia and Cognitive Improvement Group | | 2015-10-20 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|----------------------|--|--|---|--|--|------------|
| Demens & Äldre | Are brain games, mental and intellectual activity and other cognitive stimulation processes and therapies effective at maintaining cognitive function, slowing cognitive decline and the progression of the disease, managing behaviour, anxiety and agitation, maintaining quality of life in people with dementia in all settings? | Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | Is reality orientation as a specific therapy effective for the management of behaviour in dementia? | Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | What coping strategies are effective for people with dementia to deal with cognitive decline/memory failure? | Stöd & Information, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | | 2015-10-29 |
| Demens & Äldre | Are counselling or other Psychological therapy effective to prevent/delay the onset of dementia or to treat and manage dementia, and at what stage of life do these need to start to be effective? | Stöd & Information, Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | Dementia - A JLA Priority Setting Partnership | <i>Orgeta V, Qazi A, Spector AE, Orrell M. Psychological treatments for depression and anxiety in dementia and mild cognitive impairment. Cochrane Database of Systematic Reviews 2014, Issue 1. Art. No.: CD009125.</i> | 2015-10-29 |
| Demens & Äldre | Psychosocial interventions for reducing antipsychotic medication in care home residents | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Dementia and Cognitive Improvement Group | <i>Richter T, Meyer G, Möhler R, Köpke S. Psychosocial interventions for reducing antipsychotic medication in care home residents. Cochrane Database of Systematic Reviews 2012, Issue 12. Art. No.: CD008634.</i> | 2012-12-31 |
| Övrig psykisk ohälsa | Psychological interventions to prevent recurrence of emotional abuse of children by their parents | Stöd & Information, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | | 2013-10-14 |
| Övrig psykisk ohälsa | Crisis interventions for people with borderline personality disorder | Organisation, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Borschmann R, Henderson C, Hogg J, Phillips R, Moran P. Crisis interventions for people with borderline personality disorder. Cochrane Database of Systematic Reviews 2012, Issue 6. Art. No.: CD009353.</i> | 2012-06-28 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|----------------------|--|--|--------------------------------|--|--|------------|
| Övrig psykisk ohälsa | Short-term psychodynamic psychotherapies for common mental disorders | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Depression, Anxiety and Neurosis Group | <i>Abbass AA, Kisely SR, Town JM, Leichsenring F, Driessen E, De Maat S, Gerber A, Dekker J, Rabung S, Rusalovska S, Crowe E. Short-term psychodynamic psychotherapies for common mental disorders. Cochrane Database of Systematic Reviews 2014, Issue 7. Art. No.: CD004687.</i> | 2014-08-31 |
| Övrig psykisk ohälsa | Cognitive behavioural therapy for men who physically abuse their female partner | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Smedslund G, Dalsbø TK, Steiro A, Winsvold A, Clench-Aas J. Cognitive behavioural therapy for men who physically abuse their female partner. Cochrane Database of Systematic Reviews 2007, Issue 3. Art. No.: CD006048.</i> | 2011-07-12 |
| Övrig psykisk ohälsa | Psychological therapies for the treatment of mental disorders in low- and middle-income countries affected by humanitarian crises | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Common Mental Disorders Group | | 2015-11-09 |
| Övrig psykisk ohälsa | Client feedback in psychological therapy for children and adolescents with mental health problems | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2015-07-09 |
| Övrig psykisk ohälsa | Is Cognitive Behavioural Therapy equally effective for all psychiatric conditions? | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Mental Health Research Network Cymru | | 2008-04-16 |
| Övrig psykisk ohälsa | Should bereavement support be made available to all bereaved people and, if so, how? Should GPs or other professionals provide bereavement visits? | Stöd & Information, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | James Lind Alliance Palliative and end of life care Priority Setting Partnership | | 2015-09-08 |
| Övrig psykisk ohälsa | What are the benefits of bereavement support, including preventing depression and other illness? | Stöd & Information, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | James Lind Alliance Palliative and end of life care Priority Setting Partnership | | 2015-09-08 |
| Övrig psykisk ohälsa | Cognitive reframing for carers of people with dementia | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Dementia and Cognitive Improvement Group | <i>Vernooij-Dassen M, Draskovic I, McCleery J, Downs M. Cognitive reframing for carers of people with dementia. Cochrane Database of Systematic Reviews 2011, Issue 11. Art. No.: CD005318.</i> | 2011-11-30 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|----------------------|--|--|--------------------------------|--|--|------------|
| Övrig psykisk ohälsa | Parent-infant psychotherapy for improving parental and infant mental health | Stöd & Information, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | | 2013-06-06 |
| Övrig psykisk ohälsa | Psychological interventions for parents of children and adolescents with chronic illness | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Pain, Palliative and Supportive Care Group | <i>Eccleston C, Palermo TM, Fisher E, Law E. Psychological interventions for parents of children and adolescents with chronic illness. Cochrane Database of Systematic Reviews 2012, Issue 8. Art. No.: CD009660.</i> | 2012-08-16 |
| Övrig psykisk ohälsa | Behavioural and cognitive-behavioural group-based parenting programmes for early-onset conduct problems in children aged 3 to 12 years | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Furlong M, McGilloway S, Bywater T, Hutchings J, Smith SM, Donnelly M. Behavioural and cognitive-behavioural group-based parenting programmes for early-onset conduct problems in children aged 3 to 12 years. Cochrane Database of Systematic Reviews 2012, Issue 2. Art. No.: CD008225.</i> | 2012-02-20 |
| Övrig psykisk ohälsa | Individual and group based parenting programmes for improving psychosocial outcomes for teenage parents and their children | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Barlow J, Smailagic N, Bennett C, Huband N, Jones H, Coren E. Individual and group based parenting programmes for improving psychosocial outcomes for teenage parents and their children. Cochrane Database of Systematic Reviews 2011, Issue 3. Art. No.: CD002964.</i> | 2011-07-25 |
| Övrig psykisk ohälsa | Psychological interventions for adults who have sexually offended or are at risk of offending | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Dennis JA, Khan O, Ferriter M, Huband N, Powney MJ, Duggan C. Psychological interventions for adults who have sexually offended or are at risk of offending. Cochrane Database of Systematic Reviews 2012, Issue 12. Art. No.: CD007507.</i> | 2012-12-31 |
| Övrig psykisk ohälsa | Cognitive-behavioural therapy (CBT) interventions for young people aged 10 to 18 who sexually offend | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | | 2012-05-30 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|----------------------|--|---|---|--|--|------------|
| Övrig psykisk ohälsa | Psychoanalytic/psychodynamic psychotherapy for children and adolescents who have been sexually abused | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Parker B, Turner W. Psychoanalytic/psychodynamic psychotherapy for children and adolescents who have been sexually abused. Cochrane Database of Systematic Reviews 2013, Issue 7. Art. No.: CD008162.</i> | 2013-09-16 |
| Övrig psykisk ohälsa | Cognitive-behavioural interventions for children who have been sexually abused | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | <i>Macdonald G, Higgins JPT, Ramchandani P, Valentine JC, Bronger LP, Klein P, O'Daniel R, Pickering M, Rademaker B, Richardson G, Taylor M. Cognitive-behavioural interventions for children who have been sexually abused. Cochrane Database of Systematic Reviews 2012, Issue 5. Art. No.: CD001930.</i> | 2012-05-18 |
| Övrig psykisk ohälsa | Psychosocial interventions for adults who were sexually abused as children | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Developmental, Psychosocial and Learning Problems Group | | 2012-09-24 |
| Övrig psykisk ohälsa | Web-based stress management for preventing stress and reducing sick leave in workers | Prevention, Medicinteknik & Kirurgi, Arbete & Arbetsmiljö, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Work Group | | 2015-11-09 |
| Somatisk sjukdom | How do different psychological interventions compare in relation to improvements in quality of life, symptom control and clinical outcome markers in Inflammatory Bowel Disease? | Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | Inflammatory Bowel Disease PSP | | 2016-02-29 |
| Somatisk sjukdom | Which psychological treatments improve mood after stroke? | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Stroke in Scotland – A JLA Priority Setting Partnership | <i>Scottish Intercollegiate Guidelines Network (SIGN). Management of patients with stroke: Rehabilitation, prevention and management of complications, and discharge planning A national clinical guideline. Edinburgh: SIGN; 2010. (SIGN 118). Available from http://www.sign.ac.uk/pdf/sign118.pdf 4.6.2 Aphasia. Section 4.15 Disturbances of mood and emotional behaviour.</i> | 2013-08-08 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|---|--|--------------------------------|---|--|------------|
| Somatisk sjukdom | Psychosocial interventions for informal caregivers of people living with cancer | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Consumers and Communication Group | | 2012-07-13 |
| Somatisk sjukdom | Can counselling prevent depression following stroke? | Stöd & Information, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Stroke in Scotland – A JLA Priority Setting Partnership | <i>Ellis G, Mant J, Langhorne P, Dennis M, Winner S. Stroke liaison workers for stroke patients and carers: an individual patient data meta-analysis. Cochrane Database of Systematic Reviews 2010, Issue 5. Art. No.: CD005066.</i> | 2013-08-08 |
| Somatisk sjukdom | Psychological and pharmacological interventions for depression in patients with diabetes mellitus and depression | Läkemedel, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Metabolic and Endocrine Disorders Group | <i>Baumeister H, Hutter N, Bengel J. Psychological and pharmacological interventions for depression in patients with diabetes mellitus and depression. Cochrane Database of Systematic Reviews 2012, Issue 12. Art. No.: CD008381.</i> | 2012-12-31 |
| Somatisk sjukdom | Psychological therapies for frequent episodic and chronic tension-type headache in adults | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Pain, Palliative and Supportive Care Group | | 2014-10-10 |
| Somatisk sjukdom | Psychosocial group interventions for improving quality of life in adults living with HIV | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane HIV/AIDS Group | | 2013-12-17 |
| Somatisk sjukdom | Is guided self-management effective and does it improve outcomes, quality of life and function in Inflammatory Bowel Disease? | Stöd & Information, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Inflammatory Bowel Disease PSP | | 2016-02-29 |
| Somatisk sjukdom | Psychological therapies for the treatment of anxiety disorders in chronic obstructive pulmonary disease | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Depression, Anxiety and Neurosis Group | | 2013-08-14 |
| Somatisk sjukdom | Psychological therapies for irritable bowel syndrome | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NHS Evidence - gastroenterology and liver diseases | <i>Ford AC (et al...) Efficacy of antidepressants and psychological therapies in irritable bowel syndrome: systematic review and meta-analysis. Gut 2009;Vol. 58, No. 3.</i> | 2009-04-07 |
| Somatisk sjukdom | Cognitive behavioural therapy (CBT) versus usual care for adults and adolescents with asthma | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Airways Group | | 2015-08-12 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|---------------------|--|---|---|---|---|------------|
| Somatisk sjukdom | Cognitive behavioural therapy for people with newly diagnosed atrial fibrillation? | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE CG. Atrial fibrillation: the management of atrial fibrillation | <i>National Institute for Health and Clinical Excellence (2014) Atrial fibrillation: the management of atrial fibrillation. Clinical Guideline CG180. London: National Institute for Health and Clinical Excellence.</i> | 2014-11-19 |
| Somatisk sjukdom | Psychosocial interventions to improve quality of life and emotional wellbeing for recently diagnosed cancer patients | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Gynaecological Cancer Group | <i>Galway K, Black A, Cantwell M, Cardwell CR, Mills M, Donnelly M. Psychosocial interventions to improve quality of life and emotional wellbeing for recently diagnosed cancer patients. Cochrane Database of Systematic Reviews 2012, Issue 11. Art. No.: CD007064.</i> | 2012-11-16 |
| Somatisk sjukdom | Mindfulness-based stress reduction for women diagnosed with breast cancer | Psykologiska & Psykoterapeutiska, Komplementärmedicin | En systematisk översikt behövs | Cochrane Breast Cancer Group | | 2015-04-16 |
| Somatisk sjukdom | Music for stress and anxiety reduction in coronary heart disease | Komplementärmedicin, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NHS Evidence - Cardiovascular Collection | <i>Bradt J, Dileo C, Potvin N. Music for stress and anxiety reduction in coronary heart disease patients. Cochrane Database of Systematic Reviews 2013, Issue 12. Art. No.: CD006577.</i> | 2010-05-04 |
| Somatisk sjukdom | Psychosocial interventions for improving quality of life outcomes in adults undergoing strabismus surgery | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Cochrane Eyes and Vision Group | | 2012-09-24 |
| Somatisk sjukdom | Which psychological treatments are effective after stroke? | Psykologiska & Psykoterapeutiska, Vård- & Behandlingsalternativ | En uppdaterad systematisk översikt behövs | Stroke in Scotland – A JLA Priority Setting Partnership | <i>Campbell Burton CA, Holmes J, Murray J, Gillespie D, Lightbody CE, Watkins CL, Knapp P. Interventions for treating anxiety after stroke. Cochrane Database of Systematic Reviews 2011, Issue 12. Art. No.: CD008860.</i> | 2013-08-08 |
| Somatisk sjukdom | Can early psychological support increasing confidence and awareness of choices following a stroke? | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Stroke in Scotland – A JLA Priority Setting Partnership | | 2013-08-08 |
| Somatisk sjukdom | Is early psychological support helpful after stroke? | Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Stroke in Scotland – A JLA Priority Setting Partnership | | 2013-08-08 |
| Somatisk sjukdom | Can emotional support improve ability for self-help following a stroke? | Stöd & Information, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Stroke in Scotland – A JLA Priority Setting Partnership | | 2013-08-08 |

| Populationskategori | Titel (eng) | Insatskategori | Typ av kunskapslucka | Källa | Referens | Datum |
|------------------------------------|---|--|---|---|---|------------|
| Somatisk sjukdom | Is stroke-specific counseling helpful after stroke? | Stöd & Information, Psykologiska & Psykoterapeutiska | En systematisk översikt behövs | Stroke in Scotland – A JLA Priority Setting Partnership | | 2013-08-08 |
| Graviditet & Förlossning | Are psychological interventions effective for treating moderate to severe anxiety disorders (including obsessive-compulsive disorder, panic disorder, post-traumatic stress disorder and social anxiety disorder) in pregnancy? | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE CG Antenatal and postnatal mental health: clinical management and service guidance | <i>National Institute for Health and Clinical Excellence (2014) Antenatal and postnatal mental health: clinical management and service guidance. Clinical Guideline CG192. London: National Institute for Health and Clinical Excellence.</i> | 2015-07-22 |
| Graviditet & Förlossning | Are interventions designed to improve the quality of the mother-baby relationship in the first year after childbirth effective in women with a diagnosed mental health problem? | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | NICE CG Antenatal and postnatal mental health: clinical management and service guidance | <i>National Institute for Health and Clinical Excellence (2014) Antenatal and postnatal mental health: clinical management and service guidance. Clinical Guideline CG192. London: National Institute for Health and Clinical Excellence.</i> | 2015-07-22 |
| Graviditet & Förlossning | Psychosocial and psychological interventions for preventing postpartum depression | Prevention, Psykologiska & Psykoterapeutiska, Stöd & Information | Fler primärstudier behövs | Cochrane Pregnancy and Childbirth Group | <i>Dennis C-L, Dowswell T. Psychosocial and psychological interventions for preventing postpartum depression. Cochrane Database of Systematic Reviews 2013, Issue 2. Art. No.: CD001134.</i> | 2013-03-04 |
| Graviditet & Förlossning | Follow-up for improving psychological well being for women after a miscarriage | Stöd & Information, Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Cochrane Pregnancy and Childbirth Group | <i>Murphy FA, Lipp A, Powles DL. Follow-up for improving psychological well being for women after a miscarriage. Cochrane Database of Systematic Reviews 2012, Issue 3. Art. No.: CD008679.</i> | 2012-03-23 |
| Intellektuell funktionsnedsättning | Health checks for people with intellectual disabilities to reduce morbidity and premature mortality | Psykologiska & Psykoterapeutiska | Fler primärstudier behövs | Journal of Intellectual Disability Research | <i>Robertson J et al (2011), The impact of health checks for people with intellectual disabilities: a systematic review of evidence, Journal of Intellectual Disability Research, 55(11), pp1009-1019.</i> | 2011-12-13 |
| Intellektuell funktionsnedsättning | Are counselling/psychological strategies effective to promote the mental health of children and young people with neurodisability? | Stöd & Information, Psykologiska & Psykoterapeutiska | En uppdaterad systematisk översikt behövs | JLA Survey | | 2014-06-23 |