

Bilaga 3 Exklusionslista patientnytta och hälsoekonomi

Patientnytta

Ej originalartikel

First author, year and reference	Main reason for exclusion
2009 [1]	Ej originalartikel
2010 [2]	Ej originalartikel
Amstadter et al., 2009 [3]	Ej originalartikel
Andersson et al., 2009 [4]	Ej originalartikel
Andrews et al., 2010 [5]	Ej originalartikel
Barak et al., 2008 [6]	Ej originalartikel
Bee et al., 2008 [7]	Ej originalartikel
Bergström et al., 2003 [8]	Ej originalartikel
Bickel, 2008 [9]	Ej originalartikel
Bower et al., 2013 [10]	Ej originalartikel
Calear et al., 2010 [11]	Ej originalartikel
Choi et al., 2012 [12]	Ej originalartikel
Christensen et al., 2013 [13]	Ej originalartikel
Corrieri et al., 2013 [14]	Ej originalartikel
Cuijpers et al., 2009 [15]	Ej originalartikel
Cuijpers et al., 2007 [16]	Ej originalartikel
Cuijpers et al., 2008 [17]	Ej originalartikel
Donovan et al., 2012 [18]	Ej originalartikel
Ehrenreich et al., 2011 [19]	Ej originalartikel
Ferriter et al., 2008 [20]	Ej originalartikel
Foroushani et al., 2011 [21]	Ej originalartikel
Garcia-Lizana et al., 2010 [22]	Ej originalartikel
Griffiths, 2012 [23]	Ej originalartikel
Griffiths et al., 2007 [24]	Ej originalartikel
Griffiths et al., 2010 [25]	Ej originalartikel
Hayes et al., 2009 [26]	Ej originalartikel
Hedman et al., 2012 [27]	Ej originalartikel
Herbst et al., 2012 [28]	Ej originalartikel
Ingram et al., 2012 [29]	Ej originalartikel
Johansson et al., 2012 [30]	Ej originalartikel
Kaltenthaler et al., 2008 [31]	Ej originalartikel
Kaltenthaler et al., 2008 [32]	Ej originalartikel
Lanche et al., 2008 [33]	Ej originalartikel
Mundy et al., 2009 [34]	Ej originalartikel
Newall et al., 2012 [35]	Ej originalartikel
Reger et al., 2009 [36]	Ej originalartikel
Richards et al., 2012 [37]	Ej originalartikel

Richardson et al., 2010 [38]	Ej originalartikel
Spek et al., 2007 [39]	Ej originalartikel
Stuhlmiller et al., 2009 [40]	Ej originalartikel
Tumur et al., 2007 [41]	Ej originalartikel
Wade, 2010 [42]	Ej originalartikel
Waller et al., 2009 [43]	Ej originalartikel

Ej relevant studiedesign

First author, year and reference	Main reason for exclusion
Hunkeler et al., 2012 [44]	Ej relevant studiedesign
Mewton et al., 2012 [45]	Ej relevant studiedesign
O'Kearney et al., 2007 [46]	Ej relevant studiedesign
Pier, 2008 [47]	Ej relevant studiedesign
Pittaway et al., 2009 [48]	Ej relevant studiedesign
Proudfoot et al., 2004 [49]	Ej relevant studiedesign
Ruwaard et al., 2012 [50]	Ej relevant studiedesign
Williams et al., 2013 [51]	Ej relevant studiedesign

Ej relevant frågeställning

First author, year and reference	Main reason for exclusion
Anderson et al., 2012 [52]	Ej relevant frågeställning
Andersson et al., 2004 [53]	Ej relevant frågeställning
Andersson et al., 2012 [54]	Ej relevant frågeställning
Boettcher et al., 2012 [55]	Ej relevant frågeställning
Button et al., 2012 [56]	Ej relevant frågeställning
Carlbring et al., 2003 [57]	Ej relevant frågeställning
Carter et al., 2013 [58]	Ej relevant frågeställning
Christensen et al., 2006 [59]	Ej relevant frågeställning
de Graaf et al., 2010 [60]	Ej relevant frågeställning
de Graaf et al., 2009 [61]	Ej relevant frågeställning
Donkin et al., 2012 [62]	Ej relevant frågeställning
Eisdorfer et al., 2003 [63]	Ej relevant frågeställning
Gega et al., 2013 [64]	Ej relevant frågeställning
Health Technology, 2010 [65]	Ej relevant frågeställning
Hilvert-Bruce et al., 2012 [66]	Ej relevant frågeställning
Hoek et al., 2012 [67]	Ej relevant frågeställning
Hoek et al., 2011 [68]	Ej relevant frågeställning
Kenter et al., 2013 [69]	Ej relevant frågeställning
Klein et al., 2009 [70]	Ej relevant frågeställning
Knaevelsrud et al., 2010 [71]	Ej relevant frågeställning
Lauder et al., 2012 [72]	Ej relevant frågeställning
Lorian et al., 2012 [73]	Ej relevant frågeställning
Morgan et al., 2013 [74]	Ej relevant frågeställning
Moritz et al., 2012 [75]	Ej relevant frågeställning

Poole et al., 2012 [76]	Ej relevant frågeställning
Proudfoot et al., 2012 [77]	Ej relevant frågeställning
Quilty et al., 2008 [78]	Ej relevant frågeställning
Richards, 2012 [79]	Ej relevant frågeställning
Schneider et al., 2005 [80]	Ej relevant frågeställning
Simon et al., 2011 [81]	Ej relevant frågeställning
Tillfors et al., 2008 [82]	Ej relevant frågeställning
Titov et al., 2009 [83]	Ej relevant frågeställning
Titov, 2010 [84]	Ej relevant frågeställning
Van Voorhees et al., 2009 [85]	Ej relevant frågeställning
Van Voorhees et al., 2009 [86]	Ej relevant frågeställning
Van Voorhees et al., 2008 [87]	Ej relevant frågeställning
Warmerdam et al., 2010 [88]	Ej relevant frågeställning
Watts et al., 2013 [89]	Ej relevant frågeställning
Yellowlees et al., 2012 [90]	Ej relevant frågeställning

Ej relevant intervention

First author, year and reference	Main reason for exclusion
Amir et al., 2012 [91]	Ej relevant intervention
Beard et al., 2011 [92]	Ej relevant intervention
Bowler et al., 2012 [93]	Ej relevant intervention
Cukrowicz, 2007 [94]	Ej relevant intervention
Dewis et al., 2001 [95]	Ej relevant intervention
Fledderus et al., 2012 [96]	Ej relevant intervention
Fleming et al., 2011 [97]	Ej relevant intervention
Gorini et al., 2010 [98]	Ej relevant intervention
Hazen et al., 2009 [99]	Ej relevant intervention
Kay-Lambkin et al., 2011 [100]	Ej relevant intervention
Kay-Lambkin et al., 2011 [101]	Ej relevant intervention
Kay-Lambkin et al., 2009 [102]	Ej relevant intervention
Kenardy et al., 2003 [103]	Ej relevant intervention
Kenwright et al., 2005 [104]	Ej relevant intervention
Khanna et al., 2010 [105]	Ej relevant intervention
Levesque et al., 2011 [106]	Ej relevant intervention
Levin et al., 2011 [107]	Ej relevant intervention
Marchand et al., 2011 [108]	Ej relevant intervention
Marks et al., 2004 [109]	Ej relevant intervention
Merry et al., 2012 [110]	Ej relevant intervention
Moreno et al., 2012 [111]	Ej relevant intervention
Muller et al., 2011 [112]	Ej relevant intervention
Newman et al., 1997 [113]	Ej relevant intervention
Possemato et al., 2011 [114]	Ej relevant intervention
Preschl et al., 2012 [115]	Ej relevant intervention
Proudfoot et al., 2003 [116]	Ej relevant intervention
Seligman et al., 2007 [117]	Ej relevant intervention

Sethi et al., 2010 [118]	Ej relevant intervention
Spence et al., 2006 [119]	Ej relevant intervention
Stallard et al., 2011 [120]	Ej relevant intervention
Stasiak et al., 2012 [121]	Ej relevant intervention
Tortella-Feliu et al., 2011 [122]	Ej relevant intervention
Wright et al., 2005 [123]	Ej relevant intervention
Wuthrich et al., 2012 [124]	Ej relevant intervention
Zautra et al., 2012 [125]	Ej relevant intervention

Ej relevant population

First author, year and reference	Main reason for exclusion
Garnefski et al., 2011 [126]	Ej relevant population
Grassi et al., 2011 [127]	Ej relevant population
Grime, 2004 [128]	Ej relevant population
Hedman et al., 2011 [129]	Ej relevant population
Kauer et al., 2012 [130]	Ej relevant population
Kenardy et al., 2003 [131]	Ej relevant population
Kenardy et al., 2006 [132]	Ej relevant population
Kersting et al., 2011 [133]	Ej relevant population
Kraaij et al., 2010 [134]	Ej relevant population
Kroenke et al., 2010 [135]	Ej relevant population
O'Kearney et al., 2006 [136]	Ej relevant population
O'Kearney et al., 2009 [137]	Ej relevant population
O'Kearney et al., 2007 [138]	Ej relevant population
Orbach et al., 2007 [139]	Ej relevant population
Rosmarin et al., 2010 [140]	Ej relevant population
Thompson et al., 2010 [141]	Ej relevant population
Wagner et al., 2006 [142]	Ej relevant population
van Bastelaar et al., 2011 [143]	Ej relevant population

Protokoll

First author, year and reference	Main reason for exclusion
Barnes et al., 2007 [144]	Protokoll
van der Zanden et al., 2011 [145]	Protokoll

Hälsoekonomi

Ej relevant

First author, year and reference	Main reason for exclusion
de Graaf et al., 2011 [146]	Ej relevant
Griffiths et al., 2007 [147]	Ej relevant
Heilman et al., 2010 [148]	Ej relevant
Hoek et al., 2009 [149]	Ej relevant

Kaltenthaler et al., 2006 [150]	Ej relevant
Lewis et al., 2012 [151]	Ej relevant
McCrone et al., 2004 [152]	Ej relevant
McCrone et al., 2007 [153]	Ej relevant
McCrone et al., 2009 [154]	Ej relevant
Newman et al., 2011 [155]	Ej relevant
Palmqvist et al., 2007 [156]	Ej relevant

Referenser

- 1 Computer-assisted cognitive-behavioral treatment for depression. Health Technology Assessment (HTA) Database. 2009.
- 2 Online cognitive behavioural therapy is effective for depression in primary care. Evidence Based Mental Health 2010;13:50.
- 91 *Amir N, Taylor CT. Interpretation training in individuals with generalized social anxiety disorder: A randomized controlled trial. J Consult Clin Psychol 2012.
- 3 *Amstadter AB, Broman-Fulks J, Zinzow H, Ruggiero KJ, Cercone J. Internet-based interventions for traumatic stress-related mental health problems: a review and suggestion for future research. Clin Psychol Rev 2009;29:410-20.
- 52 *Anderson RE, Spence SH, Donovan CL, March S, Prosser S, Kenardy J. Working alliance in online cognitive behavior therapy for anxiety disorders in youth: comparison with clinic delivery and its role in predicting outcome. J Med Internet Res 2012;14:e88.
- 53 *Andersson G, Bergström J, Holländare F, Ekselius L, Carlbring P. Delivering Cognitive Behavioural Therapy for Mild to Moderate Depression via the Internet: Predicting Outcome at 6-Month Follow-Up
Behavior therapy cognitive Internetbasierte fir easy until middle depression: Prediction of the therapy success after 6-monatiger Katamnese. Verhaltenstherapie 2004;14:185-189.
- 4 *Andersson G, Cuijpers P. Internet-based and other computerized psychological treatments for adult depression: a meta-analysis (Structured abstract). In: Cognitive Behaviour Therapy; 2009. p 196-205.
- 54 *Andersson G, Paxling B, Wiwe M, Vernmark K, Felix CB, Lundborg L, et al. Therapeutic alliance in guided internet-delivered cognitive behavioural treatment of depression, generalized anxiety disorder and social anxiety disorder. Behav Res Ther 2012;50:544-50.
- 5 *Andrews G, Cuijpers P, Craske MG, McEvoy P, Titov N. Computer therapy for the anxiety and depressive disorders is effective, acceptable and practical health care: a meta-analysis (Structured abstract). In: PLoS ONE; 2010.
- 6 *Barak A, Hen L, Boniel-Nissim M, Shapira N. A comprehensive review and a meta-analysis of the effectiveness of Internet-based psychotherapeutic interventions (Structured abstract). In: Journal of Technology in Human Services; 2008. p 109-160.

- 144 *Barnes C, Harvey R, Mitchell P, Smith M, Wilhelm K. Evaluation of an online relapse prevention program for bipolar disorder: An overview of the aims and methodology of a randomized controlled trial. *Disease Management & Health Outcomes* 2007;15:215-224.
- 92 *Beard C, Weisberg RB, Amir N. Combined cognitive bias modification treatment for social anxiety disorder: a pilot trial. *Depress Anxiety* 2011;28:981-8.
- 7 *Bee PE, Bower P, Lovell K, Gilbody S, Richards D, Gask L, et al. Psychotherapy mediated by remote communication technologies: a meta-analytic review. *BMC Psychiatry* 2008;8:60.
- 8 *Bergström J, Holländare F, Carlbring P, Kaldo-Sandström V, Ekselius L, Andersson G. Treatment of depression via the Internet: A randomized trial of a self-help programme. *J Telemed Telecare* 2003;9:85.
- 9 *Bickel KW. An empirical test of CALM for pd: A computer-administered learning module for panic disorder. *Dissertation Abstracts International: Section B: The Sciences and Engineering* 2008;68:5558.
- 55 *Boettcher J, Berger T, Renneberg B. Does a pre-treatment diagnostic interview affect the outcome of internet-based self-help for social anxiety disorder? A randomized controlled trial. *Behav Cogn Psychother* 2012;40:513-28.
- 10 *Bower P, Kontopantelis E, Sutton A, Kendrick T, Richards DA, Gilbody S, et al. Influence of initial severity of depression on effectiveness of low intensity interventions: meta-analysis of individual patient data. *BMJ* 2013;346:f540.
- 93 *Bowler JO, Mackintosh B, Dunn BD, Mathews A, Dalgleish T, Hoppitt L. A Comparison of Cognitive Bias Modification for Interpretation and Computerized Cognitive Behavior Therapy: Effects on Anxiety, Depression, Attentional Control, and Interpretive Bias. *J Consult Clin Psychol* 2012.
- 56 *Button KS, Wiles NJ, Lewis G, Peters TJ, Kessler D. Factors associated with differential response to online cognitive behavioural therapy. *Soc Psychiatry Psychiatr Epidemiol* 2012;47:827-833.
- 11 *Calear AL, Christensen H. Review of internet-based prevention and treatment programs for anxiety and depression in children and adolescents. *Med J Aust* 2010;192:S12-4.
- 57 *Carlbring P, Ekselius L, Andersson G. Treatment of panic disorder via the Internet: a randomized trial of CBT vs. applied relaxation. *J Behav Ther Exp Psychiatry* 2003;34:129-40.
- 58 *Carter FA, Bell CJ, Colhoun HC. Suitability and acceptability of computerised cognitive behaviour therapy for anxiety disorders in secondary care. *Aust N Z J Psychiatry* 2013;47:142-52.
- 12 *Choi M, Kong S, Jung D. Computer and internet interventions for loneliness and depression in older adults: a meta-analysis. *Healthc Inform Res* 2012;18:191-8.
- 59 *Christensen H, Griffiths KM, Mackinnon AJ, Brittliffe K. Online randomized controlled trial of brief and full cognitive behaviour therapy for depression. *Psychol Med* 2006;36:1737-46.
- 13 *Christensen H, Petrie K. State of the e-mental health field in Australia: Where are we now? *Aust N Z J Psychiatry* 2013;47:117-20.
- 14 *Corrieri S, Heider D, Conrad I, Blume A, Konig HH, Riedel-Heller SG. School-based prevention programs for depression and anxiety in adolescence: a systematic review. *Health Promot Int* 2013.

- 15 *Cuijpers P, Marks IM, van Straten A, Cavanagh K, Gega L, Andersson G. Computer-aided psychotherapy for anxiety disorders: a meta-analytic review (Structured abstract). In: Cognitive Behaviour Therapy; 2009. p 66-82.
- 16 *Cuijpers P, Schuurmans J. Self-help interventions for anxiety disorders: an overview. *Curr Psychiatry Rep* 2007;9:284-90.
- 17 *Cuijpers P, van Straten A, Andersson G. Internet-administered cognitive behavior therapy for health problems: a systematic review (Structured abstract). In: Journal of Behavioral Medicine; 2008. p 169-177.
- 94 *Cukrowicz KCJTE. Computer-Based Intervention for Anxious and Depressive Symptoms in a Non-Clinical Population. *Cognitive Therapy & Research* 2007;31:677-693.
- 146 *de Graaf LE, Gerhards SA, Arntz A, Riper H, Metsemakers JF, Evers SM, et al. One-year follow-up results of unsupported online computerized cognitive behavioural therapy for depression in primary care: A randomized trial. *J Behav Ther Exp Psychiatry* 2011;42:89-95.
- 60 *de Graaf LE, Hollon SD, Huibers MJ. Predicting outcome in computerized cognitive behavioral therapy for depression in primary care: A randomized trial. *J Consult Clin Psychol* 2010;78:184-9.
- 61 *de Graaf LE, Huibers MJ, Riper H, Gerhards SA, Arntz A. Use and acceptability of unsupported online computerized cognitive behavioral therapy for depression and associations with clinical outcome. *J Affect Disord* 2009;116:227-31.
- 95 *Dewis LM, Kirkby KC, Martin F, Daniels BA, Gilroy LJ, Menzies RG. Computer-aided vicarious exposure versus live graded exposure for spider phobia in children. *J Behav Ther Exp Psychiatry* 2001;32:17-27.
- 62 *Donkin L, Hickie IB, Christensen H, Naismith SL, Neal B, Cockayne NL, et al. Sampling bias in an internet treatment trial for depression. *Transl Psychiatry* 2012;2:e174.
- 18 *Donovan CL, Newall C, Hudson JL. Online cognitive-behaviour therapy is similarly effective to clinic-based CBT for reducing adolescent anxiety. *Evidence Based Mental Health* 2012;15:49-49.
- 19 *Ehrenreich B, Righter B, Rocke DA, Dixon L, Himelhoch S. Are mobile phones and handheld computers being used to enhance delivery of psychiatric treatment? A systematic review. *J Nerv Ment Dis* 2011;199:886-91.
- 63 *Eisdorfer C, Czaja SJ, Loewenstein DA, Rubert MP, Arguelles S, Mitrani VB, et al. The effect of a family therapy and technology-based intervention on caregiver depression. *Gerontologist* 2003;43:521-31.
- 20 *Ferriter M, Kalenthaler E, Parry G, Beverley C. Computerised CBT: a review. *Ment Health Today* 2008;30-1.
- 96 *Fledderus M, Bohlmeijer ET, Pieterse ME, Schreurs KM. Acceptance and commitment therapy as guided self-help for psychological distress and positive mental health: a randomized controlled trial. *Psychol Med* 2012;42:485-95.

- 97 *Fleming T, Dixon R, Frampton C, Merry S. A Pragmatic Randomized Controlled Trial of Computerized CBT (SPARX) for Symptoms of Depression among Adolescents Excluded from Mainstream Education. *Behav Cogn Psychother* 2011;1-13.
- 21 *Foroushani PS, Schneider J, Assareh N. Meta-review of the effectiveness of computerised CBT in treating depression. *BMC Psychiatry* 2011;11:131.
- 22 *Garcia-Lizana F, Munoz-Mayorga I. Telemedicine for depression: a systematic review. *Perspect Psychiatr Care* 2010;46:119-26.
- 126 *Garnefski N, Kraaij V, Schroevens M. Effects of a cognitive behavioral self-help program on depressed mood for people with acquired chronic physical impairments: a pilot randomized controlled trial. *Patient Educ Couns* 2011;85:304-7.
- 64 *Gega L, Smith J, Reynolds S. Cognitive behaviour therapy (CBT) for depression by computer vs. therapist: Patient experiences and therapeutic processes. *Psychother Res* 2013.
- 98 *Gorini A, Pallavicini F, Algeri D, Repetto C, Gaggioli A, Riva G. Virtual reality in the treatment of generalized anxiety disorders. *Stud Health Technol Inform* 2010;154:39-43.
- 127 *Grassi A, Gaggioli A, Riva G. New technologies to manage exam anxiety. *Stud Health Technol Inform* 2011;167:57-62.
- 23 *Griffiths KM. SPARX computerised CBT is as effective as usual care for mild-to-moderate depression in help seeking adolescents. *Evid Based Ment Health* 2012.
- 24 *Griffiths KM, Christensen H. Internet-based mental health programs: a powerful tool in the rural medical kit. *Aust J Rural Health* 2007;15:81-7.
- 147 *Griffiths KM, Christensen H. Internet-based mental health programs: a powerful tool in the rural medical kit. *Aust J Rural Health* 2007;15:81-7.
- 25 *Griffiths KM, Farrer L, Christensen H. The efficacy of internet interventions for depression and anxiety disorders: a review of randomised controlled trials (Structured abstract). In: *Medical Journal of Australia*; 2010. p S4-s11.
- 128 *Grime PR. Computerized cognitive behavioural therapy at work: a randomized controlled trial in employees with recent stress-related absenteeism. *Occup Med (Lond)* 2004;54:353-9.
- 26 *Hayes, Inc. Computer-assisted cognitive-behavioral treatment for depression (Structured abstract). In: Lansdale, PA: HAYES, Inc. HAYES, Inc; 2009.
- 99 *Hazen RA, Vasey MW, Schmidt NB. Attentional retraining: a randomized clinical trial for pathological worry. *J Psychiatr Res* 2009;43:627-33.
- 65 *Health Technology A. The Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) Trial (Project record). In: *Health Technology Assessment*. Health Technology Assessment; 2010.
- 129 *Hedman E, Andersson G, Andersson E, Ljotsson B, Ruck C, Asmundson GJ, et al. Internet-based cognitive-behavioural therapy for severe health anxiety: randomised controlled trial. *Br J Psychiatry* 2011;198:230-6.

- 27 *Hedman E, Ljotsson B, Lindefors N. Cognitive behavior therapy via the Internet: a systematic review of applications, clinical efficacy and cost-effectiveness. *Expert Rev Pharmacoecon Outcomes Res* 2012;12:745-64.
- 148 *Heilman RM, Kállay É, Miclea M. The role of computer-based psychotherapy in the treatment of anxiety disorders. *Cognition, Brain, Behavior: An Interdisciplinary Journal* 2010;14:209-230.
- 28 *Herbst N, Voderholzer U, Stelzer N, Knaevelsrud C, Hertenstein E, Schlegl S, et al. The potential of telemental health applications for obsessive-compulsive disorder. *Clin Psychol Rev* 2012;32:454-466.
- 66 *Hilvert-Bruce Z, Rossouw PJ, Wong N, Sunderland M, Andrews G. Adherence as a determinant of effectiveness of internet cognitive behavioural therapy for anxiety and depressive disorders. *Behav Res Ther* 2012;50:463-8.
- 67 *Hoek W, Aarts F, Schuurmans J, Cuijpers P. Who are we missing? Non-participation in an Internet intervention trial for depression and anxiety in adolescents. *Eur Child Adolesc Psychiatry* 2012.
- 68 *Hoek W, Marko M, Fogel J, Schuurmans J, Gladstone T, Bradford N, et al. Randomized controlled trial of primary care physician motivational interviewing versus brief advice to engage adolescents with an Internet-based depression prevention intervention: 6-month outcomes and predictors of improvement. *Transl Res* 2011;158:315-25.
- 149 *Hoek W, Schuurmans J, Koot HM, Cuijpers P. Prevention of depression and anxiety in adolescents: a randomized controlled trial testing the efficacy and mechanisms of Internet-based self-help problem-solving therapy. *Trials* 2009;10:93.
- 44 *Hunkeler EM, Hargreaves WA, Fireman B, Terdiman J, Meresman JF, Porterfield Y, et al. A Web-Delivered Care Management and Patient Self-Management Program for Recurrent Depression: A Randomized Trial. *Psychiatr Serv* 2012.
- 29 *Ingram D, Moreno M. A computerized self-help intervention is as effective as face-to-face counseling for adolescents seeking help for depression. *J Pediatr* 2012;161:967-8.
- 30 *Johansson R, Andersson G. Internet-based psychological treatments for depression. *Expert Rev Neurother* 2012;12:861-70.
- 150 *Kaltenthaler E, Brazier J, De Nigris E, Tumur I, Ferriter M, Beverley C, et al. Computerised cognitive behaviour therapy for depression and anxiety update: a systematic review and economic evaluation. *Health Technol Assess* 2006;10:iii, xi-xiv, 1-168.
- 31 *Kaltenthaler E, Parry G, Beverley C, Ferriter M. Computerised cognitive-behavioural therapy for depression: systematic review. *Br J Psychiatry* 2008;193:181-4.
- 32 *Kaltenthaler E, Sutcliffe P, Parry G, Beverley C, Rees A, Ferriter M. The acceptability to patients of computerized cognitive behaviour therapy for depression: a systematic review. *Psychol Med* 2008;38:1521-30.
- 130 *Kauer SD, Reid SC, Crooke AH, Khor A, Hearps SJ, Jorm AF, et al. Self-monitoring using mobile phones in the early stages of adolescent depression: randomized controlled trial. *J Med Internet Res* 2012;14:e67.

- 100 *Kay-Lambkin F, Baker A, Lewin T, Carr V. Acceptability of a clinician-assisted computerized psychological intervention for comorbid mental health and substance use problems: treatment adherence data from a randomized controlled trial. *J Med Internet Res* 2011;13:e11.
- 101 *Kay-Lambkin FJ, Baker AL, Kelly B, Lewin TJ. Clinician-assisted computerised versus therapist-delivered treatment for depressive and addictive disorders: a randomised controlled trial. *Med J Aust* 2011;195:S44-50.
- 102 *Kay-Lambkin FJ, Baker AL, Lewin TJ, Carr VJ. Computer-based psychological treatment for comorbid depression and problematic alcohol and/or cannabis use: a randomized controlled trial of clinical efficacy. *Addiction* 2009;104:378-88.
- 131 *Kenardy J, McCafferty K, Rosa V. Internet-deliverered indicated prevention for anxiety disorders: A randomized controlled trial. *Behav Cogn Psychother* 2003;31:279-289.
- 132 *Kenardy J, McCafferty K, Rosa V. Internet-delivered indicated prevention for anxiety disorders: six-month follow-up. *Clinical Psychologist* 2006;10:39-42.
- 103 *Kenardy JA, Dow MG, Johnston DW, Newman MG, Thomson A, Taylor CB. A comparison of delivery methods of cognitive-behavioral therapy for panic disorder: an international multicenter trial. *J Consult Clin Psychol* 2003;71:1068-75.
- 69 *Kenter R, Warmerdam L, Brouwer-Dudokdewit C, Cuijpers P, van Straten A. Guided online treatment in routine mental health care: an observational study on uptake, drop-out and effects. *BMC Psychiatry* 2013;13:43.
- 104 *Kenwright M, Marks I, Graham C, Frances A, Mataix-Cols D. Brief scheduled phone support from a clinician to enhance computer-aided self-help for obsessive-compulsive disorder: Randomized controlled trial. *Journal of Clinical Psychology* 2005;61:1499-1508.
- 133 *Kersting A, Kroker K, Schlicht S, Baust K, Wagner B. Efficacy of cognitive behavioral internet-based therapy in parents after the loss of a child during pregnancy: pilot data from a randomized controlled trial. *Arch Womens Ment Health* 2011;14:465-77.
- 105 *Khanna MS, Kendall PC. Computer-assisted cognitive behavioral therapy for child anxiety: results of a randomized clinical trial. *J Consult Clin Psychol* 2010;78:737-45.
- 70 *Klein B, Austin D, Pier C, Kiropoulos L, Shandley K, Mitchell J, et al. Internet-based treatment for panic disorder: does frequency of therapist contact make a difference? *Cogn Behav Ther* 2009;38:100-13.
- 71 *Knaevelsrud C, Liedl A, Maercker A. Posttraumatic Growth, Optimism and Openness as Outcomes of a Cognitive-behavioural Intervention for Posttraumatic Stress Reactions. *J Health Psychol* 2010;15:1030-8.
- 134 *Kraaij V, van Emmerik A, Garnefski N, Schroevers MJ, Lo-Fo-Wong D, van Empelen P, et al. Effects of a cognitive behavioral self-help program and a computerized structured writing intervention on depressed mood for HIV-infected people: a pilot randomized controlled trial. *Patient Educ Couns* 2010;80:200-4.

- 135 *Kroenke K, Theobald D, Wu J, Norton K, Morrison G, Carpenter J, et al. Effect of telecare management on pain and depression in patients with cancer: a randomized trial. *JAMA* 2010;304:163-71.
- 33 *Lanche M, Perkins C, Jr., Stoltzfoos L. Live, online CBT helps service members with PTSD. *Primary Psychiatry* 2008;15:20.
- 72 *Lauder S, Chester A, Castle D, Dodd S, Berk L, Klein B, et al. Development of an online intervention for bipolar disorder. www.moodswings.net.au. *Psychol Health Med* 2012.
- 106 *Levesque DA, Van Marter DF, Schneider RJ, Bauer MR, Goldberg DN, Prochaska JO, et al. Randomized trial of a computer-tailored intervention for patients with depression. *Am J Health Promot* 2011;26:77-89.
- 107 *Levin W, Campbell DR, McGovern KB, Gau JM, Kosty DB, Seeley JR, et al. A computer-assisted depression intervention in primary care. *Psychol Med* 2011;41:1373-83.
- 151 *Lewis C, Pearce J, Bisson JI. Efficacy, cost-effectiveness and acceptability of self-help interventions for anxiety disorders: systematic review. *Br J Psychiatry* 2012;200:15-21.
- 73 *Lorian CN, Titov N, Grisham JR. Changes in risk-taking over the course of an internet-delivered cognitive behavioral therapy treatment for generalized anxiety disorder. *J Anxiety Disord* 2012;26:140-9.
- 108 *Marchand A, Beaulieu-Prévost D, Guay S, Bouchard S, Drouin MS, Germain V. Relative efficacy of cognitive-behavioral therapy administered by videoconference for posttraumatic stress disorder: A six-month follow-up. *Journal of Aggression, Maltreatment & Trauma* 2011;20:304-321.
- 109 *Marks IM, Kenwright M, McDonough M, Whittaker M, Mataix-Cols D. Saving clinicians' time by delegating routine aspects of therapy to a computer: a randomized controlled trial in phobia/panic disorder. *Psychol Med* 2004;34:9-17.
- 152 *McCrone P, Knapp M, Proudfoot J, Ryden C, Cavanagh K, Shapiro DA, et al. Cost-effectiveness of computerised cognitive-behavioural therapy for anxiety and depression in primary care: randomised controlled trial. *Br J Psychiatry* 2004;185:55-62.
- 153 *McCrone P, Marks IM, Greist JH, Baer L, Kobak KA, Wenzel KW, et al. Cost-effectiveness of computer-aided behaviour therapy for obsessive-compulsive disorder. *Psychother Psychosom* 2007;76:249-50.
- 154 *McCrone P, Marks IM, Mataix-Cols D, Kenwright M, McDonough M. Computer-aided self-exposure therapy for phobia/panic disorder: a pilot economic evaluation. *Cogn Behav Ther* 2009;38:91-9.
- 110 *Merry SN, Stasiak K, Shepherd M, Frampton C, Fleming T, Lucassen MFG. The effectiveness of SPARX, a computerised self help intervention for adolescents seeking help for depression: Randomised controlled non-inferiority trial. *BMJ: British Medical Journal* 2012;344:1-16.
- 45 *Mewton L, Wong N, Andrews G. The effectiveness of internet cognitive behavioral therapy for generalized anxiety disorder in clinical practice. *Depress Anxiety* 2012;29:843-849.

111 *Moreno FA, Chong J, Dumbauld J, Humke M, Byreddy S. Use of standard Webcam and Internet equipment for telepsychiatry treatment of depression among underserved Hispanics. Psychiatr Serv 2012;63:1213-7.

74 *Morgan AJ, Mackinnon AJ, Jorm AF. Behavior change through automated e-mails: Mediation analysis of self-help strategy use for depressive symptoms. Behav Res Ther 2013;51:57-62.

75 *Moritz S, Schroder J, Meyer B, Hauschmidt M. THE MORE IT IS NEEDED, THE LESS IT IS WANTED: ATTITUDES TOWARD FACE-TO-FACE INTERVENTION AMONG DEPRESSED PATIENTS UNDERGOING ONLINE TREATMENT. Depress Anxiety 2012.

112 *Muller BH, Kull S, Wilhelm FH, Michael T. One-session computer-based exposure treatment for spider-fearful individuals--efficacy of a minimal self-help intervention in a randomised controlled trial. J Behav Ther Exp Psychiatry 2011;42:179-84.

34 *Mundy L, Hiller JE. Internet delivered cognitive behavioural therapy for patients with depression (Structured abstract). In: Adelaide: Adelaide Health Technology Assessment (AHTA) on behalf of National Horizon Scanning Unit (HealthPACT and MSAC). Adelaide Health Technology Assessment (AHTA) on behalf of National Horizon Scanning Unit (HealthPACT and MSAC); 2009.

35 *Newall C, Hudson JL. Online cognitive-behaviour therapy is similarly effective to clinic-based CBT for reducing adolescent anxiety. Evid Based Ment Health 2012.

113 *Newman MG, Kenardy J, Herman S, Taylor CB. Comparison of palmtop-computer-assisted brief cognitive-behavioral treatment to cognitive-behavioral treatment for panic disorder. J Consult Clin Psychol 1997;65:178-83.

155 *Newman MG, Szkodny LE, Llera SJ, Przeworski A. A review of technology-assisted self-help and minimal contact therapies for anxiety and depression: is human contact necessary for therapeutic efficacy? Clin Psychol Rev 2011;31:89-103.

136 *O'Kearney R, Gibson M, Christensen H, Griffiths KM. Effects of a cognitive-behavioural internet program on depression, vulnerability to depression and stigma in adolescent males: a school-based controlled trial. Cogn Behav Ther 2006;35:43-54.

137 *O'Kearney R, Kang K, Christensen H, Griffiths K. A controlled trial of a school-based Internet program for reducing depressive symptoms in adolescent girls. Depress Anxiety 2009;26:65-72.

46 *O'Kearney R, Kang K, Gibson M, Christensen H, Griffiths K. A CBT internet program for depression in adolescents (MoodGYM): Effects on depressive symptoms, attributional style, self-esteem and beliefs about depression. In: Einstein DA, editor. Innovations and advances in cognitive behaviour therapy. Bowen Hills, QLD,Australia: Australian Academic Press; 2007. p 197-204.

138 *O'Kearney R, Kang K, Gibson M, Christensen H, Griffiths K. A CBT internet program for depression in adolescents (MoodGYM): Effects on depressive symptoms, attributional style, self-esteem and beliefs about depression. In: Einstein DA, editor. Innovations and advances in cognitive behaviour therapy. Bowen Hills, QLD,Australia: Australian Academic Press; 2007. p 197-204.

139 *Orbach G, Lindsay S, Grey S. A randomised placebo-controlled trial of a self-help Internet-based intervention for test anxiety. Behav Res Ther 2007;45:483-96.

- 156 *Palmqvist B, Carlbring P, Andersson G. Internet-delivered treatments with or without therapist input: does the therapist factor have implications for efficacy and cost? *Expert Rev Pharmacoecon Outcomes Res* 2007;7:291-7.
- 47 *Pier CDWKBPLKPDKV. A controlled trial of internet-based cognitive-behavioural therapy for panic disorder with face-to-face support from a general practitioner or email support from a psychologist. *Mental Health in Family Medicine* 2008;5:29-39.
- 48 *Pittaway S, Cupitt C, Palmer D, Arowobusoye N, Milne R, Holttum S, et al. Comparative, clinical feasibility study of three tools for delivery of cognitive behavioural therapy for mild to moderate depression and anxiety provided on a self-help basis. *Mental Health in Family Medicine* 2009;6:145-54.
- 76 *Poole R, Simpson SA, Smith DJ. Internet-based psychoeducation for bipolar disorder: a qualitative analysis of feasibility, acceptability and impact. *BMC Psychiatry* 2012;12:139.
- 114 *Possemato K, Ouimette P, Knowlton P. A brief self-guided telehealth intervention for post-traumatic stress disorder in combat veterans: a pilot study. *J Telemed Telecare* 2011;17:245-50.
- 115 *Preschl B, Maercker A, Wagner B, Forstmeier S, Banos RM, Alcaniz M, et al. Life-review therapy with computer supplements for depression in the elderly: A randomized controlled trial. *Aging Ment Health* 2012.
- 116 *Proudfoot J, Goldberg D, Mann A, Everitt B, Marks I, Gray JA. Computerized, interactive, multimedia cognitive-behavioural program for anxiety and depression in general practice. *Psychol Med* 2003;33:217-27.
- 77 *Proudfoot J, Parker G, Manicavasagar V, Hadzi-Pavlovic D, Whitton A, Nicholas J, et al. Effects of adjunctive peer support on perceptions of illness control and understanding in an online psychoeducation program for bipolar disorder: A randomised controlled trial. *J Affect Disord* 2012.
- 49 *Proudfoot J, Ryden C, Everitt B, Shapiro DA, Goldberg D, Mann A, et al. Clinical efficacy of computerised cognitive-behavioural therapy for anxiety and depression in primary care: randomised controlled trial. *Br J Psychiatry* 2004;185:46-54.
- 78 *Quilty LC, McBride C, Bagby RM. Evidence for the cognitive mediational model of cognitive behavioural therapy for depression. *Psychol Med* 2008;38:1531-41.
- 36 *Reger MA, Gahm GA. A meta-analysis of the effects of Internet- and computer-based cognitive-behavioral treatments for anxiety (Structured abstract). In: *Journal of Clinical Psychology*; 2009. p 53-75.
- 37 *Richards D, Richardson T. Computer-based psychological treatments for depression: a systematic review and meta-analysis. *Clin Psychol Rev* 2012;32:329-42.
- 79 *Richards DL. Client-identified helpful and hindering events in therapist-delivered vs. self-administered online cognitive-behavioural treatments for depression in college students. *Counselling Psychology Quarterly* 2012;25:251-262.
- 38 *Richardson T, Stallard P, Velleman S. Computerised cognitive behavioural therapy for the prevention and treatment of depression and anxiety in children and adolescents: a systematic review (Structured abstract). In: *Clinical Child and Family Psychology Review*; 2010. p 275-290.

- 140 *Rosmarin DH, Pargament KI, Pirutinsky S, Mahoney A. A randomized controlled evaluation of a spiritually integrated treatment for subclinical anxiety in the Jewish community, delivered via the Internet. *J Anxiety Disord* 2010;24:799-808.
- 50 *Ruwaard J, Lange A, Schrieken B, Dolan CV, Emmelkamp P. The effectiveness of online cognitive behavioral treatment in routine clinical practice. *PLoS ONE* 2012;7:e40089.
- 80 *Schneider AJ, Mataix-Cols D, Marks IM, Bachofen M. Internet-guided self-help with or without exposure therapy for phobic and panic disorders. *Psychother Psychosom* 2005;74:154-64.
- 117 *Seligman ME, Schulman P, Tryon AM. Group prevention of depression and anxiety symptoms. *Behav Res Ther* 2007;45:1111-26.
- 118 *Sethi S, Campbell AJ, Ellis LA. The use of computerized self-help packages to treat adolescent depression and anxiety. *Journal of Technology in Human Services* 2010;28:144-60.
- 81 *Simon GE, Ludman EJ, Goodale LC, Dykstra DM, Stone E, Cutsogeorge D, et al. An online recovery plan program: can peer coaching increase participation? *Psychiatr Serv* 2011;62:666-9.
- 39 *Spek V, Cuijpers P, Nyklicek I, Riper H, Keyzer J, Pop V. Internet-based cognitive behaviour therapy for symptoms of depression and anxiety: a meta-analysis. *Psychol Med* 2007;37:319-28.
- 119 *Spence SH, Holmes JM, March S, Lipp OV. The feasibility and outcome of clinic plus internet delivery of cognitive-behavior therapy for childhood anxiety. *J Consult Clin Psychol* 2006;74:614-21.
- 120 *Stallard P, Richardson T, Velleman S, Attwood M. Computerized CBT (Think, Feel, Do) for depression and anxiety in children and adolescents: outcomes and feedback from a pilot randomized controlled trial. *Behav Cogn Psychother* 2011;39:273-84.
- 121 *Stasiak K, Hatcher S, Frampton C, Merry SN. A Pilot Double Blind Randomized Placebo Controlled Trial of a Prototype Computer-Based Cognitive Behavioural Therapy Program for Adolescents with Symptoms of Depression. *Behav Cogn Psychother* 2012;1-17.
- 40 *Stuhlmiller C, Tolchard B. Computer-assisted CBT for depression & anxiety: increasing accessibility to evidence-based mental health treatment. *J Psychosoc Nurs Ment Health Serv* 2009;47:32-9.
- 141 *Thompson NJ, Walker ER, Obolensky N, Winning A, Barmon C, Diiorio C, et al. Distance delivery of mindfulness-based cognitive therapy for depression: project UPLIFT. *Epilepsy Behav* 2010;19:247-54.
- 82 *Tillfors M, Carlbring P, Furmark T, Lewenhaupt S, Spak M, Eriksson A, et al. Treating university students with social phobia and public speaking fears: Internet delivered self-help with or without live group exposure sessions. *Depress Anxiety* 2008;25:708-17.
- 83 *Titov N, Andrews G, Schwencke G, Solley K, Johnston L, Robinson E. An RCT comparing effect of two types of support on severity of symptoms for people completing Internet-based cognitive behaviour therapy for social phobia. *Australian & New Zealand Journal of Psychiatry* 2009;43:920-6.

- 84 *Titov NGELJ. Randomized controlled trial of Internet cognitive behavioural treatment for social phobia with and without motivational enhancement strategies. Australian & New Zealand Journal of Psychiatry 2010;44:938-945.
- 122 *Tortella-Feliu M, Botella C, Llabres J, Breton-Lopez JM, del Amo AR, Banos RM, et al. Virtual reality versus computer-aided exposure treatments for fear of flying. Behav Modif 2011;35:3-30.
- 41 *Tumur I, Kaltenthaler E, Ferriter M, Beverley C, Parry G. Computerised cognitive behaviour therapy for obsessive-compulsive disorder: a systematic review. Psychother Psychosom 2007;76:196-202.
- 42 *Wade AG. Use of the internet to assist in the treatment of depression and anxiety: a systematic review. Prim Care Companion J Clin Psychiatry 2010;12.
- 142 *Wagner B, Knaevelsrud C, Maercker A. Internet-based cognitive-behavioral therapy for complicated grief: a randomized controlled trial. Death Stud 2006;30:429-53.
- 43 *Waller R, Gilbody S. Barriers to the uptake of computerized cognitive behavioural therapy: a systematic review of the quantitative and qualitative evidence. Psychol Med 2009;39:705-12.
- 143 *van Bastelaar KM, Pouwer F, Cuijpers P, Riper H, Snoek FJ. Web-based depression treatment for type 1 and type 2 diabetic patients: a randomized, controlled trial. Diabetes Care 2011;34:320-5.
- 145 *van der Zanden RA, Kramer JJ, Cuijpers P. Effectiveness of an online group course for adolescents and young adults with depressive symptoms: study protocol for a randomized controlled trial. Trials 2011;12:196.
- 85 *Van Voorhees BW, Fogel J, Pomper BE, Marko M, Reid N, Watson N, et al. Adolescent Dose and Ratings of an Internet-Based Depression Prevention Program: A Randomized Trial of Primary Care Physician Brief Advice versus a Motivational Interview. J Cogn Behav Psychother 2009;9:1-19.
- 86 *Van Voorhees BW, Fogel J, Reinecke MA, Gladstone T, Stuart S, Gollan J, et al. Randomized clinical trial of an Internet-based depression prevention program for adolescents (Project CATCH-IT) in primary care: 12-week outcomes. J Dev Behav Pediatr 2009;30:23-37.
- 87 *Van Voorhees BW, Vanderplough-Booth K, Fogel J, Gladstone T, Bell C, Stuart S, et al. Integrative internet-based depression prevention for adolescents: a randomized clinical trial in primary care for vulnerability and protective factors. J Can Acad Child Adolesc Psychiatry 2008;17:184-96.
- 88 *Warmerdam L, van Straten A, Jongsma J, Twisk J, Cuijpers P. Online cognitive behavioral therapy and problem-solving therapy for depressive symptoms: Exploring mechanisms of change. J Behav Ther Exp Psychiatry 2010;41:64-70.
- 89 *Watts S, Mackenzie A, Thomas C, Griskaitis A, Mewton L, Williams A, et al. CBT for depression: a pilot RCT comparing mobile phone vs. computer. BMC Psychiatry 2013;13:49.
- 51 *Williams AD, Andrews G. The Effectiveness of Internet Cognitive Behavioural Therapy (iCBT) for Depression in Primary Care: A Quality Assurance Study. PLoS ONE 2013;8:e57447.
- 123 *Wright JH, Wright AS, Albano AM, Basco MR, Goldsmith LJ, Raffield T, et al. Computer-assisted cognitive therapy for depression: maintaining efficacy while reducing therapist time. Am J Psychiatry 2005;162:1158-64.

124 *Wuthrich VM, Rapee RM, Cunningham MJ, Lyneham HJ, Hudson JL, Schniering CA. A randomized controlled trial of the Cool Teens CD-ROM computerized program for adolescent anxiety. *J Am Acad Child Adolesc Psychiatry* 2012;51:261-70.

90 *Yellowlees PM, Holloway KM, Parish MB. Therapy in virtual environments--clinical and ethical issues. *Telemed J E Health* 2012;18:558-64.

125 *Zautra AJ, Davis MC, Reich JW, Sturgeon JA, Arewasikporn A, Tennen H. Phone-based interventions with automated mindfulness and mastery messages improve the daily functioning for depressed middle-aged community residents. *Journal of Psychotherapy Integration* 2012;22:206-228.